

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 2011

[Full Table of Content](#)



Results of the
Classical and other
Long-term Experiments
2011

R/CS/477/W/CS/478 Continuous Maize

Rothamsted Research

Rothamsted Research (2012) *R/CS/477/W/CS/478 Continuous Maize* ; Yields Of The Field Experiments 2011, pp 55 - 59 - DOI: <https://doi.org/10.23637/ERADOC-1-221>

11/R/CS/477

CONTINUOUS MAIZE

Object: To monitor the fate of organic carbon in the soil organic matter – Hoosfield

Sponsors: A. J. Macdonald

The 15th year, forage maize and s. barley

For previous years see Yield Books for 97-10/R/CS/477

Design: 3 randomised blocks of 6 plots.

Plot dimensions: 12.0 x 25.0

Treatments:-

CROP Crop and straw treatments:

- M Continuous maize, stubble incorporated
- (M)B S. barley after five years maize, stubble incorporated
- MT Maize, stubble plus 10 t maize tops incorporated
- B(M) S. barley, after ten years of Maize, straw removed
- BT Continuous spring barley, straw removed plus 10 t maize tops incorporated
- B Continuous spring barley, straw removed

Note: Cropping was changed from Maize to S. barley on the BM treatment in 2010

Experimental diary

			Rate	Unit
29-Sep-10	a	Spread maize on plots - 300 kg per plot, on plots 3,6,9,12,16,18.	10	t/ha
30-Sep-10	p	Sprayed Barbarian - Water volume = 200 l/ha	4	l/ha
07-Oct-10	f	Triple Super Phosphate - Whole Experiment	171	kg/ha
07-Oct-10	f	Muriate of Potash - To whole experiment	181	kg/ha
10-Oct-10	a	Ploughed		
24-Mar-11	a	Spring tined		
25-Mar-11	s	Drilled Optic sp Barley trt Beret Multi @ 350 seeds/m ² . See plan for plots drilled barley and plots to be drilled Maize	153	kg/ha
25-Mar-11	a	Rolled - Spring barley plots and O+Es		
13-Apr-11	a	Flexi Tined - Ready to drill		
26-Apr-11	s	Drilled Hudson tr Mesurol @ 10.2 seeds/m ² - Maize plots.		
26-Apr-11	a	Rolled maize plots		
26-Apr-11	p	Power harrow (Roadtare) Maize plots		
04-May-11	f	Applied Double Top Fertilizer - Barley and Maize	356	kg/ha

09-May-11	p	Sprayed Acanto Prima, Harmony M SX and Headland Charge in 200 l water.	1.6 100 0.75	kg/ha g/ha l/ha
02-Jun-11	a	Cut paths		
14-Jun-11	p	Sprayed Bravo 500, Flexity and Mobius	1.0 0.2 0.43	l/ha l/ha l/ha
20-Jun-11	a	Cut paths		
30-Jun-11	p	Sprayed Callisto and Samson in 200 l water	1.0 0.5	l/ha l/ha
30-Jul-11	p	Sprayed Statis 360 in 200l water - Sp barley only.	3	l/ha
01-Aug-11	a	Cut paths		
22-Aug-11	a	Combined s. barley for yields		
23-Sep-11	a	Cut Maize for yields - and discards		
12-Oct-11	a	Rolled		

MAIZE

WHOLE CROP (AT 100% DRY MATTER) TONNES/HECTARE

***** Tables of means *****

Treatment	
M	7.14
MT	6.60
Mean	6.87

Standard errors of differences of means

Table	Treatment
s.e.d.	0.451

Stratum standard errors and coefficients of variation

Stratum	d.f.	s.e.	cv%
Blocks.Plots	2	0.552	8.0
MEAN DM%	18.4		

PLOT AREA HARVESTED 0.00108

SPRING BARLEY

GRAIN TONNES/HECTARE

***** Tables of means *****

Treatment	
(M)B	4.98
BT	5.35
B	4.66
B(M)	6.06
Mean	5.26

Standard errors of differences of means

Table	Treatment
s.e.d.	0.296

Stratum standard errors and coefficients of variation

Stratum	d.f.	s.e.	cv%
Blocks.Plots	6	0.362	6.9

Grain mean dm% 82.4

Plot area harvested 0.00525

11/W/CS/478

CONTINUOUS MAIZE

Object: To monitor the fate of organic carbon in the soil organic matter – Woburn, Stackyard AI

Sponsors: A. J. Macdonald

The 15th year, forage maize and s. barley

For previous years see Yield Books for 97-10/W/CS/478

Design: 3 randomised blocks of 6 plots.

Plot dimensions: 9.0 x 25.00

Treatments:-

CROP Crop and straw treatments:

M Continuous maize, stubble incorporated
(M)B S. barley after five years maize, stubble incorporated
MT Maize, stubble plus 10 t maize tops incorporated
B(M) S. barley, after ten years of maize, straw removed
BT Continuous spring barley, straw removed plus 10 t maize tops incorporated
B Continuous spring barley, straw removed

Note: Cropping was changed from Maize to S. barley on the BM treatment in 2010

Experimental diary

			Rate	Unit
23-Nov-10	a	Spread chopped maize as scheduled. - Relevant plots only.		
23-Nov-10	a	Ploughed. - Dowdeswell 4 furrow at 14".		
25-Mar-11	a	Flexi Tined.		
25-Mar-11	s	Combination Drilled Optic @ 350 seeds/m ² . Cambridge rolled - Spring barley plots only.		
25-Apr-11	f	Broadcast Double Top. 27%N, 30% SO ₃ .	356	kg/ha.
05-May-11	a	Rotary Harrowed. Drilled Hudson dressed Mesuro. @ 10.2 seeds/m ² - Maize plots.		
20-May-11	p	Sprayed Thor in 200l water - Spring Barley	20	g/ha.
07-Jun-11	p	Sprayed Callisto with Samson in 220 l water - Maize plots only.	1.0 0.75	l/ha l/ha
01-Sep-11	a	Combined s. barley for yield		
02-Sep-11	a	Combined O+Es		
07-Sep-11	a	Baled and removed straw		
26-Sep-11	a	Cut Maize for yields		
06-Oct-11	a	Cut discards - Cut remainder of maize, bale and clear bales		

11/W/CS/478

MAIZE

WHOLE CROP (AT 100% DRY MATTER) TONNES/HECTARE

***** Tables of means *****

Treatment	
M	9.92
MT	10.72
Mean	10.32

Standard errors of differences of means

Table	Treatment
s.e.d.	1.663

Stratum standard errors and coefficients of variation

Stratum	d.f.	s.e.	cv%
Blocks.Plots	2	2.036	19.7
MEAN DM%	32.7		

PLOT AREA HARVESTED 0.00108

SPRING BARLEY

GRAIN TONNES/HECTARE

***** Tables of means *****

Treatment	
(M)B	3.80
BT	3.96
B	3.50
B(M)	4.56
Mean	3.95

Standard errors of differences of means

Table	Treatment
s.e.d.	0.150

Stratum standard errors and coefficients of variation

Stratum	d.f.	s.e.	cv%
Blocks.Plots	6	0.183	4.6
Grain mean dm%	83.4		
Plot area harvested			0.00525