

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 2012

[Full Table of Content](#)



Results of the
Classical and other
Long-term Experiments
2012

R/EX/4 Exhaustion Land

Rothamsted Research

Rothamsted Research (2013) *R/EX/4 Exhaustion Land* ; Yields Of The Field Experiments 2012, pp 24 - 28 - DOI: <https://doi.org/10.23637/ERADOC-1-222>

12/R/EX/4

EXHAUSTION LAND

Object: To study the residual effects of manures applied 1856 - 1901, and of additional phosphate applied since 1986 (P test) and of additional potassium since 2007 (K test); on the yield of continuous s. barley up to 1991, w. wheat since – Hoosfield.

The 157th year, w. wheat.

For previous years see 'Details' 1977, 1973 and Yield Books for 74-11/R/EX/4

Treatments: All combinations of:-

Whole plots (P test)

1. **OLD RES** Residues of manures applied annually 1876 – 1901:

O	None
D	Farmyard manure at 35 t
N	96 kg N as ammonium salts
P	34 kg P as superphosphate
NPKNAMG	N and P as above plus 137 kg K as sulphate of potash, 16 kg Na as sulphate of soda, 11 kg Mg as sulphate of magnesia

2. **P** Maintenance P (20 kg P) applied annually from 2000 to maintain existing levels of available P In the soil. (P1) (P2) and (P3) are residues of P applied annually 1986–1992:

	2000-12	1986-92
O	None	None
P (P1)	20 kg P	44 kg P
P (P2)	20 kg P	87 kg P
P (P3)	20 kg P	131 kg P

NOTE: P treatments were applied at 61.5 kg P in error in 2000.

Plus

Whole plots (K test, previously N test until 1991)

1. **OLD RES** Residues of manures applied annually 1876 – 1901:

O	None
D	Farmyard manure at 35 t
N*	96 kg N as nitrate of soda
PK	34 kg P as superphosphate, 137 kg K as sulphate of potash
N*PK	N, P and K as above

12/R/EX/4

2. K Potassium applied annually from 2007 as muriate of potash

O	None
K1	75 kg K ₂ O (62.2 kg K)
K2	150 kg K ₂ O (124.5 kg K)

Whole plots

Nitrogen: 50 kg N as ammonium sulphate (to supply sufficient S) during first two weeks in March, 200 kg N as ammonium nitrate at GS31/mid-April (whichever comes first) and 50 kg N as ammonium nitrate at GS37 (not later than mid-May)

Experimental diary

Date		Application	Rate	Units
15-Aug-11	a	Combined for yields	-	
15-Aug-11	a	Straw weights	-	
29-Sep-11	f	Applied Triple Super Phosphate, as per plan.	-	
29-Sep-11	f	Applied Muriate of Potash, as per plan	-	
30-Sep-11	a	Applied Chalk, as per plan		
		Plots 022,024,074.	2	t/ha
		Plots 011,023,044,061,062,063,064, 071, 082,083,084,103.	4	t/ha
		Plots 021, 041,042,043, 051,054,081,101,102,104.	6	t/ha
03-Oct-11	a	Ploughed	-	
04-Oct-11	a	Cultipressed	-	
12-Oct-11	a	Rolled	-	
14-Oct-11	p	Sprayed Liberator in 200l/ha of water	0.6	l/ha
16-Mar-12	f	Applied Ammonium Sulphate Fertiliser	238	kg/ha
22-Mar-12	p	Sprayed Cherokee SE and Justice in 200l/ha	Ch1.0 Ju 0.125	l/ha
11-Apr-12	f	Applied Nitram Fertiliser	580	kg/ha
05-May-12	p	Sprayed AllyMax, Bravo 500, Tracker, Agriguard and Starane in 200l/ha of water	Al@ 42* Br@ 1.0 Tr@ 1.0 Ag@ 2.25 St@0.5	*g/ha l/ha
05-May-12	p	Sprayed AllyMax, Bravo 500, Tracker, Agriguard and Starane 2 in 200 l/ha of water	Al@ 42*, Br@ 1.0, Tr@ 1.0, Ag@ 2.25, St@0.5	*g/ha l/ha
17-May-12	a	Cut Paths	-	
17-May-12	f	Applied Nitram	145	kg/ha
23-May-12	p	Sprayed Comet, Bravo 500 and Opus	Co@0.6 Br@1.0 Op@0.8	l/ha
13-Jun-12	p	Sprayed w/ Amistar and Prosaro in 100l/ha of water	Am@0.3 P@0.7	l/ha
14-Jun-12	a	Cut paths	-	
20-Jun-12	a	Cut Paths	-	

06-Aug-12	a	Cut Paths	-	
07-Aug-12	p	Sprayed w/ Samurai	3	l/ha
23-Aug-12	a	Harvested.	-	
24-Aug-12	a	Harvested O+E's	-	
24-Aug-12	a	Sampled Baled and Weighed	-	
20-Sep-12	p	Sprayed Whole field w/ Weedazol EW	20	l/ha
28-Sep-12	f	Spread Muriate of Potash - plots 103,83,63,43,23	125	kg/ha
28-Sep-12	f	Spread Muriate of Potash - plots 104-94,87-73,64-54,44-34,24-14	250	kg/ha
28-Sep-12	f	Spread TSP as on sheet on plots 101-93,81-73,61-53,41-33,21-13	75	kg/ha

NOTE: Samples of grain and straw were taken for chemical analysis.

P TEST

Grain tonnes/hectare

***** Tables of means *****

P_RES OLD_RES	O	P1	P2	P3	Mean
O	2.43	7.22	8.36	8.72	6.68
D	4.94	8.66	8.66	8.64	7.72
N	1.43	7.78	8.21	8.45	6.47
P	3.64	8.23	8.42	8.77	7.26
NPKNAMG	3.45	8.02	8.60	8.52	7.15
Mean	3.18	7.98	8.45	8.62	7.06

Grain mean DM% 86.5

Plot area harvested 0.00538

Straw tonnes/hectare

***** Tables of means *****

P_RES OLD_RES	O	P1	P2	P3	Mean
O	1.61	4.01	5.18	5.73	4.13
D	2.89	5.21	6.49	6.41	5.25
N	0.97	4.51	4.95	5.43	3.96
P	2.09	4.79	5.21	5.87	4.49
NPKNAMG	2.22	4.19	5.08	6.03	4.38
Mean	1.96	4.54	5.38	5.89	4.44

Straw mean DM% 86.3

Plot area harvested 0.00538

12/R/EX/4

K TEST

Grain tonnes/hectare

***** Tables of means *****

K_Test OLD_RES	K0	K1	K2	Mean
O	6.23	8.03	8.51	7.25
D	6.43	7.91	8.35	7.28
N*	6.53	8.27	8.36	7.42
PK	7.48	8.53	8.65	8.03
N*PK	6.86	8.35	8.49	7.64
Mean	6.70	8.22	8.47	7.53

Standard errors of differences of means

Table	OLD_RES	K_Test	OLD_RES K_Test	
s.e.d.		0.316	0.707	min.rep
	0.354	0.274	0.612	max-min
Grain mean DM% 86.6				

12/R/EX/4

K TEST

Straw tonnes/hectare

***** Tables of means *****

K_Test OLD_RES	K0	K1	K2	Mean
O	4.00	5.74	5.71	4.86
D	5.15	6.51	6.66	5.87
N*	4.79	5.63	5.94	5.29
PK	5.69	6.32	6.37	6.02
N*PK	4.58	5.65	6.13	5.24
Mean	4.84	5.97	6.16	5.45

Standard errors of differences of means

Table	OLD_RES	K_Test	OLD_RES K_Test	
s.e.d.		0.217	0.486	min.rep
	0.243	0.188	0.421	max-min
		0.154X	0.344	max.rep

Stratum standard errors and coefficients of variation

=====

Straw85% Straw (at 85% dry matter) tonnes/hectare

Stratum	d.f.	s.e.	cv%
Blocks.Plots	5	0.344	6.3

Straw mean DM% 88.6

Plot area harvested 0.005