

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 2012

[Full Table of Content](#)



Results of the  
Classical and other  
Long-term Experiments  
2012

---

## R/CS/326 & W/CS/326 Amounts of Straw

### Rothamsted Research

Rothamsted Research (2013) *R/CS/326 & W/CS/326 Amounts of Straw* ; Yields Of The Field Experiments 2012, pp 53 - 56 - DOI: <https://doi.org/10.23637/ERADOC-1-222>

## 12/R/CS/326 and 12/W/CS/326

### AMOUNTS OF STRAW

**Object:** To study the effects of different amounts of straw, incorporated into the soil, on w. wheat – Rothamsted (R) Great Knott III, Woburn (W) Far Field I

**Sponsors:** A Macdonald and M. J. Glendining,

The 26<sup>th</sup> year, w. wheat

For previous years see Yield Books for 87-11/R & W/CS/326

**Design:** 4 randomised blocks of 4 plots (R)  
3 randomised blocks of 4 plots (W)

**Whole plot dimensions:** 3.0 x 13.5 (R). 0.004 ha  
3.0 x 14.5 (W).

#### Treatments:

**STRAW** Amounts of straw incorporated into the seedbed (t/ha), cumulative to previous annual dressings:

		R	W
NONE	None	-	-
NORMAL	Normal	2.67	1.56
2 NORMAL	Twice normal	5.34	3.12
4 NORMAL	Four times normal	10.68	6.24

#### Experimental Diary

##### Great Knott III (R)

Date		Application	Rate	Units
17-Aug-11	a	Straw applied to treatments, as per plan	-	-
30-Aug-11	p	Sprayed Statis 360 water volume = 200 lt/ha (Sprayed stubble prior to primary cultivations)	1.5 lt/ha	l/ha
15-Sep-11	p	Sprayed Symbol water volume = 200 lt/ha (Stubble glyphosate prior to primary cultivations)	1.5 lt/ha	l/ha
17-Sep-11	a	Ploughed - started	-	
19-Sep-11	a	Ploughed - finished	-	
20-Sep-11	a	Cultipressed	-	
07-Oct-11	s	Drilled Hereward trt Beret Gold	350	seeds/m <sup>2</sup>
13-Oct-11	p	Sprayed Liberator + Cinder in 200l/ha of water	Li@0.6 Ci@2.0	l/ha
28-Nov-11	p	Sprayed Hallmark with Zeon Technology in 200l/ha of water	50	ml/ha
29-Feb-12	p	Sprayed Pacifica and Bio-Power in 150 l/ha of water	P@0.4* B@1.0	*kg/ha l/ha
15-Mar-12	p	Sprayed Cherokee SE and Justice in 200 l/ha of water	Ch@1.0 Ju@0.125	l/ha
12-Apr-12	f	Applied Nitram Fertiliser	262	kg/ha

16-Apr-12	a	Mowed Paths	-	
23-Apr-12	p	Sprayed Bravo 500, Tracker, Agriguard and Starane2 in 200l/ha of water	Br@1.0 Tr@0.8 Ag2.25 St@0.50	l/ha
06-May-12	p	Sprayed Ally Max in 200l/ha of water	42	g/ha
16-May-12	a	Cut paths	-	
17-May-12	f	Applied Nitram	262	kg/ha
22-May-12	p	Sprayed Topik and Adigor	To@0.125 Ad@1.0	l/ha
23-May-12	p	Sprayed Comet, Bravo 500 and Opus	Co@0.6 Br@1.0 Op@0.8	l/ha
13-Jun-12	p	Sprayed w/ Amistar and Prosaro in 100l/ha of water	Am@0.3 Pro@0.7	l/ha
15-Jun-12	a	Cut paths	-	
09-Jul-12	a	Topped/Cut Paths	-	
30-Jul-12	a	Paths Cut	-	
23-Aug-12	a	Plots harvested, straw weighed and baled.	-	
19-Sep-12	a	Sub Soiled	-	
20-Sep-12	a	Ploughed	-	
13-Oct-12	f	Spread MOP onto Stubble	227	kg/ha

#### Far Field I (W)

Date		Application	Rate	Units
08-Sep-11	a	Straw applied to treatments, as per plan	-	-
15-Sep-11	p	Sprayed Symbol (glyphosate) on 326 area, ex rye area and 12m headland around whole field	3.0	l/ha
23-Sep-11	a	Ploughed, soil thrown west		
10-Oct-11	s	Drilled Hereward trt Redigo Deter	350	seeds/m <sup>2</sup>
11-Oct-11	a	Cambridge Rolled.	-	
11-Oct-11	a	Rolled	-	
11-Oct-11	a	Errected rabbit netting	-	
17-Nov-11	p	Sprayed Sherman, Tawny and Seal Z in 200l/ha of water	Sh@2.5 Ta@2.0 Se@50*	l/ha *ml/ha
28-Mar-12	f	Double Top applied @ 148 kg/ha= 40 kg/ha N	148	kg/ha
29-Mar-12	p	Spray Cherokee	1.25	l/ha
29-Mar-12	p	Spray Pacifica + biopower - headland only and 4 tramlines from beans and triangle E of ww1250.	Sp@0.4 Bi@*	l/ha *kg/ha
10-May-12	f	Nitram	1.0 203	kg/ha
13-May-12	p	Spray fungicide T1 - Ignite + Bravo 500+ Chloromequat + Mn in 200 l/ha of water	Ig@1.0 Br@1.0 Ch@2.0 Mn@2.0	l/ha
24-May-12	f	Nitram applied as per plan	203	kg/ha
06-Sep-12	a	Combined Plots	-	
07-Sep-12	a	Straw weights	-	

**NOTE:** Samples of grain and straw were taken for chemical analyses for both experiments.

**12/R/CS/326**

**GRAIN TONNES/HECTARE**

**\*\*\*\*\* Tables of means \*\*\*\*\***

Straw_	
-	7.12
1	7.39
2	7.88
4	7.86
Mean	7.56

Standard errors of differences of means

-----

Table	Straw_
s.e.d.	0.274

Stratum standard errors and coefficients of variation

=====

Stratum	d.f.	s.e.	cv%
Blocks.Plots	9	0.387	5.1

Grain mean DM% 86.2

**STRAW TONNES/HECTARE**

**\*\*\*\*\* Tables of means \*\*\*\*\***

Straw_	
-	5.56
1	6.23
2	6.14
4	6.50
Mean	6.11

Standard errors of differences of means

-----

Table	Straw_
s.e.d.	0.395

Stratum standard errors and coefficients of variation

=====

Stratum	d.f.	s.e.	cv%
Blocks.Plots	9	0.558	9.1

Straw mean DM% 83.1

Plot area harvested 0.00284

**12/W/CS/326**

**GRAIN TONNES/HECTARE**

**\*\*\*\*\* Tables of means \*\*\*\*\***

Straw	
-	6.13
1	6.46
2	6.54
4	6.46
Mean	6.39

Standard errors of differences of means

Table	Straw
s.e.d.	0.116

Stratum standard errors and coefficients of variation

Stratum	d.f.	s.e.	cv%
Blocks.Plots	6	0.142	2.2

Grain mean DM% 86.9

**STRAW TONNES/HECTARE**

**\*\*\*\*\* Tables of means \*\*\*\*\***

Straw	
-	4.94
1	4.76
2	5.23
4	5.25
Mean	5.05

Standard errors of differences of means

Table	Straw
s.e.d.	0.303

Stratum standard errors and coefficients of variation

Stratum	d.f.	s.e.	cv%
Blocks.Plots	6	0.371	7.4

Straw mean DM% 95.1

Plot area harvested 0.00305