Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 2013



Full Table of Content

R/EX/4 Exhaustion Land

Rothamsted Research

Rothamsted Research (2014) *R/EX/4 Exhaustion Land* ; Yields Of The Field Experiments 2013, pp 22 - 25 - **DOI: https://doi.org/10.23637/ERADOC-1-223**

13/R/EX/4

EXHAUSTION LAND

Object: To study the residual effects of manures applied 1856 - 1901, and of additional phosphate applied since 1986 (P test) and of additional potassium since 2007 (K test); on the yield of continuous s. barley up to 1991, w. wheat since – Hoosfield.

The 158th year, w. wheat.

For previous years see 'Details' 1977, 1973 and Yield Books for 74-12/R/EX/4

Treatments: All combinations of:-

Whole plots (P test)

| 1. | OLD RES | Residues of manures applied annually 1876 – 1901: | | | |
|----|---------------------------------|---|---|--|--|
| | o D N P NPKNAMG | None Farmyard manure at 35 t 96 kg N as ammonium salts 34 kg P as superphosphate N and P as above plus 137 kg K as sulphate of potash, 16 kg Na as sulphate of soda, 11 kg Mg as sulphate of magnesia | | | |
| 2. | Ρ | Maintenance P (20 kg P) applied annually from 2000 to maintain existing levels of available P In the soil. (P1) (P2) and (P3) are residues of P applied annually 1986–1992: | | | |
| | O P (P1) P (P2) P (P3) | 2000-12 None 20 kg P 20 kg P 20 kg P | 1986-92 None 44 kg P 87 kg P 131 kg P | | |

NOTE: P treatments were applied at 61.5 kg P in error in 2000.

Plus

Whole plots (K test, previously N test until 1991

| 1. OLD RES | Residues of manures applied annually 1876 – 1901: |
|------------|---|
| 0 | None |
| D | Farmyard manure at 35 t |
| N* | 96 kg N as nitrate of soda |
| PK | 34 kg P as superphosphate, 137 kg K as sulphate of potash |
| N*PK | N, P and K as above |

13/R/EX/4

| 2. K | Potassium applied annually from 2007 as muriate of potash |
|------|---|
| 0 | None |
| K1 | 75 kg K₂O (62.2 kg K) |
| K2 | 150 kg K₂O (124.5 kg K) |

Whole plots

Nitrogen: 50 kg N as ammonium sulphate (to supply sufficient S) during first two weeks in March, 200 kg N as ammonium nitrate at GS31/mid-April (whichever comes first) and 50 kg N as ammonium nitrate at GS37 (not later than mid-May)

Experimental diary

| Date | | Application | Rate | Units |
|-----------|---|---|---|------------------------------|
| 20-Sep-12 | р | Sprayed Whole field w/ Weedazol EW | 20 | l/ha |
| 28-Sep-12 | f | Spread MOP Fertilizer on plots - 103,83,63,43,23 | 125 | kg/ha |
| 28-Sep-12 | f | Spread MOP Fertilizer as on sheet on plots 104-94,87-73,64-54,44-34,24-14 | 250 | kg/ha |
| 28-Sep-12 | f | Spread TSP as on sheet on plots 101-93,81-73,61- 53,41-33,21-13 | 75 | kg/ha |
| 15-Oct-12 | а | Drilled WW Xi19 | 400 | seeds m ² |
| 15-Nov-12 | р | Sprayed Liberator and PDM, also o+e's at each end of EX/4 | Li@0.6 PDM@2.7 | l/ha l/ha |
| 15-Nov-12 | р | Spread Slug Pellets (Gusto) | 5 | kg/ha |
| 11-Mar-13 | f | Applied Kieserite | 80 | kg/ha |
| 12-Mar-13 | f | Applied Ammonium Sulphate Fertiliser | 238 | kg/ha |
| 25-Apr-13 | f | Applied Nitram | 580 | kg/ha |
| 16-May-13 | р | Sprayed AllyMax, Kingdom, Bravo500, NewCycocel, HatchetExtra | AM@42 Ki@1.25 Br500@1.0 NCy@2.0 Hat@1.0 | g/ha I/ha I/ha I/ha |
| 21-May-13 | f | Applied Nitram | 145 | kg/ha |
| 06-Jun-13 | р | Sprayed Ingite and Comet | ign@1.2 com@0.4 | l/ha l/ha |
| 18-Jun-13 | р | Sprayed Cello | 0.55 | l/ha |
| 19-Jun-13 | а | Cut Paths | | _ |
| 04-Jul-13 | а | Cut Paths | — | _ |
| 19-Jul-13 | а | Cut Paths. | | _ |
| 12-Aug-13 | а | Claas - Harvested | _ | _ |
| 13-Aug-13 | а | Sampo - Harvested | | — |
| 13-Aug-13 | а | baled weighed and sampled plots | _ | _ |
| 20-Aug-13 | а | Claas - Harvested, OE's | _ | — |

Note: Samples of grain and straw were taken for chemical analysis. The yield strips on plots 031, 034, 071, 074, 091 & 094 were made smaller this year to avoid areas where the crop had already been sampled by S. McGrath et al.

P TEST

```
Grain tonnes/hectare
```

```
***** Tables of means *****
```

| P_RES OLD RES | 0 | P1 | P2 | Р3 | Mean |
|------------------|------|------|------|------|------|
| - 0 | 1.83 | 4.32 | 4.45 | 5.45 | 4.01 |
| D | 3.24 | 5.49 | 6.00 | 5.87 | 5.15 |
| N | 0.89 | 4.78 | 5.15 | 5.81 | 4.16 |
| P | 3.24 | 5.25 | 6.10 | 6.05 | 5.16 |
| NPKNAMG | 3.60 | 5.35 | 5.83 | 6.64 | 5.35 |
| Mean | 2.56 | 5.04 | 5.51 | 5.96 | 4.77 |

```
Grain mean DM% 86.3
```

```
Straw tonnes/hectare
```

```
***** Tables of means *****
```

| P_RES OLD RES | 0 | P1 | P2 | P3 | Mean |
|------------------|------|-----------|------|------|------|
| | 0 51 | 0 01 | 2.17 | 0 00 | 1.97 |
| 0 | 0.51 | 2.21 | 2.1/ | 2.98 | 1.9/ |
| D | 0.80 | 2.72 | 3.25 | 3.47 | 2.56 |
| N | 0.29 | 2.07 | 2.32 | 2.65 | 1.83 |
| P | 1.15 | 2.55 | 2.85 | 3.36 | 2.47 |
| NPKNAMG | 1.24 | 2.46 | 3.26 | 4.01 | 2.74 |
| Mean | 0.80 | 2.40 | 2.77 | 3.29 | 2.32 |

Straw mean DM% 87.1

Plot area harvested 0.00538, 0.00252.

13/R/EX/4

K TEST

Grain tonnes/hectare

***** Tables of means *****

| K_Test | к0 | ĸı | К2 | Mean |
|---------|------|-------------|------|------|
| OLD_RES | | C 10 | 6 51 | |
| 0 | 4.99 | 6.10 | 6.51 | 5.64 |
| D | 5.89 | 6.59 | 6.76 | 6.28 |
| N* | 4.92 | 5.26 | 5.93 | 5.26 |
| PK | 6.04 | 6.57 | 6.67 | 6.33 |
| N*PK | 5.58 | 6.45 | 7.06 | 6.17 |
| Mean | 5.48 | 6.19 | 6.59 | 5.94 |

Grain mean DM% 88.1

```
Straw tonnes/hectare
***** Tables of means *****
      K_Test
                    к0
                            К1
                                        к2
                                                Mean
     OLD RES
                                      2.83
                                                2.34
           0
                  1.92
                            2.66
                  2.38
                            3.15
                                      3.27
                                                2.80
           D
          N*
                  1.67
                            2.23
                                      2.45
                                                2.01
          PK
                  2.81
                            3.06
                                                2.87
                                      2.82
        N*PK
                  2.36
                            3.47
                                      3.39
                                                2.89
                  2.23
                            2.91
                                      2.95
                                                2.58
        Mean
```

Straw mean DM% 92.4 Plot area harvested 0.00538