

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 2014



Results of the
Classical and other
Long-term Experiments
2014

[Full Table of Content](#)

R/CS/477 & W/CS/478 Continuous Maize

Rothamsted Research

Rothamsted Research (2015) *R/CS/477 & W/CS/478 Continuous Maize* ; Yields Of The Field Experiments 2014, pp 57 - 61 - DOI: <https://doi.org/10.23637/ERADOC-1-224>

14/R/CS/477

CONTINUOUS MAIZE

Object: To monitor the fate of organic carbon in the soil organic matter – Hoosfield

Sponsors: A. J. Macdonald

The 18th year, forage maize and s. barley

For previous years see Yield Books for 97-13/R/CS/477

Design: 3 randomised blocks of 6 plots.

Plot dimensions: 12.0 x 25.0

Treatments:-

CROP Crop and straw treatments:

M Continuous maize, stubble incorporated
(M)B S. barley after five years maize, stubble incorporated
MT Maize, stubble plus 10 t maize tops incorporated
B(M) S. barley, after ten years of Maize, straw removed
BT Continuous spring barley, straw removed plus 10 t maize tops incorporated
B Continuous spring barley, straw removed

Note: Cropping was changed from Maize to S. barley on the BM treatment in 2010, but returned to maize again in 2013.

Experimental diary

Date		Application	Rate	Units
01-Oct-13	a	Topping	-	-
08-Oct-13	a	ploughed	-	-
08-Oct-13	a	Applied Maize tops	10	t/ha
08-Oct-13	f	Applied MOP Fertiliser	181	kg/ha
08-Oct-13	f	Applied TSP Fertilizer	171	kg/ha
26-Mar-14	p	Sprayed Firebrand	1.0	l/ha
26-Mar-14	p	Sprayed Samurai	2.0	l/ha
31-Mar-14	p	Spring-tined All site and surrounds	-	-
31-Mar-14	p	Power-harrowed All site and surrounds	-	-
02-Apr-14	s	Drilled Barley var. Tipple	350	seeds/m ²
04-Apr-14	a	Rolled Barley Plots	-	-
16-Apr-14	a	Applied Doubletop N Fertilizer to all plots	356	kg/ha
15-May-14	a	Flexi-tined Maize Plots	-	-
15-May-14	a	Power-harrowed Maize Plots	-	-
16-May-14	s	Drilled Maize plots var. Hudson dr mesuroi	11.5	seeds/m ²
20-May-14	p	Sprayed Simba SX - Barley only	20	g/ha
20-May-14	p	Sprayed Hatchet Xtra - Barley only	600	ml/ha
20-May-14	p	Sprayed Cello - Barley only	600	ml/ha
18-Jun-14	p	Sprayed Mobius - Barley only	400	ml/ha
19-Jun-14	p	Sprayed Samson Extra 6% - Maize only	500	ml/ha
19-Jun-14	p	Sprayed Callitso - Maize only	750	ml/ha
05-Sep-14	a	Claas Round Baler - Baled and Removed OE	-	-

Straw - This is the area that needs to be removed in order for the plots to be harvested.

05-Sep-14	a	Sampo Harvested all barley plots for yield	-	-
30-Sep-14	a	Harvested all maize plots for yield - harvested by hand	-	-
30-Sep-14	a	Harvested and removed all leftover Maize - Maize plots only	-	-
01-Oct-14	a	Harvesting Leftover maize from Trial - all maize harvested and removed	-	-

NOTE: Samples of barley grain and maize (whole crop) were taken for chemical analyses.

MAIZE

WHOLE CROP TONNES/HECTARE (100% DM)

***** Tables of means *****

Treatment	
M	10.71
MT	11.24
M(B)	14.04
(B)M	14.83
Mean	12.71
Standard errors of differences of means	

Table	Treatment
rep.	3
d.f.	6
s.e.d.	1.458

Stratum standard errors and coefficients of variation

Variate: TP1Dm Total plant dry matter tonnes/hectare

Stratum	d.f.	s.e.	cv%
Blocks	2	1.218	9.6
Blocks.Plots	6	1.785	14.0

MEAN DM% 30.8

Plot area harvested 0.00108

Note: The barley yields were not recorded because of a problem with the Sampo plot-combine. Consequently, these yields have been excluded.

14/W/CS/478

CONTINUOUS MAIZE

Object: To monitor the fate of organic carbon in the soil organic matter – Woburn, Stackyard AI

Sponsors: A. J. Macdonald

The 18th year, forage maize and s. barley

For previous years see Yield Books for 97-13/W/CS/478

Design: 3 randomised blocks of 6 plots.

Plot dimensions: 9.0 x 25.00

Treatments:-

CROP Crop and straw treatments:

M Continuous maize, stubble incorporated
(M)B S. barley after five years maize, stubble incorporated
MT Maize, stubble plus 10 t maize tops incorporated
B(M) S. barley, after ten years of maize, straw removed
BT Continuous spring barley, straw removed plus 10 t maize tops incorporated
B Continuous spring barley, straw removed

Note: Cropping was changed from Maize to S. barley on the BM treatment in 2010, but returned again to maize in 2013.

NOTE: Samples of barley grain and maize (whole crop) were taken for chemical analyses.

Experimental diary

Date		Application	Rate	Units
07-Oct-13	f	Applied TSP Fertilizer	171	kg/ha
08-Oct-13	f	Applied MOP Fertiliser	181	kg/ha
16-Oct-13	a	Applied Maize tops to Plots 2,4,12,13,16 and 17.	10	t/ha
30-Oct-13	a	Ploughed	-	-
20-Jan-14	p	Sprayed Samurai in 200 l/ha water volume.	4.0	l/ha
24-Feb-14	p	Spring tined	-	-
13-Mar-14	s	Drilled Barley var. Tipple tr Raxil Star	350	seeds/m ²
14-Mar-14	a	Rolled	-	-
01-Apr-14	p	Sprayed Sprinter in 147 l/ha water	1.5	l/ha
30-Apr-14	p	Sprayed Hallmark with Zeon Technology in 200 l/ha water volume	40	ml/ha
12-May-14	f	Applied Doubletop N Fertilizer to all plots	356	kg/ha
19-May-14	a	Spring Tined. Maixe prep	-	-
20-May-14	s	Drilled Maize plots var. Hudson tr. Mesural	10.1	seeds/m ²
20-May-14	a	Rolled prior to drilling	-	-
21-May-14	p	Sprayed Refine Max - in 150 l/ha water volume barley only	75	g/ha
21-May-14	p	Sprayed Kingdom - in 150 l/ha water volume - barley only	1.25	l/ha
21-May-14	p	Sprayed Bravo 500 - in 150 l/ha water volume - barley only	1.0	l/ha

21-May-14	p	Sprayed Hatcher Xtra - in 150 l/ha water volume - barley only	0.75	l/ha
13-Jun-14	p	Sprayed Fezan - Barley only	0.6	l/ha
13-Jun-14	p	Sprayed Hallmark - Barley only	40	ml/ha
01-Jul-14	p	Sprayed Callisto in 200 l/ha water volume	0.75	l/ha
01-Jul-14	p	Sprayed Samson Extra in 200 l/ha water volume	0.5	l/ha
24-Aug-14	a	Combined barley plots for yield	-	-
06-Sep-14	a	Baled and Removed	-	-
02-Oct-14	a	Cut Maize for yields	-	-
02-Oct-14	a	Mowed and Baled Discards	-	-
02-Oct-14	p	Sprayed Gallup 360 in 200 l/ha water volume.	4.0	l/ha
02-Oct-14	p	Sprayed Firebrand in 200 l/ha water volume.	1.0	l/ha

MAIZE WHOLE CROP TONNES/HECTARE (100% DM)

***** Tables of means *****

Treatment	
M	2.69
MT	5.52
M(B)	3.54
(B)M	5.68
Mean	4.36

Standard errors of differences of means

Table	Treatment
rep.	3
d.f.	6
s.e.d.	0.949

Stratum standard errors and coefficients of variation

Stratum	d.f.	s.e.	cv%
Blocks	2	1.011	23.2
Blocks.Plots	6	1.162	26.7

Mean DM% 34.6

Plot area harvested 0.00108

14/W/CS/478

SPRING BARLEY

GRAIN TONNES/HECTARE

***** Tables of means *****

Treatment	
BT	4.10
B	3.26
Mean	3.68

Standard errors of differences of means

Table	Treatment
rep.	3
d.f.	2
s.e.d.	0.516

Stratum standard errors and coefficients of variation

=====

Stratum	d.f.	s.e.	cv%
Blocks	2	0.105	2.9
Blocks.Plots	2	0.632	17.2

Grain mean DM% 84.8

Plot area harvested 0.00525