

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments 2015



Results of the  
Classical and other  
Long-term Experiments  
2015

[Full Table of Content](#)

---

## R/CS/477 & W/CS/478 Continuous Maize

### Rothamsted Research

Rothamsted Research (2016) *R/CS/477 & W/CS/478 Continuous Maize* ; Yields Of The Field Experiments 2015, pp 53 - 57 - DOI: <https://doi.org/10.23637/ERADOC-1-225>

15/R/CS/477

## CONTINUOUS MAIZE

**Object:** To monitor the fate of organic carbon in the soil organic matter – Hoosfield

**Sponsors:** A. J. Macdonald

The 19<sup>th</sup> and final year, forage maize and s. barley

**Notes:** This experiment was discontinued from harvest 2015. For previous years see Yield Books for 97-14/R/CS/477.

**Design:** 3 randomised blocks of 6 plots.

**Plot dimensions:** 12.0 x 25.0

### Treatments:-

**CROP** Crop and straw treatments:

M Continuous maize, stubble incorporated  
(M)B S. barley after five years maize, stubble incorporated  
MT Maize, stubble plus 10 t maize tops incorporated  
B(M) S. barley, after ten years of Maize, straw removed  
BT Continuous spring barley, straw removed plus 10 t maize tops incorporated  
B Continuous spring barley, straw removed

Note: Cropping was changed from Maize to S. barley on the BM treatment in 2010, but returned to maize again in 2013.

### Experimental diary

Date	Application	Rate	Units
02/10/2014	f Applied MOP	181	kg/ha
02/10/2014	f Applied TSP	171	kg/ha
08/10/2014	f Applied Maize tops to plots 3,6,9,12,16,18	10	t/ha
05/03/2015	p Sprayed Samurai	2.5	l/ha
05/03/2015	p Sprayed Fire Brand	1	l/ha
18/03/2015	s Drilled Spring Barley, Tipple trt Beret Multi	350	seeds/m <sup>2</sup>
18/03/2015	a Rolled all new drilling	-	-
14/04/2015	a Powerharrowed Maize Plots 1, 3, 4, 5, 7, 8, 9, 11, 13, 14, 15 + 18		
15/04/2015	s Drilled Maize cv Severus trt measuroi - Plots 1, 3, 4, 5, 7, 8, 9, 11, 13, 14, 15 + 18	10	seeds/m <sup>2</sup>
16/04/2015	f Applied Doubletop Fertiliser onto all Plots	356	kg/ha
13/05/2015	p Sprayed Kingdom onto Barley	1.5	l/ha
13/05/2015	p Sprayed Bravo 500 onto Barley	1.3	l/ha
15/06/2015	p Sprayed Kingdom onto Barley only	1.3	l/ha
17/06/2015	p Sprayed Samson Extra - sprayed Maize ONLY	500	ml/ha
17/06/2015	p Sprayed Callisto - sprayed Maize ONLY	750	ml/ha
19/06/2015	p Sprayed Axial onto Barley	300	ml/ha
19/06/2015	p Sprayed Adigor onto Barley	1	l/ha

15/07/2015	p	Sprayed Samurai sprayed weeds between maize rows only - knapsack used with shroud.	5	l/ha
02/09/2015	a	Harvested commercial OEs	-	-
07/09/2015	a	Harvested All Barley Plots for grain yield	-	-
09/09/2015	a	Removed Bales from commercial area	-	-
17/09/2015	a	removed round bales from field	-	-
21/09/2015	a	Harvested all Maize Plots for yield by hand	-	-
29/09/2015	a	Harvested all maize and removed	-	-

**NOTE:** Samples of barley grain and maize (whole crop) were taken for chemical analyses.

**MAIZE WHOLE CROP TONNES/HECTARE (100% DM)**

\*\*\*\*\* Tables of means \*\*\*\*\*

Treatment	
M	1.73
MT	2.49
M(B)	2.62
(B)M	3.85
Mean	2.67

Standard errors of differences of means

Table	Treatment
rep.	3
d.f.	6
s.e.d.	0.912

Stratum standard errors and coefficients of variation

Variate: TPLDm Total plant dry matter tonnes/hectare

Stratum	d.f.	s.e.	cv%
Blocks	2	0.254	9.5
Blocks.Plots	6	1.117	41.8

MEAN DM% 30.8

Plot area harvested 0.00108

Note: Maize yields were very poor in 2015 because of problems with weed control.

15/R/CS/477

SPRING BARLEY

WHOLE CROP TONNES/HECTARE (85% DM)

\*\*\*\*\* Tables of means \*\*\*\*\*

Treatment	
BT	7.06
B	6.46
Mean	6.76

Standard errors of differences of means

-----

Table	Treatment
rep.	3
d.f.	2
s.e.d.	0.159

Stratum standard errors and coefficients of variation

=====

Variate: TPlDm Total plant dry matter tonnes/hectare

Stratum	d.f.	s.e.	cv%
Blocks	2	0.490	7.3
Blocks.Plots	2	0.195	2.9

MEAN DM% 30.8

Plot area harvested 0.00525

15/W/CS/478

## CONTINUOUS MAIZE

**Object:** To monitor the fate of organic carbon in the soil organic matter – Woburn, Stackyard AI

**Sponsors:** A. J. Macdonald

The 19<sup>th</sup> and final year, forage maize and s. barley

Notes: This experiment was discontinued from harvest 2015. For previous years see Yield Books for 97-14/W/CS/478.

**Design:** 3 randomised blocks of 6 plots.

**Plot dimensions:** 9.0 x 25.00

### Treatments:-

**CROP** Crop and straw treatments:

M Continuous maize, stubble incorporated  
(M)B S. barley after five years maize, stubble incorporated  
MT Maize, stubble plus 10 t maize tops incorporated  
B(M) S. barley, after ten years of maize, straw removed  
BT Continuous spring barley, straw removed plus 10 t maize tops incorporated  
B Continuous spring barley, straw removed

Cropping was changed from Maize to S. barley on the BM treatment in 2010, but returned again to maize in 2013.

**NOTE:** Samples of barley grain and maize (whole crop) were taken for chemical analyses.

### Experimental diary

Date		Application	Rate	Units
21/10/2014	f	Applied Maize tops - Plots 2,4,12,13,16 and 17	10	t/ha
22/10/2014	f	Applied MOP Fertiliser	181	kg/ha
22/10/2014	f	Applied TSP	171	kg/ha
02/03/2015	a	Spring tined	-	-
13/03/2015	s	Drilled Spring Barley - Tipple dr Beret Multi - Plots 1,2,4,15,16,18	350	seeds/m <sup>2</sup>
13/03/2015	a	Rolled barley plots	-	-
20/04/2015	p	Sprayed Hallmark in 200 l/ha water volume - Barley only	40	ml/ha
20/04/2015	p	Sprayed Compitox Plus in 200 l/ha water volume - Barley only	1	l/ha
20/04/2015	s	Drilled Maize plots - Severus dr Mesurol	10.2	seeds/m <sup>2</sup>
24/04/2015	f	Applied Double Top Fertilizer - All plots	356	kg/ha
30/05/2015	p	Sprayed Sprinter in 131 l/ha water volume - Barley only	1.5	l/ha
30/05/2015	p	Sprayed Refine Max in 131 l/ha water volume - Barley only	75	g/ha
30/05/2015	p	Sprayed Mobius in 131 l/ha water volume - Barley only	0.6	l/ha
30/05/2015	p	Sprayed Crescent in 131 l/ha water volume - Barley only	0.75	l/ha
15/06/2015	p	Sprayed Samson Extra 6% in 200 l/ha water volume - Maize Only	0.5	l/ha
15/06/2015	p	Sprayed Callisto in 200 l/ha water volume - Maize Only	0.75	l/ha
07/07/2015	a	Cut paths	-	-
11/09/2015	a	Combined plots for yield - Sampo	-	-
11/09/2015	a	Combined O+Es - Claas	-	-

15/W/CS/478

MAIZE WHOLE CROP TONNES/HECTARE (100% DM)

Note: No maize yields were taken due to poor crop performance, resulting from poor weed control. Samples were taken by hand for analysis and archiving only.

SPRING BARLEY

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

Treatment	
BT	3.60
B	3.14
Mean	3.37

Standard errors of differences of means

-----

Table	Treatment
rep.	3
d.f.	2
s.e.d.	0.130

Stratum standard errors and coefficients of variation

=====

Stratum	d.f.	s.e.	cv%
Blocks	2	0.005	0.2
Blocks.Plots	2	0.160	4.7

Grain mean DM% 86.8

Plot area harvested 0.00525