

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

# Yields of the Field Experiments

[Full Table of Content](#)



---

## 19/R/EX/4 - Exhaustion Land (Hoosfield)

### Rothamsted Research

Rothamsted Research (2021) *19/R/EX/4 - Exhaustion Land (Hoosfield)* ; Yields Of The Field Experiments , pp 20 - 23

## 19/R/EX/4 EXHAUSTION LAND (Hoosfield)

**Object:** To study the residual effects of manures applied 1856 - 1901, and of additional phosphate applied since 1986 (P test) and of additional potassium since 2007 (K test); on the yield of continuous spring barley up to 1991, winter wheat since – Hoosfield.

The 164<sup>th</sup> year, winter wheat.

For previous years see 'Details' 1977, 1973 and Yield Books for 74-18/R/EX/4

**Treatments:** All combinations of:

Whole plots (P test)

1. **OLD RES** Residues of manures applied annually 1876 – 1901:

Main plot

01	O	None
03	D	Farmyard manure at 35 t
05	N	96 kg N as ammonium salts
09	P	34 kg P as superphosphate
07	NPKNaMg	N and P as above plus 137 kg K as sulphate of potash, 16 kg Na as sulphate of soda, 11 kg Mg as sulphate of magnesia

2. P Maintenance P (20 kg P) applied annually from 2000

to maintain existing levels of available P In the soil. In 2009 maintenance P applications were changed from 20 kg P/ha to 15 kg P/ha. This was not recorded in the yield books for 2009-13. (P1) (P2) and (P3) are residues of P applied annually. From 2016 onward P was withheld from the P(P1) sub-plots.

1986–1992:

	2016-Present	2009-2015	2000-08	1986-92
O	None	None	None	None
P (P1)	None	15 kg P	20 kg P	44 kg P
P (P2)	15 kg P	15 kg P	20 kg P	87 kg P
P (P3)	15 kg P	15 kg P	20 kg P	131 kg P

**NOTE:** P treatments were applied at 61.5 kg P in error in 2000.

Plus

Whole plots (K test, previously N test until 1991)

1. **OLD RES** Residues of manures applied annually 1876 – 1901:

Main Plot

02	O	None
04	D	Farmyard manure at 35 t
06	N*	96 kg N as nitrate of soda
10	PK	34 kg P as superphosphate, 137 kg K as sulphate of potash
08	N*PK	N, P and K as above

Results of the Classical and other Long-term Experiments 2019

19/R/EX/4

2.	K	Potassium applied annually from 2007 as muriate of potash
	O	None (2 sub-plots within each treatment strip)
	K1	75 kg K <sub>2</sub> O (62.2 kg K)
	K2	150 kg K <sub>2</sub> O (124.5 kg K)

Whole plots

Nitrogen: 50 kg N as ammonium sulphate (to supply sufficient S) during first two weeks in March, 200 kg N as ammonium nitrate at GS31/mid-April (whichever comes first) and 50 kg N as ammonium nitrate at GS37 (not later than mid-May).

### Experimental Diary

Date		Application	Rate	Unit
06/09/2018	p	Sprayed Buffalo Elite	1	lt/ha
06/09/2018	p	Sprayed Samurai	2.5	lt/ha
07/09/2018	f	Applied Chalk - to plots 011, 012, 013, 023, 024, 031,034, 041, 043, 052, 054, 081, 084, 091, 104	2	t/ha
07/09/2018	f	Applied Chalk - to plots 022, 044, 053, 061, 062, 063, 064, 071, 073, 074, 082, 083, 101, 102, 103	4	t/ha
19/09/2018	f	Applied TSP - to all P plots	75	kg/ha
19/09/2018	f	Applied MOP - to plots 023, 043, 063, 083, 103	125	kg/ha
19/09/2018	f	Applied MOP - to plots 011-014, 024, 031-034, 044, 051-054, 064, 071-074, 084, 091-094, 104	250	kg/ha
20/09/2018	a	Ploughed Trials and Surrounds - thrown North	-	-
29/09/2018	a	Watkins Pressed All Ploughing	-	-
05/10/2018	s	Drilled Crusoe, trt. Beret Gold/Deter	350	sm <sup>2</sup>
05/10/2018	p	Sprayed Pontos - Winter Wheat	1	lt/ha
05/10/2018	p	Sprayed Firestorm - Winter Wheat	300	ml/ha
05/10/2018	p	Sprayed Velomax - Winter Wheat	400	ml/ha
05/10/2018	a	Flexicoil Rolled new drilling	-	-
21/11/2018	p	Sprayed Hallmark	50	ml/ha
26/03/2019	f	Applied Ammonia Sulphate (21%N, 60% SO <sub>3</sub> )	238	kg/ha
27/03/2019	p	Sprayed Deacon	625	ml/ha
27/03/2019	p	Sprayed Stefes720	1.25	lt/ha
27/03/2019	p	Sprayed Moddus	150	ml/ha
27/03/2019	p	Sprayed Bravo500	1	lt/ha
10/04/2019	f	Applied Nitram (34.5%)	580	kg/ha
13/05/2019	f	Applied Nitram (34.5%)	145	kg/ha

Results of the Classical and other Long-term Experiments 2019

19/R/EX/4

21/05/2019	f	Applied Kieserite to all plots	80	kg/ha
06/06/2019	p	Sprayed Clayton Tebuconazole	500	ml/ha
06/06/2019	p	Sprayed Vortex	1.25	lt/ha
29/07/2019	a	Topped plot ends	-	-
05/09/2019	a	Harvested all plots	-	-
06/09/2019	a	Straw weights	-	-
07/09/2019	a	Harvested Commercial Area	-	-

## Yields

### P TEST

Grain Yield, tonnes/hectare

*Tables of means*

P_RES	O	(P1)	(P2)	(P3)	Mean
OLD_RES					
O	1.07	4.25	6.64	7.48	4.86
D	2.47	7.33	9.24	8.97	7.00
N	1.30	4.16	6.81	7.91	5.05
P	2.42	7.15	8.89	8.81	6.82
NPKNAMG	2.26	6.02	8.21	9.00	6.37
Mean	1.90	5.78	7.96	8.43	6.02

Grain mean DM% 86.3

Straw Yield, tonnes/hectare

*Tables of means*

P_RES	O	(P1)	(P2)	(P3)	Mean
OLD_RES					
O	0.48	1.59	2.64	2.72	1.86
D	1.68	3.07	4.40	3.53	3.17
N	0.79	2.35	2.64	2.81	2.15
P	1.09	2.17	2.99	3.05	2.33
NPKNAMG	1.52	2.26	3.20	3.53	2.63
Mean	1.11	2.29	3.17	3.13	2.43

Straw mean DM% 95.7

Plot area harvested 0.00512.

Results of the Classical and other Long-term Experiments 2019

19/R/EX/4

**K TEST**

Grain Yield, tonnes/hectare

*Tables of means*

K_Test	K0	K1	K2	Mean
OLD_RES				
O	6.29	8.30	8.55	7.36
D	6.83	9.44	8.98	8.02
N*	5.52	8.32	8.24	6.90
PK	8.66	9.13	9.57	9.01
N*PK	7.65	8.87	9.49	8.41
Mean	6.99	8.81	8.96	7.94

Grain mean DM% 86.5

Straw Yield, tonnes/hectare

*Tables of means*

K_Test	K0	K1	K2	Mean
OLD_RES				
O	1.98	2.83	3.24	2.51
D	2.31	3.94	3.85	3.10
N*	1.90	2.97	2.99	2.44
PK	2.86	3.11	3.27	3.03
N*PK	2.49	3.16	4.08	3.06
Mean	2.31	3.20	3.49	2.83

Straw mean DM% 95.40

Plot area harvested 0.00512