Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



# Results of the Classical and Other Long-term Experiments 2021



Full Table of Content

# 21/R/EX/4 - Exhaustion Land (Hoosfield)

## **Rothamsted Research**

Rothamsted Research (2023) 21/R/EX/4 - Exhaustion Land (Hoosfield); Results Of The Classical And Other Long-Term Experiments 2021, pp 18 - 21 - DOI: https://doi.org/10.23637/ERADOC-1-271

21/R/EX/4

# 21/R/EX/4 EXHAUSTION LAND (Hoosfield)

**Object**: To study the residual effects of manures applied 1856 - 1901, and of additional phosphate applied since 1986 (P test) and of additional potassium since 2007 (K test); on the yield of continuous spring barley up to 1991, winter wheat since – Hoosfield.

The 166<sup>th</sup> year, winter wheat.

For previous years see 'Details' 1977, 1973 and Yield Books for 74-20/R/EX/4

**Treatments:** All combinations of:

#### Whole plots (P test)

1.	OLD RES	Residues of manures applied annually 1876 – 1901:
Main	plot	
01	0	None
03	D	Farmyard manure at 35 t (fresh weight)
05	N	96 kg N as ammonium salts
09	Р	34 kg P as superphosphate
07	NPKNaMg	N and P as above plus 137 kg K as sulphate of potash,
		16 kg Na as sulphate of soda, 11 kg Mg as sulphate of magnesia
2.	Р	Maintenance P (20 kg P) applied annually from 2000

to maintain existing levels of available P In the soil. In 2009 maintenance P applications were changed from 20 kg P/ha to 15 kg P/ha. This was not recorded in the yield books for 2009-13. (P1) (P2) and (P3) are residues of P applied annually. From 2016 onward P was withheld from the P(P1) sub-plots.

#### 1986-1992:

	2016-Present	2009-2015	2000-08	1986-92
0	None	None	None	None
P (P1)	None	15 kg P	20 kg P	44 kg P
P (P2)	15 kg P	15 kg P	20 kg P	87 kg P
P (P3)	15 kg P	15 kg P	20 kg P	131 kg P

**NOTE:** P treatments were applied at 61.5 kg P in error in 2000.

Plus

Whole plots (K test, previously N test until 1991)

1	OLD RES	Residues of manures applied annually 1876 –	1001.
1	()   ) KFN	Residues of manures annued annually 1x/6 =	. 1901

Mair	n Plot	
02	0	None
04	D	Farmyard manure at 35 t (fresh weight)
06	N*	96 kg N as nitrate of soda
10	PK	34 kg P as superphosphate, 137 kg K as sulphate of potash
08	N*PK	N P and K as above

21/R/EX/4

2.	K	Potassium applied annually from 2007 as muriate of potash
0		None (2 sub-plots within each treatment strip)
K1		75 kg K <sub>2</sub> O (62.2 kg K)
K2		150 kg K <sub>2</sub> O (124.5 kg K)

## Whole plots

Nitrogen: 50 kg N as ammonium sulphate (to supply sufficient S) during first two weeks in March, 200 kg N as ammonium nitrate at GS31/mid-April (whichever comes first) and 50 kg N as ammonium nitrate at GS37 (not later than mid-May).

# **Experimental Diary**

Date		Application	Rate	Unit
21/09/2020	f	Applied Triple Superphosphate (TSP) using Cascade Spreader, JD6830: Plots 011, 012, 021-024, 031, 032, 041-044, 051, 052, 061-064, 071, 072, 081-084, 091, 092, 101-104	75	kg/ha
21/09/2020	р	Sprayed using Knight 24m Sprayer, NH T6030: Samurai (16238)	3	L/ha
21/09/2020	р	Sprayed using Knight 24m Sprayer, NH T6030: Buffalo Elite	1	L/ha
22/09/2020	f	Applied Muriate of Potash (MOP) using Cascade Spreader, JD6830: Plots 103, 083, 063, 043, 023	125	kg/ha
22/09/2020	f	Applied Muriate of Potash (MOP) using Cascade Spreader, JD6830: Plots 011-014, 024, 031-034, 044, 051-054, 064, 071-074, 084, 091-094, 104	250	kg/ha
07/10/2020	а	Path cutting using Kilworth Topper, Iseki ISTH4335	-	-
19/10/2020	а	Ploughed Tillage 20 cm using NHT7210, KV Five Furrow Plough: Thrown N	-	-
19/10/2020	S	Drilled using JD6830, Accord Combination Drill No. 4: KWS Zyatt	350	seeds/m²
01/12/2020	р	Sprayed using Knight 24m Sprayer, NH T6030: Hallmark with Zeon Technology	50	mL/ha
02/12/2020	р	Sprayed using Knight 24m Sprayer, NH T6030: Pontos	0.5	L/ha
02/12/2020	р	Sprayed using Knight 24m Sprayer, NH T6030: Firestarter	0.6	L/ha
02/12/2020	р	Sprayed using Knight 24m Sprayer, NH T6030: Velomax	0.4	L/ha
04/04/2021	а	Cultivated Paths only		
21/04/2021	f	Applied Sulphate of Ammonia using Cascade Spreader, JD6830: All Plots	238	kg/ha
12/05/2021	f	Applied Kieserite using Cascade Spreader, JD6830: All Plots	80	kg/ha
12/05/2021	р	Sprayed using Knight 24m Sprayer, NH T6030: Lentyma XE	1	L/ha
26/05/2021	f	Applied Nitram using Cascade Spreader, JD6830: All Plots	580	kg/ha
09/06/2021	f	Applied Nitram using Cascade Spreader, JD6830: All Plots	145	kg/ha
23/06/2021	р	Sprayed using Knight 24m Sprayer, NH T6030: Cello	0.66	L/ha
		10		

21/R/EX/4

15/07/2021	а	Power harrowed Paths using Iseki ISTH4335, Kilworth Power Harrow 1.3 m	-	-
02/08/2021	а	Path Cutting using Iseki ISTH4335, Kilworth Topper	-	-
11/08/2021	р	Sprayed using Knight 24m Sprayer, NH T6030: Samurai	3	L/ha
11/08/2021	p	Sprayed using Knight 24m Sprayer, NH T6030: Buffalo Elite	1	L/ha
26/08/2021	Α	Harvest Surrounds using Claas Tucano 430	-	-
26/08/2021	а	Harvest Plots using Haldrup C-85 2m cut	-	-
27/08/2021	а	Straw weights using JD5070, Amazone Grass Harvester - Flail Mower Collector	-	-
	02/08/2021 11/08/2021 11/08/2021 26/08/2021 26/08/2021	02/08/2021 a 11/08/2021 p 11/08/2021 p 26/08/2021 A 26/08/2021 a	Power Harrow 1.3 m  02/08/2021 a Path Cutting using Iseki ISTH4335, Kilworth Topper  11/08/2021 p Sprayed using Knight 24m Sprayer, NH T6030: Samurai  11/08/2021 p Sprayed using Knight 24m Sprayer, NH T6030: Buffalo Elite  26/08/2021 A Harvest Surrounds using Claas Tucano 430  26/08/2021 a Harvest Plots using Haldrup C-85 2m cut  27/08/2021 a Straw weights using JD5070, Amazone Grass Harvester -	Power Harrow 1.3 m  02/08/2021 a Path Cutting using Iseki ISTH4335, Kilworth Topper -  11/08/2021 p Sprayed using Knight 24m Sprayer, NH T6030: Samurai 3  11/08/2021 p Sprayed using Knight 24m Sprayer, NH T6030: Buffalo 1 Elite  26/08/2021 A Harvest Surrounds using Claas Tucano 430 -  26/08/2021 a Harvest Plots using Haldrup C-85 2m cut -  27/08/2021 a Straw weights using JD5070, Amazone Grass Harvester -

## **Yields**

#### P TEST

Tables of means

Grain Yield, tonnes/he	ectare				
P_RES	0	(P1)	(P2)	(P3)	Mean
OLD_RES					
0	2.35	4.40	6.27	6.36	4.85
D	3.00	6.11	7.48	7.05	5.91
N	2.05	4.30	6.40	6.93	4.92
Р	2.67	5.97	7.18	6.96	5.69
NPKNAMG	2.04	5.68	7.00	7.12	5.46
Mean	2.42	5.29	6.86	6.88	5.36
Grain mean DM%	85.00				

Straw Yield, tonnes/	Straw Yield, tonnes/hectare							
P_RES	0	(P1)	(P2)	(P3)	Mean			
OLD_RES								
0	0.49	1.42	1.09	1.35	1.09			
D	0.84	2.11	2.13	2.03	1.78			
N	0.49	1.17	2.20	3.03	1.72			
Р	0.87	2.34	2.79	2.31	2.08			
NPKNAMG	1.44	1.68	1.84	2.20	1.79			
Mean	0.83	1.74	2.01	2.18	1.69			
Straw mean DM%	85.20							

Plot area harvested 0.00512 ha.

#### K TEST

Tables of means

Grain Yield, tonnes/h	nectare			
K_Test	K0	K1	K2	Mean
OLD_RES				
0	6.02	6.78	6.97	6.45
D	7.36	8.25	7.26	7.56
N*	6.82	7.40	6.85	6.97
PK	6.64	5.88	5.95	6.28
N*PK	7.06	7.70	7.72	7.38
Mean	6.78	7.20	6.95	6.93
Grain mean DM%	85.20			

21/R/EX/4

Straw	Yield,	toı	nne	es/ł	nectare	
			_			

K_Test	K0	K1	K2	Mean
OLD_RES				
0	2.78	2.87	2.69	2.78
D	2.31	2.50	2.64	2.44
N*	2.21	2.91	1.66	2.25
PK	2.20	3.13	2.62	2.54
N*PK	2.02	3.29	2.50	2.46
Mean	2.30	2.94	2.42	2.49
Straw mean DM%	84.10			

Plot area harvested 0.00512 ha