


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1957

[Full Table of Content](#)



57/R/BA/1 Three-course Rotation

Rothamsted Research

Rothamsted Research (1958) 57/R/BA/1 *Three-course Rotation ; Yields Of The Field Experiments 1957*, pp 15 - 21 - DOI: <https://doi.org/10.23637/ERADOC-1-177>

57/Ba/1.1

THREE COURSE ROTATION EXPERIMENT

6th year of revised scheme

For history, treatments, etc., see "Details of the Classical and Long Term Experiments" 1956.

Area of each plot (acres): Potatoes (sub plot), 0.0093; barley, 0.0200; sugar beet, 0.0204.

Cultivations, etc.:

Potatoes.

Straw applied, all plots ploughed: Jan 23. Fertilizers applied: Apr 11. Potatoes machine planted: Apr 13. Earthed up: July 6. Sprayed with copper fungicide, 5 lb in 40 gallons per acre: July 31 and Aug 21. Sprayed with sulphuric acid, 15% BOV at 100 gallons per acre: Sept 19. Lifted: Oct 1. Variety: Majestic.

Barley.

Ground chalk applied at 20 cwt per acre: Oct 15, 1956. Straw applied, all plots ploughed: Jan 23, 1957. Fertilizers applied: Mar 16. Seed drilled at $2\frac{3}{4}$ bushels per acre: Mar 18. Sprayed with MCPA, 2 pints in 40 gallons per acre: May 29. Harvested: Aug 8. Variety: Plumage Archer.

Sugar beet.

Straw applied, all plots ploughed: Jan 23. Fertilizers applied: Apr 11. Seed drilled at 12 lb per acre: Apr 16. Sprayed with miscible DDT, 3 pints in 20 gallons per acre: May 29. Singled: June 24 - 28. Sprayed with methyl demeton, 12 oz in 80 gallons per acre: July 6. Lifted: Nov 2. Variety: Klein E.

57/Ba/1.2

Summary of Results

Potatoes

Treatments applied:	1953, 1955 and 1957	1952	1951	Total tubers: tons per acre
Ar	0 0.4N	8.99 8.65	8.80 9.56	
Ar	0 0.4N	7.55 8.82	9.42 9.86	
St1 St2	0 0.4N	8.80 9.28	8.99 9.95	10.82 10.05
St1 St2	0 0.4N	8.51 8.13	9.09 10.96	10.00 9.14
	0.4N St+ 0.2N St+ 0.6N K _S + 0.4N	9.42 9.62 9.71 9.95	11.11 10.87 11.44 10.15	10.58 12.02
Ad	0 0.4N St+ 0.6N K _S + 0.4N	8.70 10.34 7.69 8.46	9.14 10.77 8.46 10.63	10.67 11.20
Ad				9.76 10.72

57/Ba/1.3

Treatments applied:	1953, 1955 and 1957	1952 1954 & 1956	Potatoes					
			0	O.4N	O.2N	St + O.6N	St + K	K _S + O.4N
1950	1951	Ax	0	86.0	84.4	85.4	87.9	
		Ax	0	82.8	89.8	83.5	89.0	
		St1 St2	0	88.4	89.3	85.1	90.9	87.2 91.0
		St1 St2	0	85.0	82.0	85.1	88.3	89.6 90.3
			0.4N	84.4	90.1	89.9	91.0	89.5 77.3
			St + 0.2N	84.4	90.1	89.3	85.5	91.2 88.1
			St + 0.6N	84.4	90.1	85.9	89.5	
			K _S + 0.4N	91.1	89.3	84.3	88.5	90.3 89.2
		Ad	0	88.5	87.0	86.6	83.0	81.0 93.0
		Ad	0.4N	86.6	83.0	83.4	88.7	

27

57/Ba/14

		Barley					
Treatments applied:	1953, 1955 and 1957	0	0.4N	St + 0.2N	St + 0.6N	K _s	K _s + 0.4N
1950	1951	1952 1954 & 1956					
		Grain (at 85% dry matter): cwt per acre					
	Ar	0	31.2				
		0.4N	24.2				
	Ar	0	31.1				
		0.4N	24.1				
	St1 St2	0	28.6		31.3		31.9
		0.4N	26.9	25.2		27.6	
	St1 St2	0	30.7				
		0.4N	24.5				
		St+ 0.2N	29.6				
		St+ 0.6N	27.6				
		K _s	29.7				
		+ 0.4N	26.7				
	Ad	0	31.2		31.2		26.4
		0.4N	24.6				
	Ad	St+ 0.6N	26.1				
		K _s + 0.4N	30.4				
	Straw (at 85% dry matter): cwt per acre						
	Ar	0	22.1				
		0.4N	14.9				
	Ar	0	20.5				
		0.4N	15.4				
	St1 St2	0	17.4		19.1		21.7
		0.4N	16.6	15.6		18.6	
	St1 St2	0	19.3				
		0.4N	15.2				
		St+ 0.2N	18.1				
		St+ 0.6N	19.0				
		K _s	18.8				
		+ 0.4N	17.4				
	Ad	0	20.5		20.2		14.5
		0.4N	15.5				
	Ad	St+ 0.6N	16.1				
		K _s + 0.4N	21.6				

Mean dry matter % as harvested Grain: 82.5
Straw: 82.8

57/Ba/1.5

Sugar Beet

Treat- ments applied:	1953, 1955 and 1957	0	0.4N	St + 0.2N	St + 0.6N	K _s	K _s + 0.4N
1950	1951	1952 1954 & 1956					
		Roots (washed): tons per acre					
	Ar	0	8.88				
		0.4N	8.39				
	Ar	0	9.38				
		0.4N	8.40				
	St1 St2	0	10.67		10.48		10.94
		0.4N	9.65	9.74		8.64	
	St1 St2	0	10.53				
		0.4N	9.33				
		St+ 0.2N	11.14				
		St+ 0.6N	7.66				
		K	9.23				
		K _s + 0.4N	8.43				
	Ad	0	10.69		11.17		10.57
	Ad	0.4N	7.96				
		St+ 0.6N	9.76				
		K _s + 0.4N	8.74				
	Sugar Percentage						
	Ar	0	18.0				
		0.4N	18.9				
	Ar	0	18.5				
		0.4N	18.3				
	St1 St2	0	18.9		18.2		18.4
		0.4N	18.8	18.4		18.4	
	St1 St2	0	18.8				
		0.4N	19.0				
		St+ 0.2N	18.5				
		St+ 0.6N	18.3				
		K	18.6				
		K _s + 0.4N	18.6				
	Ad	0	18.5		18.2		18.7
	Ad	0.4N	18.9				
		St+ 0.6N	18.8				
		K _s + 0.4N	18.7				

57/Ba/1.6

		Sugar Beet						
Treat- ment applied:		1953, 1955 and 1957	0	0.4N	St + 0.2N	St + 0.6N	K _s + 0.4N	
		1952 1954 & 1956						
1950	1951							
			Total sugar: cwt per acre					
	Ar		0	32.2				
			0.4N	31.7				
	Ar		0	34.7				
			0.4N	30.7				
	St1 St2		0	40.3	38.1		40.3	
			0.4N	36.2	35.8		31.8	
	St1 St2		0	39.6				
			0.4N	35.4				
			St+ 0.2N	41.2				
			St+ 0.6N	28.0				
			K _s	34.4				
			+ 0.4N	31.4				
	Ad		0	39.5	40.6		39.6	
			0.4N	30.0				
			St+ 0.6N	36.8				
			K _s + 0.4N	32.7				
			Tops: tons per acre					
	Ar		0	9.80				
			0.4N	6.21				
	Ar		0	8.72				
			0.4N	7.06				
	St1 St2		0	9.46	10.86		10.14	
			0.4N	8.24	8.55		7.58	
	St1 St2		0	9.05				
			0.4N	7.32				
			St+ 0.2N	11.02				
			St+ 0.6N	8.57				
			K _s	8.87				
			+ 0.4N	7.39				
	Ad		0	10.64	11.95		9.83	
			0.4N	6.78				
			St+ 0.6N	8.39				
			K _s + 0.4N	7.71				

57/Ba/1.7

Treat- ments applied:	1953, 1955 and 1957	Sugar Beet					
		0	0.4N	St + 0.2N	St + 0.6N	K _s	K _s + 0.4N
1950	1951	1952 1954 & 1956					
		Plant number: thousands per acre					
	Ar	0	29.8				
		0.4N	29.4				
	Ar	0	29.0				
		0.4N	30.5				
	St1 St2	0	29.5		30.6		30.2
		0.4N	28.5	29.3		30.5	
	St1 St2	0	27.9				
		0.4N	29.4	29.2			
		St+ 0.2N					
		St+ 0.6N	31.1				
		K _s	30.5				
		K _s + 0.4N	29.9				
	Ad	0	28.8		29.6		28.4
		0.4N	30.8				
		St+ 0.6N	30.1				
		K _s + 0.4N	28.3				