


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1957

[Full Table of Content](#)



---

### 57/R/CB/1 Barley - N P and Residual Dung N P K

#### Rothamsted Research

Rothamsted Research (1958) *57/R/CB/1 Barley - N P and Residual Dung N P K* ; Yields Of The Field Experiments 1957, pp 76 - 77 - DOI: <https://doi.org/10.23637/ERADOC-1-177>

57/Cb/1.2

Summary of Results

Grain (at 85% dry matter): cwt per acre

	Dung to potatoes 1956: tons per acre				Mean
	None	5	10	20	
Mean ( $\pm 0.39$ )	40.0	41.5	41.6	42.4	41.4
<u>Applied to potatoes 1956</u>					
N: cwt per acre					
None ( $\pm 0.55$ )	39.4	41.7	41.5	42.2	41.2
0.9 ( $\pm 0.55$ )	40.7	41.3	41.7	42.6	41.6
Diff. ( $\pm 0.78$ )	+1.3	-0.4	+0.2	+0.4	+0.4 ( $\pm 0.39$ )
P <sub>2</sub> O <sub>5</sub> : cwt per acre					
None ( $\pm 0.55$ )	39.2	40.8	40.7	41.9	40.7
0.75 ( $\pm 0.55$ )	40.9	42.3	42.5	42.8	42.1
Diff. ( $\pm 0.78$ )	+1.7	+1.5	+1.8	+0.9	+1.4 ( $\pm 0.39$ )
K <sub>2</sub> O: cwt per acre					
None ( $\pm 0.55$ )	40.7	41.5	41.2	42.4	41.5
1.5 ( $\pm 0.55$ )	39.4	41.6	41.9	42.3	41.3
Diff. ( $\pm 0.78$ )	-1.3	+0.1	+0.7	-0.1	-0.2 ( $\pm 0.39$ )
<u>Applied to barley 1957</u>					
N: cwt per acre					
None ( $\pm 0.55$ )	40.2	42.0	41.7	42.3	41.6
0.4 ( $\pm 0.55$ )	39.9	41.1	41.4	42.4	41.2
Diff. ( $\pm 0.78$ )	-0.3	-0.9	-0.3	+0.1	-0.4 ( $\pm 0.39$ )
P <sub>2</sub> O <sub>5</sub> : cwt per acre					
None ( $\pm 0.55$ )	39.0	40.4	40.8	42.6	40.7
0.4 ( $\pm 0.55$ )	41.1	42.6	42.4	42.2	42.1
Diff. ( $\pm 0.78$ )	+2.1	+2.2	+1.6	-0.4	+1.4 ( $\pm 0.39$ )

57/Cb/1.3

Grain (at 85% dry matter): cwt per acre

Response to	Responses to treatments									
	Applied to potatoes 1956					Applied to barley 1957				
	N		P <sub>2</sub> O <sub>5</sub>		K <sub>2</sub> O		N		P <sub>2</sub> O <sub>5</sub>	
None	0.9	None	0.75	None	1.5	None	0.4	None	0.4	
	(±0.55)									
<u>Applied to potatoes 1956</u>										
N	-	-	+0.2	+0.6	-0.3	+1.1	+0.5	+0.3	+1.0	-0.2
P <sub>2</sub> O <sub>5</sub>	+1.3	+1.7	-	-	+1.8	+1.2	+0.8	+2.2	+2.0	+1.0
K <sub>2</sub> O	-0.8	+0.6	+0.2	-0.4	-	-	-0.4	+0.2	-0.1	-0.1
<u>Applied to barley 1957</u>										
N	-0.3	-0.5	-1.1	+0.3	-0.7	-0.1	-	-	-0.3	-0.5
P <sub>2</sub> O <sub>5</sub>	+2.0	+0.8	+1.9	+0.9	+1.4	+1.4	+1.5	+1.3	-	-

Mean dry matter % as harvested: 85.4