

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1957

[Full Table of Content](#)



---

### 57/R/CF/3 and 57/W/CF/3 Potatoes - Dung N P and K

#### Rothamsted Research

Rothamsted Research (1958) *57/R/CF/3 and 57/W/CF/3 Potatoes - Dung N P and K* ; Yields Of The Field Experiments 1957, pp 98 - 101 - DOI: <https://doi.org/10.23637/ERADOC-1-177>

57/Cf/3.1

## POTATOES

Dung, N, P and K - Rothamsted (R) West Barnfield II and Woburn (W)  
Great Hill 1957.

Design (each field): 4 randomized blocks of 16 plots each, a high order interaction being confounded with block differences.

Area of each plot: 0.0212 acres. Area harvested: 0.0141 acres.

Treatments: All combinations of:-

Dung: None; 5; 10; 20 tons per acre ploughed in.  
N: None; 0.9 cwt N per acre as sulphate of ammonia.  
P: None; 0.75 cwt  $P_2O_5$  per acre as superphosphate.  
K: None; 1.5 cwt  $K_2O$  per acre as muriate of potash.

Basal dressing: None.

Cultivations, etc.:

West Barnfield II (R). Dung applied, ploughed: Jan 9. Fertilizers applied: Apr 19. Potatoes machine planted: Apr 24. Earthed up: July 5. Sprayed with copper fungicide, 5 lb in 40 gallons per acre: Aug 1 and Aug 21. Sprayed with sulphuric acid, 20% BOV, 100 gallons per acre: Sept 19. Lifted: Oct 2 - 3. Variety: Majestic. Previous crop: Barley.

Great Hill (W). Dung applied, ploughed: Feb 4. Fertilizers applied: Apr 15. Potatoes machine planted: Apr 16. Earthed up: July 3. Sprayed with copper fungicide at 5 lb in 40 gallons per acre: Aug 3, Aug 23, Sept 3. Sprayed with sodium arsenite at 1 gallon in 40 gallons per acre: Sept 17. Lifted: Oct 3 - 4. Variety: Majestic. Previous crop: Barley.

Standard errors per plot. Total tubers.

West Barnfield II (R): 0.785 tons per acre or 6.9% (30 d.f.)  
Great Hill (W): 1.126 tons per acre or 8.1% (30 d.f.)

57/Cf/3.2

Summary of Results

Total tubers: tons per acre

	Dung: tons per acre				Mean
	None	5	10	20	
West Barnfield II, Rothamsted					
Mean ( $\pm 0.196$ )	9.31	11.01	12.08	13.20	11.40
N: cwt per acre					
None ( $\pm 0.278$ )	9.09	10.76	12.10	12.92	11.22
0.9 ( $\pm 0.278$ )	9.54	11.26	12.05	13.49	11.58
Difference ( $\pm 0.392$ )	+0.45	+0.50	-0.05	+0.57	+0.36 ( $\pm 0.196$ )
P <sub>2</sub> O <sub>5</sub> : cwt per acre					
None ( $\pm 0.278$ )	9.22	10.31	11.66	13.07	11.06
0.75 ( $\pm 0.278$ )	9.41	11.71	12.49	13.34	11.74
Difference ( $\pm 0.392$ )	+0.19	+1.40	+0.83	+0.27	+0.68 ( $\pm 0.196$ )
K <sub>2</sub> O: cwt per acre					
None ( $\pm 0.278$ )	8.08	10.30	11.72	12.91	10.75
1.5 ( $\pm 0.278$ )	10.55	11.72	12.43	13.50	12.05
Difference ( $\pm 0.392$ )	+2.47	+1.42	+0.71	+0.59	+1.30 ( $\pm 0.196$ )
Great Hill, Woburn					
Mean ( $\pm 0.282$ )	13.42	13.47	14.23	14.58	13.92
N: cwt per acre					
None ( $\pm 0.398$ )	12.62	12.88	13.71	14.14	13.34
0.9 ( $\pm 0.398$ )	14.22	14.06	14.74	15.01	14.51
Difference ( $\pm 0.563$ )	+1.60	+1.18	+1.03	+0.87	+1.17 ( $\pm 0.282$ )
P <sub>2</sub> O <sub>5</sub> : cwt per acre					
None ( $\pm 0.398$ )	13.52	13.52	14.13	14.00	13.79
0.75 ( $\pm 0.398$ )	13.32	13.42	14.32	15.16	14.06
Difference ( $\pm 0.563$ )	-0.20	-0.10	+0.19	+1.16	+0.27 ( $\pm 0.282$ )
K <sub>2</sub> O: cwt per acre					
None ( $\pm 0.398$ )	12.92	13.14	14.08	14.34	13.62
1.5 ( $\pm 0.398$ )	13.93	13.80	14.38	14.81	14.23
Difference ( $\pm 0.563$ )	+1.01	+0.66	+0.30	+0.47	+0.61 ( $\pm 0.282$ )

57/Cf/3.3

Percentage Ware

	Dung: tons per acre				Mean
	None	5	10	20	
West Barnfield II, Rothamsted <sup>(1)</sup>					
Mean	87.9	90.1	86.6	86.2	87.7
N: cwt per acre					
None	89.0	91.7	88.2	87.6	89.1
0.9	86.8	88.6	85.0	84.8	86.3
Difference	-2.2	-3.1	-3.2	-2.8	-2.8
P <sub>25</sub> <sup>0</sup> : cwt per acre					
None	89.9	90.6	86.5	85.0	88.0
0.75	85.8	89.7	86.7	87.4	87.4
Difference	-4.1	-0.9	+0.2	+2.4	-0.6
K <sub>20</sub> <sup>0</sup> : cwt per acre					
None	86.8	89.9	87.8	87.9	88.1
1.5	88.9	90.4	85.4	84.4	87.3
Difference	+2.1	+0.5	-2.4	-3.5	-0.8
Great Hill, Woburn <sup>(2)</sup>					
Mean	88.8	88.6	88.6	88.6	88.6
N: cwt per acre					
None	89.8	89.6	88.6	90.9	89.7
0.9	87.8	87.5	88.6	86.4	87.6
Difference	-2.0	-2.1	0.0	-4.5	-2.1
P <sub>25</sub> <sup>0</sup> : cwt per acre					
None	89.0	90.1	89.0	87.0	88.8
0.75	88.7	87.0	88.2	90.2	88.5
Difference	-0.3	-3.1	-0.8	+3.2	-0.3
K <sub>20</sub> <sup>0</sup> : cwt per acre					
None	88.5	88.2	88.3	88.3	88.3
1.5	89.2	88.9	88.8	89.0	89.0
Difference	+0.7	+0.7	+0.5	+0.7	+0.7

Riddle: (1) 1½" (2) 1⅝"

57/Cf/3.4

Total tubers: tons per acre

Response to	Responses to treatments cwt per acre					
	N		P <sub>2</sub> O <sub>5</sub>		K <sub>2</sub> O	
	None	0.9	None	0.75	None	1.5

West Barnfield II, Rothamsted

(±0.278)

N	-	-	+0.40	+0.32	+0.30	+0.42
P <sub>2</sub> O <sub>5</sub>	+0.71	+0.63	-	-	+0.03	+1.31
K <sub>2</sub> O	+1.24	+1.36	+0.66	+1.94	-	-

Great Hill, Woburn

(±0.398)

N	-	-	+1.61	+0.73	+0.96	+1.38
P <sub>2</sub> O <sub>5</sub>	+0.70	-0.18	-	-	+0.32	+0.20
K <sub>2</sub> O	+0.40	+0.82	+0.67	+0.55	-	-

Percentage ware

Response to	Responses to treatments cwt per acre					
	N		P <sub>2</sub> O <sub>5</sub>		K <sub>2</sub> O	
	None	0.9	None	0.75	None	1.5

West Barnfield II, Rothamsted<sup>(1)</sup>

N	-	-	-1.7	-3.9	-0.7	-4.9
P <sub>2</sub> O <sub>5</sub>	+0.5	-1.7	-	-	-0.3	-0.9
K <sub>2</sub> O	+1.3	-2.9	-0.5	-1.1	-	-

Great Hill, Woburn<sup>(2)</sup>

N	-	-	-2.5	-1.9	-1.7	-2.7
P <sub>2</sub> O <sub>5</sub>	-0.5	+0.1	-	-	-0.7	+0.3
K <sub>2</sub> O	+1.2	+0.2	+0.2	+1.2	-	-

Riddle: (1) 1½" (2) 1⅝"