Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1960



Full Table of Content

60/R/A/3 Hoosfield - Wheat After Fallow

Rothamsted Research

Rothamsted Research (1961) 60/R/A/3 Hoosfield - Wheat After Fallow; Yields Of The Field Experiments 1960, pp 9 - 9 - DOI: https://doi.org/10.23637/ERADOC-1-180

60/A/3

WHEAT AFTER FALLOW - HOOSFIELD 1960

Without manure 1851 and since

For history, treatments etc., see "Details of the Classical and Long Term Experiments" 1956.

Area harvested: 0.0331 acres.

Cultivations, etc.:

Cropped plots. Ploughed: Sept 12, 1959. Seed sown at 3 bushels per acre: Oct 19. Combine harvested: Aug +3, 1960. Variety: Squarehead's Master 13/4.

Fallowed plots. Ploughed twice: Sept 11 and Sept 12, 1959.

Note: Counts of plant shoot and ear number and estimates of Eyespot (Cercosporella herpotrichoides) and Take-All (Ophiobolus graminis) were made. There was no lodging.

Summary of Results

Grain (at 85% dry matter): cwt per acre

Plot No. of years of fallow	A ₁	∆ ₄	A ₂	Mean
	6.1	5.0	8.8	6.6

Mean dry matter % as harvested: 79.5