


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1949

[Full Table of Content](#)



49/CE/2 Potatoes - Time of Planting

49/CE/2 Potatoes - Time of Planting, Rothamsted Research (1950) Yields Of The Field Experiments 1949, pp 84 - 86

49/Ce/2.1

POTATOES

The effects of four times of planting, of dung, sulphate of ammonia, superphosphate and muriate of potash.

RP - Sawyers III 1949

System of replication: 4 randomized blocks of 16 plots each, certain high order interactions being confounded with block differences.

Area of each plot: 0.0146 acre.

Treatments:

Time of planting: March 29th, April 20th, May 10th, May 30th.

Dung: None, 15 tons F.Y.M. per acre

Sulphate of ammonia: None, 0.6 cwt N per acre

Superphosphate: None, 0.6 cwt P_2O_5 per acre

Muriate of potash: None, 1.0 cwt K_2O per acre.

Cultivations: Whole experiment; Ploughed: Sept 14-15 and again Dec 20-22.

Dung applied: Mar 22-23. Ploughed across: Mar 23-24. Sprayed with 20% B.O.V. to kill off haulm: Sept 16. Lifted: Sept 26-27.

1st planting; Bouted, artificials applied, planted, and covered in: Mar 28-29. Rolled ridges: Apr 2. Re-ridged: May 9. Harrowed twice: May 19. Grubbed: June 2. Hoed and weeded: June 14-16. Grubbed and earthed up: June 28. Hoed: July 4.

2nd planting; Bouted and artificials applied: Apr 19. Planted and covered in: Apr 20. Rolled ridges: Apr 21. Harrowed twice: May 19. Grubbed: June 29. Hoed: July 4. Earthed up: July 13.

3rd planting; Thistles cut: Apr 27. Bouted, artificials applied: May 9. Planted and covered in: May 10. Rolled ridges: May 12. Chain harrowed twice: May 18. Rolled ridges and grubbed: June 7. Grubbed: June 29. Hoed: July 5. Earthed up: July 13.

4th planting; Thistles cut: Apr 27. Bouted, artificials applied, planted and covered in: May 30. Chain harrowed: June 14. Grubbed: June 29. Hoed: July 6. Variety: Majestic. Previous crop: Wheat.

Standard error per plot: Total tubers, 0.572 tons per acre or 11.5% (35 d.f.)

49/Ce/2.2

Total tubers: tons per acre

	Time of Planting				Mean
	March 29th	April 20th	May 10th	May 30th	
Mean (± 0.143)	5.38	5.02	5.07	4.48	4.99
No Dung (± 0.202)	4.43	3.96	4.19	3.47	4.01
Dung	6.33	6.07	5.96	5.50	5.97
Response to Dung (± 0.286)	1.90	2.11	1.77	2.03	1.96 ⁽¹⁾
No Nitrogen (± 0.202)	4.78	4.70	4.88	4.28	4.66
Nitrogen	5.98	5.34	5.26	4.68	5.32
Response to Nitrogen (± 0.286)	1.20	0.64	0.38	0.40	0.66 ⁽¹⁾
No Superphosphate (± 0.202)	5.13	4.99	4.88	4.30	4.82
Superphosphate	5.63	5.05	5.26	4.66	5.15
Response to Superphosphate (± 0.286)	0.50	0.06	0.38	0.36	0.33 ⁽¹⁾
No Potash (± 0.202)	4.99	4.79	4.86	4.31	4.74
Potash	5.77	5.25	5.29	4.65	5.24
Response to Potash (± 0.286)	0.78	0.46	0.43	0.34	0.50 ⁽¹⁾
Standard Error (1) ± 0.143					

Responses to Treatments (± 0.202)

Response to	Dung		Sulphate of Ammonia		Superphosphate		Muriate of Potash	
	Abs.	Pres.	Abs.	Pres.	Abs.	Pres.	Abs.	Pres.
Dung	-	-	1.93	1.98	1.88	2.03	2.32	1.59
Sulphate of ammonia	0.64	0.68	-	-	0.55	0.77	0.62	0.70
Superphosphate	0.25	0.40	0.22	0.44	-	-	0.42	0.24
Muriate of Potash	0.87	0.14	0.47	0.54	0.59	0.42	-	-

49/Co/2.3

Percentage Ware

	Time of Planting				Mean
	March 29th	April 20th	May 10th	May 30th	
Mean (± 0.165)	96.89	96.49	96.54	97.90	96.96
No Dung (± 0.233)	96.38	95.60	95.68	97.52	96.29
Dung	97.41	97.39	97.41	98.28	97.62
Response to Dung (± 0.330)	1.03	1.79	1.73	0.76	1.33 ⁽¹⁾
No Nitrogen (± 0.233)	96.56	96.53	96.51	97.78	96.84
Nitrogen	97.23	96.46	96.58	98.02	97.07
Response to Nitrogen (± 0.330)	0.67	-0.07	0.07	0.24	0.23 ⁽¹⁾
No Superphosphate (± 0.233)	97.54	97.36	97.54	98.10	97.63
Superphosphate	96.25	95.63	95.55	97.70	96.28
Response to Superphosphate (± 0.330)	-1.29	-1.73	-1.99	-0.40	-1.35 ⁽¹⁾
No Potash (± 0.233)	96.76	96.16	96.21	97.66	96.70
Potash	97.02	96.83	96.88	98.14	97.22
Response to Potash (± 0.330)	0.26	0.67	0.67	0.48	0.52 ⁽¹⁾
Standard error (1) (± 0.165)					

Responses to Treatments (± 0.233)

Response to	Dung		Sulphate of Ammonia		Super-phosphate		Muriate of Potash	
	Abs.	Pres.	Abs.	Pres.	Abs.	Pres.	Abs.	Pres.
Dung	-	-	1.10	1.56	1.06	1.60	1.66	0.99
Sulphate of Ammonia	0.52	-0.07	-	-	0.04	0.41	0.28	0.18
Superphosphate	-1.62	-1.08	-1.54	-1.17	-	-	-1.39	-1.32
Muriate of Potash	0.85	0.18	0.56	0.47	0.48	0.55	-	-