


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1949

[*Full Table of Content*](#)



49/CF/1 Linseed - Rates and Application of Manures

49/CF/1 Linseed - Rates and Application of Manures, Rothamsted Research (1950) Yields Of The Field Experiments 1949, pp 89 - 90

49/Cf/1.1

LINSEED

The effect of sulphate of ammonia and of rates and methods of application of two types of a PK compound fertilizer.

R/JL Great Knott I, 1949

System of replication: 2 replicates of 2 randomized blocks of 8 plots each, the third order interaction being confounded with block differences. To each block were added 4 plots without compound fertilizer, 2 of these receiving sulphate of ammonia and 2 being untreated.

Area of each plot: 0.0212 acre.

Treatments: All combinations of

Sulphate of ammonia: none, 0.3 cwt N per acre.

PK compound fertilizer: Granular (13% P₂O₅, 13% K₂O) or equivalent powder of superphosphate and muriate of potash.
Rate 1, P₂O₅ and K₂O each 0.3 cwt per acre or Rate 2, P₂O₅ and K₂O each 0.6 cwt per acre.
Broadcast or drilled.

Basal manuring: None.

Cultivations, etc.: Ploughed: Oct. Reploughed: Jan 14.
Springtined: Mar 2. Thistle barred: Mar 28. Seed and fertilizer drilled: Apr 11. Sulphate of ammonia and broadcast fertilizers applied, harrowed and rolled in: Apr 12. Sprayed with "Agroxone" to kill weeds: June 2. Harvested: Aug 11.

Standard error per plot: Grain, 0.615 cwt per acre or 15.0%

Responses to Treatments

Response to	Sulphate of ammonia		PK mixture		Broad-cast		Broad-cast Drilled	
	Abs.	Pres.	Granular Powder	Rate 1	Rate 2			
Grain: mean yield 4.11 cwt per acre								
	(± 0.218)		(± 0.308)					
Sulphate of ammonia	0.26	-0.00	0.14	0.19	0.33	-0.02	0.25	0.27
Powder-Granular	0.07	-0.59	-0.03	-0.09	-0.53	-0.15	-0.02	0.16
Rate 2-Rate 1	-0.31	-0.67	-0.65	-0.75	-0.57	-0.23	-0.85	-0.85
Drilled-Broadcast	-0.66					-1.20	-	-
Straw: mean yield 6.84 cwt per acre.								
	(± 0.218)		(± 0.308)					
Sulphate of ammonia	0.03	-0.24	0.68	-0.19	0.25	0.02	0.04	0.07
Powder-Granular	0.46	-0.86	-0.84	-0.60	-1.10	0.71	0.21	0.29
Rate 2-Rate 1	-0.85	-1.72	-1.64	-1.51	-1.85	-0.35	0.48	-2.18
Drilled-Broadcast	-1.68					-3.01	-	-
Plots without PK mixture								
Sulphate of ammonia		Response		Mean				
Abs.		Pres.						
Grain: cwt per acre		(± 0.308)						
4.24		0.15		4.31				
Straw: cwt per acre		-0.67		7.98				
8.31		7.64						

49/cr/1.2