

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1974

[*Full Table of Content*](#)



74/R/RN/8 Cultivation/WEEDKILLER - Potatoes

74/R/RN/8 Cultivation/WEEDKILLER - Potatoes , Rothamsted Research (1975) Yields Of The Field Experiments 1974, pp 100 - 103 - DOI: <https://doi.org/10.23637/ERADOC-1-119>

74/R/RN/8

CULTIVATION/WEEDKILLER

Object: To determine the long term effects of weedkillers and different methods of primary cultivation on a rotation of crops - Great Harpenden I.

Sponsors: J.R. Moffatt, G.V. Dyke, J.A. Currie.

The 14th year, potatoes.

For previous years see 'Details' 1967, 68/B/6(t), 69/R/RN/8(t), 70/R/RN/8, 71/R/RN/8(t), 72/R/RN/8 and 73/R/RN/8.

Design: 2 randomised blocks of 12 plots, split into 2.

Whole plot dimensions: 12.8 x 15.2. Sub plot area harvested: 0.00217.

Treatments: All combinations of:-

Whole plots: 1. Primary cultivations annually:-

CULTIVIN

Ploughed: 7 Nov, 1973, rotary harrowed: 23 Apr, 1974

Plough

Rotary cultivated: 6 Nov, 23 Apr

Rotavate

Deep-tine cultivated twice: 6 Nov, deep-tine cultivated and rotary harrowed: 23 Apr

Deeptine

2. Weed control to potatoes, 1974:-

WEEDCNTL(74)

Mechanical, grubbed: 20 May, mechanically weeded twice:

Mechanc1

30 May, grubbed: 20 June, rotary ridged: 22 June Linuron at 1.2 kg, plus paraquat at 0.42 kg ion in 450 l: 17 May

Lin/Par

Linuron plus paraquat on 17 May, grubbed: 20 June, rotary ridged: 22 June

Lin/ParR

Sub plots: 3. Paraquat weedkiller to wheat stubble autumn 1973:-

WEEDKLLR(732)

None

None

Paraquat at 0.56 kg ion in 220 l:
12 Sept

Paraquat

4. Hormone weedkiller to wheat 1973:-

WEEDKLLR(731)

None

None

Ioxynil plus mecoprop

Ioxy/mec

74/R/RN/8

plus three extra treatments:-	EXTRA
Deep-tine cultivated twice and spike rotary cultivated: 23 Apr, given linuron plus paraquat, with sub plot treatments 3 and 4 above.	Spike
Shallow ploughed for wheat 1973, standard ploughing and spike rotary cultivation for potatoes, given linuron plus paraquat, whole plot given paraquat as 3 above, with sub plot treatment 4 above.	(Sh)Pigh
Standard cultivations as considered best for each crop, ploughed for potatoes: 6 Nov, 1973, spike rotary cultivated: 23 Apr, 1974 with sub plot treatments 3 and 4 above.	Standard

Basal applications: Manures: (13:13:20) at 1510 kg. Weedkiller: Paraquat
at 0.56 kg ion in 220 l. Fungicide: Mancozeb at 1.3 kg in 450 l
on two occasions. Insecticide: Demeton-s-methyl at 0.25 kg with
mancozeb on first occasion.

Seed: Pentland Crown.

Cultivations, etc.: NPK applied: 17 Apr, 1974. Basal weedkiller applied:
18 Apr. Potatoes planted: 24 Apr. Fungicide applied: 11 July and
2 Aug. Insecticide applied: 11 July. Haulm mechanically destroyed:
10 Sept. Sprayed with undiluted BOV at 220 l: 16 Sept. Lifted:
31 Oct.

Standard errors per plot (omitting EXTRA plots). Total tubers: tonnes/hectare.
Whole plot: 4.17 or 7.1% (8 d.f.)
Sub plot: 3.86 or 6.6% (8 d.f.)

74/R/RW/8

TABLES OF MEANS

TOTAL TUBERS: TONNES/HECTARE

	Plough	CULTIVIN Rotavate	Deeptine	Mean	Spike	EXTRA (Sh) Plgh	Standard
Mean	60.4	57.5	58.0	58.6	50.5	62.3	60.2
WEEDCINTL(74)							
Mechanc1	58.9	54.5	55.6	56.4			
Lin/Par	63.1	59.1	57.6	59.9			
Lin/ParR	59.2	59.0	60.7	59.6			
WEEDKILLR(732)							
None	60.3	58.1	56.3	58.2	49.5	62.3	60.6
Paraquat	60.5	57.0	59.7	59.0	51.1	59.8	59.0
WEEDKILLR(731)							
None	59.6	57.5	55.7	57.6	51.2	61.0	61.4
Loxy/mec	61.2	57.6	60.3	59.7	49.8	63.6	59.0
STANDARD ERRORS OF DIFFERENCES							
CULTIVIN	WEEDCINTL(74)	WEEDKILLR(732)	WEEDKILLR(731)	CULTIVIN	CULTIVIN	CULTIVIN	CULTIVIN
			WEEDOMIL(74)	WEEDOMIL(74)	WEEDKILLR(732)	WEEDKILLR(731)	WEEDKILLR(731)
2.41	2.41	1.29	1.29	4.17	2.88	2.88	
Except when comparing means with same level of CULTIVIN				2.23	2.23	2.23	
GRAND MEAN	58.4						

74/R/RW/8

PERCENTAGE WARE: 3.81 CM (1.5 INCH) RIDDLE

	Plough	CULTIVN Rotavate	Deeptine	Mean	Spike	EXTRA (Sh) Plough	Standard
Mean	99.4	99.3	99.3	99.3	98.9	99.2	99.1
WEEDCNTL(74)							
Mechanc1	99.3	99.2	99.3	99.3			
Lin/Par	99.4	99.3	99.4	99.4			
Lin/ParR	99.6	99.3	99.2	99.3			
WEEDKLLR(732)							
None	99.5	99.5	99.3	99.4	98.8	99.0	
Paraquat	99.4	99.1	99.3	99.2	99.0	99.2	99.2
WEEDKLLR(731)							
None	99.5	99.1	99.2	99.3	98.4	98.9	99.2
Toxy/mec	99.4	99.4	99.4	99.4	99.4	99.5	99.0
GRAND MEAN	99.3						