

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1974

[Full Table of Content](#)



74/R/CS/6 Wheat After Intensive Barley - Wheat, Beans

74/R/CS/6 *Wheat After Intensive Barley - Wheat, Beans*, Rothamsted Research (1975) Yields Of The Field Experiments 1974, pp 144 - 145 - DOI: <https://doi.org/10.23637/ERADOC-1-119>

74/R/CS/6

WHEAT AFTER INTENSIVE BARLEY

Object: To study the effects of different periods of pre-cropping with barley on yields and incidence of take-all (*Gaeumannomyces graminis*), in wheat - Little Knott I.

Sponsors: D. Hornby, G.A. Salt.

The 14th year, winter wheat, beans.

NOTE: Only one quarter of the original experiment is continued since 1973.

For previous years see 61/C/8(t), 62/C/7, 63-66/C/2, 67/C/2(t), 68/C/2(t), 69/R/CS/6(t), 70/R/CS/6(t), 71/R/CS/6(t), 72/R/CS/6(t) and 73/R/CS/6.

Design: 2 replicates of 10 plots fully randomised.

Whole plot dimensions: 4.27 x 20.1. Plot area harvested: 0.00572.

Treatments: Crop sequence (1961-74):

CROPSEQN

O	BE	B	B	B	B	B	B	WW	F	WW	WW	WW	WW	1
WS	O	BE	B	B	B	B	B	WW	WW	WW	F	WW	WW	2
O	WS	O	BE	B	B	B	B	WW	WW	WW	F	BE	WW	3
BE	O	WS	O	BE	B	B	B	WW	WW	WW	WW	F	BE	4
WS	BE	O	WS	O	BE	B	B	WW	WW	WW	WW	WW	F	5
WS	WS	BE	O	WS	O	BE	B	WW	WW	WW	WW	WW	WW	6
B	B	B	B	B	B	B	B	WW	WW	WW	WW	WW	WW	7
WS	WS	WS	WS	WS	WS	WS	WS	WW	WW	WW	WW	WW	WW	8
WS	WW	WW	WW	WW	WW	WW	F	WW	WW	WW	WW	WW	WW	9
BE	WW	P	B	BE	WW	P	B	F	WW	WW	WW	WW	WW	10

where: B = barley, WS = spring wheat, WW = winter wheat, BE = beans,
O = oats, P = potatoes, F = fallow.

Basal applications:

Wheat: Manures: (0:14:28) at 250 kg combine drilled, 'Nitro-Chalk' at 500 kg. Weedkillers: Chlortoluron ('Dicurane 80 WP' at 4.5 kg in 440 l) and dicamba with mecoprop and MCPA ('Banlene Plus' at 5.6 l in 370 l).

Beans: Manures: (0:14:28) at 400 kg placement drilled. Insecticide: Phorate at 1.1 kg as granules.

Seed: Wheat: Cappelle, sown at 200 kg.

Beans: Minor, sown at 220 kg.

74/R/CS/6

Cultivations, etc.: - All plots ploughed: 29 Sept, 1973.

Wheat: Power harrowed and seed sown: 22 Oct. 'Dicurane' applied:
25 Oct. N applied: 16 Apr, 1974. 'Barlene Plus' applied: 7 May.
Combine harvested: 29 Aug.

Beans: Power harrowed, seed sown and spring-tine cultivated: 27 Mar,
1974. Insecticide applied: 13 June. Combine harvested: 14 Oct.

Fallow plots: Power harrowed: 27 Mar, 1974. Rotary cultivated:
11 June.

NOTE: The Field Plots Committee has decided that yields from this
experiment should no longer be published because of known soil
irregularities on the small area of the original experiment
remaining.