Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1974



Full Table of Content

# 74/W/CS/16 Irrigation and Eelworms - Potatoes

74/W/CS/16 Irrigation and Eelworms - Potatoes, Rothamsted Research (1975) Yields Of The Field Experiments 1974, pp 171 - 174 - DOI: https://doi.org/10.23637/ERADOC-1-119

#### IRRIGATION AND EELWORMS

Object: To study the cumulative effects of dazomet and irrigation on the yield and incidence of Heterodera spp. on potatoes grown continuously. The effects of growing susceptible and resistant varieties are also studied, either grown continuously or alternated - Woburn Butt Close.

Sponsors: K. Evans, D.M. Parrott.

The ninth year, potatoes.

For previous years see 66/C/32(t), 67/C/25, 68/C/19, 69/W/CS/16(t), 70-71/W/CS/16, 72/W/CS/16(t) and 73/W/CS/16.

Design: 3 blocks of 4 plots, sequences of varieties on strips of 2 half plots, dazomet on quarter plots.

Whole plot dimensions: 6.48 x 7.11. Area harvested: 0.00092.

Treatments: All combinations of:-

Whole plots: 1. Irrigation:

IRRIGIN

None Full None

Full

Strips of half plots: 2. Cropping sequences with potatoes resistant (R) and susceptible (S)

to potato cyst nematode:

CROPSEON

1966	1967	1968	1969	1970	1971	1972	1973	1974	
R	R	. R	R	R	R	R	R	R	R/R/R/R
R	S	R	S	R	S	R	S	R	S/R/S/R
S	S	S	S	S	S	S	S	S	s/s/s/s
S	R	S	R	S	R	S	R	S	R/R/R/R S/R/S/R S/S/S/S R/S/R/S

Quarter plots: 3. Dazemet (kg) applied cumulatively to previous fumigant treatments:

DAZOMET

None 224 224

Irrigation treatments 1974 (mm water):

21 June 12.7 11 July 12.7

Total.

25.4

NOTE: Treatments were applied to Series IV only. The similar experiment on Series I ended at harvest 1973.

Basal applications: Manures: (13:13:20) at 1510 kg. Weedkillers: Linuron at 1.2 kg plus paraquat at 0.28 kg ion in 280 l. Fungicide and insecticide: Mancozeb at 1.3 kg plus demeton-s-methyl at 0.25 kg in 450 l. Fungicide: Mancozeb at 1.3 kg in 450 l.

Seed: Resistant, Maris Piper. Susceptible, Pentland Dell.

Cultivations, etc.:- Dazomet applied, rotary cultivated: 9 Nov, 1973.
Ploughed: 2 Jan, 1974. NPK applied: 8 Apr. Rotary cultivated,
potatoes planted: 16 Apr. Ridges rolled: 18 Apr. Weedkiller applied:
16 May. Rotary ridged: 11 June. Fungicide with insecticide applied:
19 July. Fungicide applied: 7 Aug. Haulm mechanically destroyed:
11 Sept. Sprayed with undiluted BOV at 170 1: 18 Sept. Lifted:
29 Oct.

NOTE: Soil samples were taken on 8 Nov, 1973 and 24 Apr, 1974 for cyst and egg counts of Heterodera rostochiensis and H. pallida.

NOTES: (1) Because of the large difference in yield the plots receiving and not receiving dazomet were analysed separately. The standard errors for the former have not been shown.

(2) On two plots IRRIGIN - None, CROPSEQN - R/S/R/S, DAZOMET - 224 and IRRIGIN - None, CROPSEQN - S/S/S/S, DAZOMET - 0, the tubers rotted due to waterlogging. Estimated values were used in the analysis.

Standard errors per plot. Total tubers, tonnes/hectare.
DAZOMET 224

CROPSEQN 5.38 or 19.4% (6 d.f.) IRRIGIN x CROPSEQN 7.05 or 25.4% (7 d.f.)

## TABLES OF MEANS

#### DAZOMET O

#### CROPSEQN

	R/R/R/R	S/R/S/R	s/s/s/s	R/S/R/S	Mean
IRRIGIN	TOTAL TUBE	ERS: TONNE:	S/HECTARE		
None Full	117 7.9	18.5 13.0	6.1 1.6	2.8	9.8 6.2
Mean	9.8	15.7	3.9	2.5	8.0

## PERCENTAGE WARE: 3.81 CM (1.5 INCH) RIDDLE

#### IRRIGIN

None	72.1	91.3	28.6	51.0	60.8
Full	68.9	91.1	57.6	63.7	70.3
Mean	70.5	91.2	43.1	57.4	65.6

#### DAZOMET 224

#### CROPSEQN

	R/R/R/R	S/R/S/R	s/s/s/s	R/S/R/S	Mean
TOTAL TUBERS: TONNES/HECTARE					
None Full	27.1 31.8	27.9	28.5 25.2	28.0 31.1	27.9 27.6
Mean	29.4	25.1	26.9	29.5	27.7

#### STANDARD ERRORS OF DIFFERENCES

C-OPSEQN

IRRIGIN CROPSEQN

4.39

5.98\*

PERCENTAGE WARE: 3.81 CM (1.5 INCH) RIDDLE

#### IRRIGIN

None	90.3	94.5	88.6	86.4	90.0
Full	92.4	93.8	86.8	92.9	91.5
Mean	91.3	94.1	87.7	89.7	90.7

<sup>\*</sup> Within the same level of IRRIGIN only