Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1974



Full Table of Content

## 74/R/WF/3 Wheat and Fallow - Wheat

74/R/WF/3 Wheat and Fallow - Wheat, Rothamsted Research (1975) Yields Of The Field Experiments 1974, pp 23 - 24 - DOI: https://doi.org/10.23637/ERADOC-1-119

#### 74/R/WF/3

#### WHEAT AND FALLOW

Chject: To study the effects of fallowing for one or three years on unmanured winter wheat - Hoosfield.

The 119th year, winter wheat.

For previous years see 'Details' 1967, 68/A/3(t), 69-73/R/WF/3.

Whole plot dimensions: 9.61 x 52.1. Area harvested: 0.01483.

Treatments: Phase of fallowing cycle (up to 1974):-

PLOT

Plot.	1	F	W	F	W	$\mathbf{F}$	F	F	W	1/Fall 3
Plot	2	V	F	F	F	W	F	W	F	_
Flot	3	F	W	F	W	F	W	F	E,	-
Plot	4	$V_1$	F	W	F	$\mathbf{F}$	F	W	F'	-
Plot	5	F	F	F	W	F	W	F	W	5/Fall 1
Plot	6	W	F	W	F	W	F	F	F.	-
Plot	7	F	W	F	F	F	W	F	W	7/Fall 1
Plot	8	F	F	W	F	W	F	W	F	· · ·

W = wheat, F = fallow.

Basal applications: Weedkiller: Dicamba with mecoprop and MCPA ('Banlene Plus' at 5.6 1 in 220 1).

Seed: Cappello, dressed with dieldrin, sown at 200 kg.

Cultivations, etc.:-

Wheat plots: Ploughed: 3 Oct, 1973. Disced and seed sown: 18 Oct. Weedkiller applied: 18 Apr, 1974. Combine harvested: 29 Aug. Fallow plots: Ploughed: 3 Oct, 1973, 7 May, 1974 and 22 July. Spring-time cultivated: 8 Mar, 11 Apr, 10 July and 8 Aug.

## 74/R/WF/3

### TABLES OF MEANS

5/Fall 1	7/Fall 1	1/Fall 3	Mean
	GRAIN: TON	NES/HECTARE	
2.24	1.87	3.14	2.42
	STRAW: TCH	NES/HECTARE	
1.37	1.04	1.55	1.32
Mean D.M. %	Grain: 83.5 Stray: 86.9		