Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1974



Full Table of Content

Contents 1974

Contents 1974, Rothamsted Research (1975) Yields Of The Field Experiments 1974, pp 3 - 6 - DOI: https://doi.org/10.23637/ERADOC-1-119

| | 200100000000000000000000000000000000000 | | |
|-----------------------------------|---|------------------|----------|
| | CONTENTS 1974 | | PAGE |
| CONVENTIONS | | | 7 |
| EXPERIMENTS | CLASSICALS | | |
| Broadbalk | Potatoes, beans, wheat | R/BK/1 | 9 |
| Hoosfield | Potatoes, beans, barley | R/HB/2 | 15 |
| Wheat and Fallow | Wheat | R/WF/3 | 23 |
| Exhaustion Land | Barley | R/EX/4 | |
| Park Grass | Old grass | R/PG/5 | 25 |
| Agdell | Barley, potatoes | | 27 |
| Barnfield | Beans, potatoes, barley | R/AG/6 | 31 |
| Garden Clover | Clover | R/BN/7 | 39 |
| Rotation I | Grass, lucerne | R/GC/8 | 42 |
| Rotation II | Potatoes, barley, sugar beet | S/RN/1 S/RN/2 | 44 49 |
| | ROTATIONS | | 31.00 |
| ey/Arable | Old grass, leys, sugar beet, | | |
| | wheat | R/RN/1&2 | E7 |
| ey/Arable | Leys, barley, potatoes, wheat | W/RN/3 | 57 |
| Market Garden | Fallow | | 73 83 |
| rable Reference Plots | Barley, ley, potatoes, wheat, | W/RN/4 | 03 |
| | kale, permanent grass | D/DM/C | 84 |
| rable Reference Plots | Oats, sugar beet, barley, ley, | R/RN/5 | 04 |
| 20020 11020201100 12000 | potatoes, permanent grass | 11/101/6 | 00 |
| Residual Phosphate | Potatoes, barley, wheat, ley | W/RN/6 | 90 |
| ultivation/Weedkiller | Potatoes | R/RN/7 | 95 |
| ereal Disease | rocacoes | R/RN/8 | 100 |
| Reference Plots | Beans, oats, wheat | n/my/o | |
| rrigation | Wheat, kale | R/RN/9 | 104 |
| rganic Manuring | | R/RN/11 | 106 |
| ntensive Cereals | Sugar beet, wheat | W/RN/12 | 113 |
| | Ley, potatoes, wheat, barley | W/RN/13 | 121 |
| ong Term Phosphate otation and | Ley | W/RN/14 | 128 |
| | Dotate and Dotate | | |
| Fumigation | Potatoes, barley, sugar beet | W/RN/15 | 130 |
| ffects of Deep PK | Wheat, sugar beet, barley, | | 2000 |
| | potatoes | W/RN/16 | 136 |
| | CROP SEQUENCES | | |
| evels of N & K | Barley | R/CS/1 | 140 |
| razed Reference Plots | Old grass | R/CS/2 | 143 |
| heat after Intensive | | | |
| Barley | Wheat, beans | R/CS/6 | 144 |
| ong Term Liming | Potatoes | R&W/CS/10 | 146 |
| oil Structure | Wheat | W/CS/11 | 153 |

CONTENTS 1974 (CONTD.)

| | CROP SEQUENCES (contd.) | | PAGE |
|--|------------------------------|------------|------|
| N Levels to Old Grass | Old grass | R/CS/13 | 155 |
| NPK to Old Grass | Old grass | R/CS/14 | 157 |
| Irrigation & Eelworms | Potatoes | W/cs/16 | 171 |
| PK & Take-all Nematicides in Crop | Wheat | R/CS/24 | 175 |
| Sequence | Potatoes, sugar beet, barley | W/CS/34 | 181 |
| Nematicides Dosage Cultivations & Soil | Potatoes, sugar beet, barley | W/cs/35 | 187 |
| Invertebrates Resistance to Cyst | Old grass, new grass | R/CS/41 | 197 |
| Nematode | Spring wheat | W/CS/49 | 200 |
| Fumigation & N | Eeans | W/CS/55 | 203 |
| Dazomet & Nitrogen | Maize | W/cs/66 | 205 |
| Nematodes & Verticillium Chemical Control of | Potatoes | W/cs/78 | 207 |
| Soil-borne Pathogens | Beans | R/CS/82 | 210 |
| Cultivations for Cereals Effects of Breaks on | Wheat | R/CS/90 | 212 |
| Take-all | Barley, beans | W/CS/99 | 214 |
| Chemical Control of Pathogens | Ryegrass | R/CS/105 | 216 |
| Varieties & Pathogens | Ryegrass | R/CS/107 | 222 |
| Benomyl & Sclerotinia | Clover | R/CS/109 | 225 |
| Fertiliser & FYM | Wheat | R&W/CS/110 | 227 |
| Effects of Stem Eelworm | Beans | R/CS/116 | 235 |
| Effects of Viruses | Ryegrass, red clover | R/CS/123 | 237 |
| Varieties & Aldicarb | Oats | R/CS/125 | 243 |
| Ridging, Aldicarb & Ditylenchus | Onions | | 246 |
| Pesticides & Pest | dilons | R/CS/127 | 240 |
| Predators | Wheat | D/00/100 | 248 |
| Effects of Earthworm | 1 | R/CS/129 | |
| Inoculation Effects of Earthworm | New grass | R/CS/130 | 250 |
| Destruction | Old grass | R/CS/131 | 252 |
| Control of Pathogens | Maize | R/CS/133 | 254 |
| Direct Drilling & Diseases | Winter barley | R/CS/135 | 255 |
| Control of PCN | Potatoes | W/cs/138 | 257 |
| Fungicides & K | Barley | R/CS/139 | 260 |
| Chemical Reference Plots | Barley | R/CS/140 | 262 |
| N & Weedkiller | Old grass | R/CS/144 | 265 |
| Slow-release N | Potatoes | R/CS/148 | 270 |
| Liquid Fertilisers | Potatoes | R&W/CS/149 | 272 |
| Varieties, N & CCC | Wheat | s/cs/1 | 278 |

| CONTENTS 1974 (CONTD.) | | | |
|--|-----|------------------|--------------------|
| CONTENTS 19/4 (CONTD.) | | | |
| ANNUALS | | | PAGE |
| LIT NUISTO LUTTOACO | | | HETTI OF THE SEC. |
| WINTER WHEAT | | | |
| Varieties, N & CCC | | R&W/WW/1 | 284 |
| Rates of Mercury Seed Dressings Fungicides | | R/WW/2 | 289 |
| Seed Dressing Rates & Bulb Fly | | R/WW/3 R/WW/h | 291 294 |
| GODING HUMAN | | 1 - 1 | -, . |
| SPRING WHEAT | | | |
| N Levels & Physiology | | R/WS/1 | 296 |
| BARLEY | | 45 15 | |
| DALLSI | | | - |
| Varieties & N | | R&W/B/4 | 298 |
| Systemic Fungicide Study Times of Applying Fungicides | | R/B/5 | 301 |
| Distance & Mildew Spread | | R/B/7 R/B/8 | 303 306 |
| Control of Cereal Aphids & BYDV | | R/B/10 | 308 |
| Insecticide & Beneficial Insects | | R/B/13 | 310 |
| Slow-release N Varieties, N & Fungicide | | R/B/14 | 312 |
| , areases, har magnetae | | S/B/1 | 316 |
| WINTER OATS | | | |
| Sowing Dates, Aphids & BYDV | | R/O/1 | 320 |
| THAN A | | 140/1 | 520 |
| BEANS | | | |
| Virus Control | | R/BE/1 | 32 3 |
| Insecticide & Beneficial Insects Varieties & Viruses | 12 | R/BE/2 | 325 |
| Synthetic Pyrethroid | | R/BE/3 | 327 |
| Control of Weevils | | R/BE/4 R/BE/6 | 329 331 |
| Control of Stem Eelworm | | R/BE/7 | 333 |
| POTATOES | 15) | | |
| Varieties | | R&W/P/1 | 335 |
| Seed Stocks & Seed Treatment | | R&W/P/2 | 3 3 9 |
| Seed Sources Methods of Incorporating Nematicide | | R/P/3 | 345 |
| Blight & Aphid Reference Plots | | W/P/3 | 347 |
| Soil Fungicides & Scab | | R/P/4 W/P/4 | 350 35 4 |
| Spacing & Fertiliser | | R/P/5 | 356 |
| | | 18 18 | 8 |

| | | % | |
|------------------------|---------------------|--------|------|
| CONTENTS 1974 (CONTD.) | | | |
| | ANNUALS (contd.) | | PAGE |
| | SWEDES | | |
| Control of Mildew | | R/SW/1 | 361 |
| | GRASS | | |
| Rates & Forms of N | | R/G/l | 363 |
| | MIXED CROPS | | |
| Maize & Sweet Corn | Control of Frit Fly | R/M/6 | 370 |
| METEOROLOGICAL RECORD | s | | |
| Rothamsted, Woburn & | Saxmundham | E/1 | 373 |
| CONVERSION FACTORS | | | |