

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1974

[Full Table of Content](#)



---

### 74/R/BE/4 Synthetic Pyrethroid - Beans

74/R/BE/4 *Synthetic Pyrethroid - Beans*, Rothamsted Research (1975) Yields Of The Field Experiments 1974, pp 329 - 330 - DOI: <https://doi.org/10.23637/ERADOC-1-119>

74/R/BE/4

SPRING BEANS

SYNTHETIC PYRETHROID

Object: To study the effects of the synthetic pyrethroid NRDC 143 on the control of bean weevils and the yield of field beans - Long Hoos I and II.

Sponsor: J.H. Stevenson.

Design: 3 randomised blocks of 3 plots.

Whole plot dimensions: 8.53 x 9.14. Area harvested: 0.00293.

Treatments: Insecticides:	INSECTICIDE
None	None
Methomyl at 1.0 kg	Methomyl
NRDC 143 at 0.56 kg	NRDC 143

NOTE: Treatments were applied on 12 June in 390 l.

Basal applications: Manures: (0:14:26) at 400 kg placement drilled.  
Weedkiller: Simazine at 1.1 kg in 220 l.

Seed: Minor, sown at 220 kg.

Cultivations, etc.: - Ploughed: 19 Nov, 1973. Spring-tine cultivated twice: 8 and 9 Mar, 1974. Spring-tine cultivated: 26 Mar. Seed sown and spring-tine cultivated: 27 Mar. Weedkiller applied: 10 Apr. Combine harvested: 26 Sept. Previous crops: Winter wheat 1972, barley 1973.

NOTE: Counts were made of weevils (Sitona and Apion) just before spraying and daily for eight days after.

Standard error per plot.

Grain, tonnes/hectare: 0.489 or 15.4% (4 d.f.)

74/R/BE/4

TABLE OF MEANS

GRAIN: TONNES/HECTARE

INSECTICIDE			Mean
None	Methomyl	NRIC 143	
1.89	3.74	3.89	3.17

STANDARD ERROR OF DIFFERENCES

INSECTICIDE

0.399

Mean D.M. % 75.9