Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1974



Full Table of Content

## 74/R/BE/6 Control of Weevils - Beans

74/*R/BE/6 Control of Weevils - Beans,* Rothamsted Research (1975) Yields Of The Field Experiments 1974, pp 331 - 332 - DOI: https://doi.org/10.23637/ERADOC-1-119

74/R/BE/6

SPRING BEAKS

CONTROL OF WEEVILS

Object: To study the effects of several insecticides on the yield and control of weevils and weevil-transmitted viruses of field beans -Dell Piece.

Sponsors: A.J. Cockbain, P. Etheridge.

Design: 3 randomised blocks of 8 plots.

Whole plot dimensions: 8.53 x 12.2. Ares harvested: 0.00390.

Treatments: All combinations of insecticides:

1. Sprays to foliage

None Fenitrothion at 0.75 kg Malathion at 1.0 kg Methomyl at 1.0 kg

2. Granules to foliage

None Phorate at 1.0 kg SPRAY

Nor	ie			
Fer	ni.	tr	0	
Ma	la	th	ic	ŝ
Met	h	cm	y ]	

GRANULE

None Phorate

- NOTE: Sprays, in 500 1, and granules were applied on 15 May, 30 May and 19 June.
- Basal applications: Morrows: (0:14:28) at 400 kg. Weedkiller: Simazine at 1.1 kg in 220 l. Insecticides: Demeton-s-methyl at 0.25 kg in 220 l.

Seed: Maris Bead, sown at 220 kg.

Cultivations, etc.:- Ploughed: 3 Jan, 1974. Spring-time cultivated twice: 27 Mar. Rotary harrowed: 1 Apr. Seed sown and spring-time cultivated: 2 Apr. Simazine applied: 5 Apr. Demeton-s-methyl applied: 13 June. Combine harvested: 26 Sept. Previous crops: Fillow 1972, winter wheat 1973.

### 74/R/EE/6

NOTE: Amounts of damage by weevils (Apion and Sitons) were recorded on 9 May and 25 May. Numbers of adults were estimated on 12 June. Incidence of viruses was assessed on 25 April, 12 June, 4 and 23 July and samples of seed were taken at harvest to assess virus infection.

Standard error per plot. Grain, tonnes/hectore: 0.472 or 12.1% (14 d.f.)

#### TABLES OF MEANS

#### GRAIN: TONNES/HECTARE

	None	Fenitro	Malathio	Methomyl	Mean
GRAHUL).					
lcne Phorate	3.55 4.42	3.84 3.58	4.41 3.89	3.45 4.10	3.82 4.00
Mean	3.98	3.71	4.15	3.78	3.91

#### SPRAY

#### STANDARD FROMS OF DIFFERENCES

GRANULE	EPRAY	GRANULE SPRAY	
0.193	0.273	0.385	

Mean D.M.% 65.2