

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



Rothamsted Experimental Station Report for 1973 Part 2

ROTHAMSTED
EXPERIMENTAL STATION
REPORT FOR 1973
PART 2
PUBLISHED JUNE 1974
HARVEY & SONS LTD
LAWES AGRICULTURAL TRUST

[Full Table of Content](#)

Rothamsted Insect Survey - Fifth Annual Summary

L. R. Taylor and R. A. French

L. R. Taylor and R. A. French (1974) *Rothamsted Insect Survey - Fifth Annual Summary* ;
Rothamsted Experimental Station Report For 1973 Part 2, pp 240 - 270 - DOI:
<https://doi.org/10.23637/ERADOC-1-34640>

Rothamsted Insect Survey

Fifth Annual Summary

L. R. TAYLOR and R. A. FRENCH

Suction traps

Aphid bulletins were issued weekly from 16 April 1973 (Bulletin No. 1) to 4 November 1973 (Bulletin No. 29). The species listed in Table 1(a-h) are those in the Bulletin and the same as in 1972.

A new trap at Rainham, Essex, commenced operation on 26 March 1973. The Zeeland trap developed a fault and did not operate from 18 April 1973 to 22 May 1973. The trap at Newcastle did not operate after 30 August 1973. Other traps were in operation at Garston, Hertfordshire, and Rothamsted Farm (two traps) but they are not included in Table 1.

Catches from Zeeland, Brooms Barn and Aberystwyth were identified by D. Hille Ris Lambers of Bladluisonderzoek T.N.O., G. D. Heathcote of Brooms Barn and J. A'Brook of the Welsh Plant Breeding Station. H. L. G. Stroyan of the M.A.F.F. Plant Pathology Laboratories confirmed difficult determinations.

The Bulletin sent out on Friday lists the aphids caught between five and 12 days previously, except Zeeland and Copenhagen which were caught 12 to 19 days previously. The Bulletin covers the working week, Monday to Sunday. Table 1 is for four Standard Week periods constant from year to year (see *Rothamsted Report for 1972*, Part 2, p. 211, Table 4).

The sample volume was halved at some sites at peak periods during the year to reduce the size of the catch, both the weekly Bulletin and Table 1 are corrected for this reduction.

In Table 1 there are no missing values; a blank records a zero catch.

Light traps

Table 2(a-f) gives the annual catches during 1971 and 1972 of the same 31 pest, or migratory, Lepidoptera as in previous years. Twenty-five new sites makes a total of 88 in the Table. At the end of 1973 160 traps are operating.

The sites in Table 2 are arranged in sequence from north to south and the species are in the same order as in previous years. Zero catches are recorded as 0; dashes indicate no records.

Voluntary workers again operated most traps and identified many of the insects; for this we are most grateful.

ROTHAMSTED INSECT SURVEY

Table 1(a-h)

The Rothamsted Insect Survey—Suction Traps: four-weekly total catches of aphids of economic, or other, interest reported in the Weekly Bulletin 1973

Pages 242–257

Table 2(a-f)

The Rothamsted Insect Survey—Light Traps: annual records of moths of economic, or other, interest for 1971 and 1972

Pages 258–269

ROTHAMSTED REPORT FOR 1973, PART 2

TABLE

*The Rothamsted Insect Survey—Suction Traps: four-weekly total catches
Week Nos 13 to 16—*

ROTHAMSTED INSECT SURVEY

1(a)

of aphids of economic, or other, interest reported in the Weekly Bulletin 1973
26 March to 22 April 1973

Broom's Barn	Hereford	Rothamsted Tower	Rainham	Long Ashton	Silwood Park	Wye, Kent	Starcross	Rosewarne	Sites
									Species
			1				1		<i>Acyrtosiphon pisum</i>
									<i>Aphis fabae</i> grp.
									<i>Aphis</i> spp.
									<i>Amphorophora rubi</i>
									<i>Aulacorthum solani</i>
									<i>Brachycaudus helichrysi</i>
									<i>Brevicoryne brassicae</i>
									<i>Cavariella aegopodii</i>
									<i>Cinara</i> spp.
									<i>Drepanosiphum platanoidis</i>
									<i>Dysaphis plantaginea</i>
									<i>Elatobium abietinum</i>
									<i>Eriosoma ulmi</i>
									<i>Hyalopterus pruni</i>
									<i>Hyperomyzus lactucae</i>
									<i>Macrosiphum euphorbiae</i>
									<i>Megoura viciae</i>
									<i>Metopolophium dirhodum</i>
									<i>Metopolophium festucae</i>
									<i>Myzus ascalonicus</i>
									<i>Myzus ornatus</i>
									<i>Myzus persicae</i> grp.
									<i>Nasonovia ribis nigri</i>
									<i>Pemphigus</i> spp.
									<i>Pentatrichopus fragaefolii</i>
									<i>Phorodon humuli</i>
									<i>Phyllaphis fagi</i>
									<i>Rhopalosiphum insertum</i>
									<i>Rhopalosiphum maidis</i>
									<i>Rhopalosiphum padi</i>
									<i>Sitobion avenae</i>
									<i>Sitobion fragariae</i>
									First aphid caught
			Apr 13	Apr 11	Apr 20	Apr 14	Apr 1		

ROTHAMSTED REPORT FOR 1973, PART 2

TABLE

*The Rothamsted Insect Survey—Suction Traps: four-weekly total catches
Week Nos 17 to 20—*

Species	Sites							
	Elgin	Dundee	Edinburgh	Copenhagen	Newcastle	High Mowthorpe	Shardlow	Aberystwyth
<i>Acyrtosiphon pisum</i>								
<i>Aphis fabae</i> grp.							1	
<i>Aphis</i> spp.							2	
<i>Amphorophora rubi</i>							4	
<i>Aulacorthum solani</i>								
<i>Brachycaudus helichrysi</i>		2						
<i>Brevicoryne brassicae</i>								
<i>Cavariella aegopodii</i>							1	
<i>Cinara</i> spp.								
<i>Drepanosiphum platanoidis</i>								
<i>Dysaphis plantaginea</i>		1						
<i>Elatobium abietinum</i>			1		2		2	35
<i>Eriosoma ulmi</i>								
<i>Hyalopterus pruni</i>								
<i>Hyperomyzus lactucae</i>							1	
<i>Macrosiphum euphorbiae</i>							1	15
<i>Megoura viciae</i>								
<i>Metopolophium dirhodum</i>								
<i>Metopolophium festucae</i>							21	3
<i>Myzus ascalonicus</i>		1	4				32	8
<i>Myzus ornatus</i>			1				5	
<i>Myzus persicae</i> grp.								4
<i>Nasonovia ribis nigri</i>								
<i>Pemphigus</i> spp.								
<i>Pentatrichopus fragaefolii</i>								
<i>Phorodon humuli</i>								
<i>Phyllaphis fagi</i>								
<i>Rhopalosiphum insertum</i>								
<i>Rhopalosiphum maidis</i>								
<i>Rhopalosiphum padi</i>								
<i>Sitobion avenae</i>				2			4	20
<i>Sitobion fragariae</i>								1
First aphid caught								1
	May 15	Apr 25	May 17	May 5	Apr 25			

ROTHAMSTED INSECT SURVEY

1(b)

of aphids of economic, or other, interest reported in the Weekly Bulletin 1973
23 April to 20 May 1973

			Sites							
			Species							
Broom's Barn	Hereford	Rothamsted Tower	Rainham	Long Ashton	Silwood Park	Wye, Kent	Starcross	Rosewarne		
			4 2		2 4	3	1			<i>Acyrtosiphon pisum</i>
			1	2	1	1	1			<i>Aphis fabae</i> grp.
			1	2	1	1	4			<i>Aphis</i> spp.
2	1	9	51	12	21		3			<i>Amphorophora rubi</i>
										<i>Aulacorthum solani</i>
										<i>Brachycaudus helichrysi</i>
1		3	8	1	7					<i>Brevicoryne brassicae</i>
										<i>Cavariella aegopodii</i>
										<i>Cinara</i> spp.
1	8				27	4	1			<i>Drepanosiphum platanoidis</i>
6	8	6		3	194	8	22	1		<i>Dysaphis plantaginea</i>
										<i>Elatobium abietinum</i>
										<i>Eriosoma ulmi</i>
										<i>Hyalopterus pruni</i>
										<i>Hyperomyzus lactucae</i>
										<i>Macrosiphum euphorbiae</i>
										<i>Megoura viciae</i>
3	10	10	10	4	2				1	<i>Metopolophium dirhodum</i>
5	11	18	16	14	19	6	5		5	<i>Metopolophium festucae</i>
			63	30	56	19	7		8	<i>Myzus ascalonicus</i>
1		3	3	18	5	1	2			<i>Myzus ornatus</i>
1			18	5	4	2	1			<i>Myzus persicae</i> grp.
				1	2					<i>Nasonovia ribis nigri</i>
										<i>Pemphigus</i> spp.
										<i>Pentatrichopus fragaefolii</i>
										<i>Phorodon humuli</i>
										<i>Phyllaphis fagi</i>
										<i>Rhopalosiphum insertum</i>
										<i>Rhopalosiphum maidis</i>
										<i>Rhopalosiphum padi</i>
1			43	2	19	1	19	4		<i>Sitobion avenae</i>
			17	3	9	1	7	4		<i>Sitobion fragariae</i>
May 1	Apr 27	Apr 25						Apr 25		First aphid caught

ROTHAMSTED REPORT FOR 1973, PART 2

TABLE

*The Rothamsted Insect Survey—Suction Traps: four-weekly total catches
Week Nos 21 to 24—*

Species	Sites								Broom's Barn
	Elgin	Dundee	Edinburgh	Copenhagen	Newcastle	High Mowthorpe	Shardlow	Aberystwyth	
<i>Acyrtosiphon pisum</i>	1			3	1	1	5	7	4
<i>Aphis fabae</i> grp.		1	11	2	4	4	18	5	22
<i>Aphis</i> spp.	2		2	7	2	4	27	6	3
<i>Amphorophora rubi</i>							2	1	4
<i>Aulacorthum solani</i>	1		2	3	1		34	12	4
<i>Brachycaudus helichrysi</i>	20	146	67	20	53	210	744	169	570
<i>Brevicoryne brassicae</i>							2	3	1
<i>Cavariella aegopodii</i>	9	15	26	50	12	42	996	46	353
<i>Cinara</i> spp.	6	3		2					7
<i>Drepanosiphum platanoidis</i>	1248	75	629	185	77	66	198	102	109
<i>Dysaphis plantaginis</i>			1					1	6
<i>Elatobium abietinum</i>	10446	931	203	151	1270	181	19	448	21
<i>Eriosoma ulmi</i>		2		66	3	3	57	3	65
<i>Hyalopterus pruni</i>	1	18	5	13	6	3	29	4	28
<i>Hyperomyzus lactucae</i>		8	1	36		3	17	11	4
<i>Macrosiphum euphorbiae</i>		3	3	3	2	1	27	59	4
<i>Megoura viciae</i>							1		
<i>Metopolophium dirhodum</i>	2	1	3	1	1		10	14	7
<i>Metopolophium festucae</i>	5	4	8		14	5	101	50	58
<i>Myzus ascalonicus</i>	17	12	48	63	22	114	163	19	42
<i>Myzus ornatus</i>		1	7		1		19	1	
<i>Myzus persicae</i> grp.		1	3	1			45	10	20
<i>Nasonovia ribis nigri</i>	1	4	12	1	2		10		7
<i>Pemphigus</i> spp.		1		1			2		
<i>Pentatrichopus fragaefolii</i>					1		4		
<i>Phorodon humuli</i>			1	2	1	7	101	14	150
<i>Phyllaphis fagi</i>	80	1285	732	26	192	655	151	15	218
<i>Rhopalosiphum insertum</i>	1	32	91	35	48	23	88	1	
<i>Rhopalosiphum maidis</i>			1			1	2		
<i>Rhopalosiphum padi</i>	3	13	9	46	14	3	100	163	96
<i>Sitobion avenae</i>	2		1	1	1	1	26	31	72
<i>Sitobion fragariae</i>	1	2	2		3	4	22	4	23
First aphid caught	May 21								

ROTHAMSTED INSECT SURVEY

1(c)

of aphids of economic, or other, interest reported in the Weekly Bulletin 1973
21 May to 17 June 1973

Hereford	Rothamsted Tower	Rainham	Long Ashton	Silwood Park	Zeeland	Wye, Kent	Starcross	Rosewarne	Sites
5	23	91	6	23	8	25	2		<i>Acyrthosiphon pisum</i>
12	52	95	20	72	2	46	20	9	<i>Aphis fabae</i> grp.
7	38	93	44	56	1	16	15	15	<i>Aphis</i> spp.
4	2	6	5	6		2	5		<i>Amphorophora rubi</i>
15	4	31	2	7		6	9	7	<i>Aulacorthum solani</i>
1348	2579	3030	487	1153	23	674	181	50	<i>Brachycaudus helichrysi</i>
							2	1	<i>Brevicoryne brassicae</i>
310	988	1225	403	1710	131	234	169	18	<i>Cavariella aegopodii</i>
3	3	6	4	25	1		1		<i>Cinara</i> spp.
32	23	115	12	105		4	16	1	<i>Drepanosiphum platanoidis</i>
	1	1		1			1		<i>Dysaphis plantaginea</i>
88	81	11	32	233	1	88	62	11	<i>Elatobium abietinum</i>
179	42	89	128	85	12	47	2		<i>Eriosoma ulmi</i>
12	18	140	14	13	19	33	12	2	<i>Hyalopterus pruni</i>
28	11	29	16	33		8	13	4	<i>Hyperomyzus lactucae</i>
7	23	187	22	49	2	11	8	11	<i>Macrosiphum euphorbiae</i>
1	1	1				2		1	<i>Megoura viciae</i>
13	10	88	13	8	1	19	8	5	<i>Metopolophium dirhodum</i>
74	212	95	25	74	25	73	4	15	<i>Metopolophium festucae</i>
85	207	128	8	89	54	62	12	6	<i>Myzus ascalonicus</i>
	12	4	19	17		1	3		<i>Myzus ornatus</i>
5	26	166	28	16	1	13	4	5	<i>Myzus persicae</i> grp.
2	11	7	9	14	1		9	2	<i>Nasonovia ribis nigri</i>
		19		3					<i>Pemphigus</i> spp.
1	2	8	3	4			3		<i>Pentatrichopus fragaefolii</i>
229	198	551	63	368	10	141	11	1	<i>Phorodon humuli</i>
23	119	19	12	417	2	10	20		<i>Phyllaphis fagi</i>
29	153	73	36	57	9	66	42	16	<i>Rhopalosiphum insertum</i>
1	1	1	1				3		<i>Rhopalosiphum maidis</i>
18	52	820	17	152	10	68	57	34	<i>Rhopalosiphum padi</i>
8	112	333	58	108	2	29	62	5	<i>Sitobion avenae</i>
21	23	120	21	79	7	19	25	10	<i>Sitobion fragariae</i>
									First aphid caught

ROTHAMSTED REPORT FOR 1973, PART 2

TABLE

*The Rothamsted Insect Survey—Suction Traps: four-weekly total catches
Week Nos 25 to 28—*

Species	Sites								
	Elgin	Dundee	Edinburgh	Copenhagen	Newcastle	High Mowthorpe	Shardlow	Aberystwyth	Broom's Barn
<i>Acyrtosiphon pisum</i>	6	11	4	42		34	28	1	182
<i>Aphis fabae</i> grp.	1	9	6	40	2	272	198	8	1151
<i>Aphis</i> spp.	1	31	20	136	6	43	43	2	86
<i>Amphorophora rubi</i>		9		2	1	1	1	1	3
<i>Aulacorthum solani</i>	4			2	2	1	5	1	1
<i>Brachycaudus helichrysi</i>	27	100	21	329	42	62	62	24	152
<i>Brevicoryne brassicae</i>				18			4	5	99
<i>Cavarrella aegopodii</i>	16	14	24	8	22	68	279	8	69
<i>Cinara</i> spp.	7	40	6	49	10		6	23	6
<i>Drepanosiphum platanoidis</i>	77	5	60	7	2	7	91	14	24
<i>Dysaphis plantaginea</i>				10			2		4
<i>Elatobium abietinum</i>	674	92	10	6	66	1		13	
<i>Eriosoma ulmi</i>	24	84	89	500	29	74	122	20	280
<i>Hyalopterus pruni</i>	1	19	11	7077	8	61	338	26	1079
<i>Hyperomyzus lactucae</i>		10	2	25		1	17	4	49
<i>Macrosiphum euphorbiae</i>		14	3	163		7	23	5	30
<i>Megoura viciae</i>		2			9	7	7		3
<i>Metopolophium dirhodum</i>	16	524	231	2251	42	92	65	37	495
<i>Metopolophium festucae</i>	11	11	8	69	5	7	4	1	46
<i>Myzus ascalonicus</i>	10	3	4	4	9	28	9		2
<i>Myzus ornatus</i>		1	1			2	3	2	
<i>Myzus persicae</i> grp.		14	8	81			91	4	127
<i>Nasonovia ribis nigri</i>		4		31		4	10	2	9
<i>Pemphigus</i> spp.	1		11	23		13	46	6	9
<i>Pentatrichopus fragaefolii</i>				1			5		
<i>Phorodon humuli</i>	1	6	6	62	4	10	124	19	213
<i>Phyllaphis fagi</i>	111	688	221	82	138	209	42	9	113
<i>Rhopalosiphum insertum</i>		15	8	43	32	12	64	1	34
<i>Rhopalosiphum maidis</i>		2		12	1	1	8	33	8
<i>Rhopalosiphum padi</i>	7	148	86	23065	37	154	49	52	1101
<i>Sitobion avenae</i>	4	18	17	659	5	19	214	49	1447
<i>Sitobion fragariae</i>	1	3	1	4	3	4	4	2	43

ROTHAMSTED INSECT SURVEY

1(d)

of aphids of economic, or other, interest reported in the Weekly Bulletin 1973
18 June to 15 July 1973

Hereford	Rothamsted Tower	Rainham	Long Ashton	Silwood Park	Zeeland	Wye, Kent	Starcross	Rosewarne	Sites
10	47	48	9	22	29	70	3		<i>Species</i>
129	491	203	101	322	613	287	33	12	<i>Acyrtosiphon pisum</i>
15	77	89	83	93	23	144	9	19	<i>Aphis fabae</i> grp.
6	1			3	1	5	2	1	<i>Aphis</i> spp.
2		2			7		2	3	<i>Amphorophora rubi</i>
106	42	52	25	23	202	44	7	21	<i>Aulacorthum solani</i>
5	5	22	3	15	11	18	2	3	<i>Brachycaudus helichrysi</i>
37	95	54	45	45	226	23	9	12	<i>Brevicoryne brassicae</i>
5	6		6	2	3	1			<i>Cavariella aegopodii</i>
8	4	56	2	15	4	6	6	1	<i>Cinara</i> spp.
	3	2		2		1			<i>Drepanosiphum platanoidis</i>
1	1			1			2		<i>Dysaphis plantaginea</i>
330	70	19	59	28	41	31	2	2	<i>Elatobium abietinum</i>
226	460	1077	278	408	498	591	72	31	<i>Eriosoma ulmi</i>
20	7	13	6	11	22	15	3	3	<i>Hyalopterus pruni</i>
12	40	46	11	22	120	53	13	9	<i>Hyperomyzus lactucae</i>
9	3	3			1	12		4	<i>Macrosiphum euphorbiae</i>
41	110	145	46	90	279	110	49	15	<i>Megoura viciae</i>
3	32	17	2	11	11	29	1	1	<i>Metopolophium dirhodum</i>
1	6	5	1	3	2	2			<i>Metopolophium festucae</i>
	1	1	1			1		1	<i>Myzus ascalonicus</i>
10	15	16	7	11	159	21			<i>Myzus ornatus</i>
2	1	18	6	2	12	2	6	1	<i>Myzus persicae</i> grp.
5	18	60	17	34	47	17	4	1	<i>Nasonovia ribis nigri</i>
	226	94	172	27	69	51	137	31	<i>Pemphigus</i> spp.
10	92	15	6	199	16	11	9	1	<i>Pentatrichopus fragaefolii</i>
22	34	12	11	18	156	39	32	13	<i>Phorodon humuli</i>
5	11	12	12	8	12	11	4	2	<i>Phyllaphis fagi</i>
98	132	182	51	76	386	194	106	44	<i>Rhopalosiphum insertum</i>
369	434	388	278	508	315	526	153	28	<i>Rhopalosiphum maidis</i>
21	33	46	15	63	54	35	13	4	<i>Rhopalosiphum padi</i>
									<i>Sitobion avenae</i>
									<i>Sitobion fragariae</i>

ROTHAMSTED REPORT FOR 1973, PART 2

TABLE
*The Rothamsted Insect Survey—Suction Traps: four-weekly total catches
 Week Nos 29 to 32—*

Species	Sites								Broom's Barn
	Elgin	Dundee	Edinburgh	Copenhagen	Newcastle	High Mowthorpe	Shardlow	Aberystwyth	
<i>Acyrthosiphon pisum</i>	4	33		16	1	10	10	1	8
<i>Aphis fabae</i> grp.	15	634	113	142	7	43	101	12	159
<i>Aphis</i> spp.	3	15	8	44	1	26	23	1	4
<i>Amphorophora rubi</i>		2							
<i>Aulacorthum solani</i>		1		2					
<i>Brachycaudus helichrysi</i>	1	12	5	88					
<i>Brevicoryne brassicae</i>		1	2	24					
<i>Cavariella aegopodii</i>	13	7		2	1	1			
<i>Cinara</i> spp.	3	2	2	4		4			
<i>Drepanosiphum platanoidis</i>	34	5	1	4	8	2	29	10	2
<i>Dysaphis plantaginea</i>								1	
<i>Elatobium abietinum</i>	171	2	4		1				
<i>Eriosoma ulmi</i>	1		2	4					
<i>Hyalopterus pruni</i>	2	10	13	590	4	41	184	3	192
<i>Hyperomyzus lactucae</i>		2							
<i>Macrosiphum euphorbiae</i>	20	62	5	32	3	2	11	2	10
<i>Megoura viciae</i>	1				1	1	1	1	
<i>Metopolophium dirhodum</i>	79	1116	445	384	22	83	21	3	2
<i>Metopolophium festucae</i>	7	7		2		4	1		
<i>Myzus ascalonicus</i>									
<i>Myzus ornatus</i>				2					2
<i>Myzus persicae</i> grp.	18	183	154	68	1	5	6		14
<i>Nasonovia ribis nigri</i>	1						4		
<i>Pemphigus</i> spp.	10	15	15	7		4	8	14	3
<i>Pentatrichopus fragaefolii</i>							1		
<i>Phorodon humuli</i>		2		10		2	1		
<i>Phyllaphis fagi</i>	1	11	17			6			
<i>Rhopalosiphum insertum</i>	14	177	117	46	103	53	88	7	10
<i>Rhopalosiphum maidis</i>			1	6		3	11	8	
<i>Rhopalosiphum padi</i>	161	1820	742	2572	169	533	114	69	141
<i>Sitobion avenae</i>	40	169	60	418	14	115	178	155	81
<i>Sitobion fragariae</i>	1	2		4		5	14	3	5

ROTHAMSTED INSECT SURVEY

1(e)

of aphids of economic, or other, interest reported in the Weekly Bulletin 1973
16 July to 12 August 1973

Hereford	Rothamsted Tower	Rainham	Long Ashton	Silwood Park	Zeeland	Wye, Kent	Starcross	Rosewarne	Sites
4	2				4	5	2		Species
92	66	75	2	52	278	45	25	30	<i>Acyrtosiphon pisum</i>
13	7	62	62	21	9	20	3	6	<i>Aphis fabae</i> grp.
					6				<i>Aphis</i> spp.
					9				<i>Amphorophora rubi</i>
2	2	11	3	11	11	6	2	1	<i>Aulacorthum solani</i>
7	16	2	4		9	6	6	2	<i>Brachycaudus helichrysi</i>
		2			9		1		<i>Brevicoryne brassicae</i>
		1			2				<i>Cavariella aegopodii</i>
1	2	6	1	12		1			<i>Cinara</i> spp.
		2							<i>Drepanosiphum platanoidis</i>
106	323	630	106	134	823	190	22	41	<i>Dysaphis plantaginea</i>
	2	5			5	1			<i>Elatobium abietinum</i>
1	1	3	1	1	180	3	3	5	<i>Eriosoma ulmi</i>
1	2		8	7	1	2			<i>Hyalopterus pruni</i>
10	4	3	5	3	144	7	8	12	<i>Hyperomyzus lactucae</i>
2			1						<i>Macrosiphum euphorbiae</i>
									<i>Megoura viciae</i>
									<i>Metopolophium dirhodum</i>
									<i>Metopolophium festucae</i>
									<i>Myzus ascalonicus</i>
									<i>Myzus ornatus</i>
									<i>Myzus persicae</i> grp.
3	4	4	4		8	1711	9	2	<i>Nasonovia ribis nigri</i>
					2	1		1	<i>Pemphigus</i> spp.
5		6	3	2	7	3			<i>Pentatrichopus fragaefolii</i>
				3					<i>Phorodon humuli</i>
40	91	76	14	61	213	74	106	40	<i>Phyllaphis fagi</i>
1	2	5		2	1	4			<i>Rhopalosiphum insertum</i>
58	58	117	27	39	1096	131	102	46	<i>Rhopalosiphum maidis</i>
237	59	64	95	83	173	82	102	61	<i>Rhopalosiphum padi</i>
13	2	4	3	3	18	14	5	5	<i>Sitobion avenae</i>
									<i>Sitobion fragariae</i>

ROTHAMSTED REPORT FOR 1973, PART 2

TABLE
*The Rothamsted Insect Survey—Suction Traps: four-weekly total catches
 Week Nos 33 to 36—*

Species	Sites								
	Elgin	Dundee	Edinburgh	Copenhagen	Newcastle	High Mowthorpe	Shardlow	Aberytwyth	Broom's Barn
<i>Acyrtosiphon pisum</i>	6	3	2				15	10	2
<i>Aphis fabae</i> grp.	126	134	260	1	9	39	259	304	17
<i>Aphis</i> spp.	12	10	5	1	1	42	175	51	1
<i>Amphorophora rubi</i>									
<i>Aulacorthum solani</i>	6						1		
<i>Brachycaudus helichrysi</i>	24	33	11	1		36	27	38	6
<i>Brevicoryne brassicae</i>	2		1	1			7	10	12
<i>Cavariella aegopodii</i>	304			2			1		1
<i>Cinara</i> spp.	1		1					2	2
<i>Drepanosiphum platanoidis</i>	13	10	6			8	93	4	2
<i>Dysaphis plantaginea</i>							4	4	
<i>Elatobium abietinum</i>									
<i>Eriosoma ulmi</i>								1	3
<i>Hyalopterus pruni</i>	157	78	4	9	1	20	70	19	43
<i>Hyperomyzus lactucae</i>	1						10	4	
<i>Macrosiphum euphorbiae</i>	45	5	3		2	4	50	3	4
<i>Megoura viciae</i>			1				1		2
<i>Metopolophium dirhodum</i>	10	2					11	4	
<i>Metopolophium festucae</i>	18		1		1		5	3	
<i>Myzus ascalonicus</i>									
<i>Myzus ornatus</i>		1							
<i>Myzus persicae</i> grp.	68	35	7		2	4	74	19	23
<i>Nasonovia ribis nigri</i>	3	1	1				3		
<i>Pemphigus</i> spp.	78	23	44	45	1	11	72	1396	23
<i>Pentatrichopus fragaefolii</i>		1							
<i>Phorodon humuli</i>									
<i>Phylloxaphis fagi</i>			3						
<i>Rhopalosiphum insertum</i>	73	70	98	5	30	66	275	45	81
<i>Rhopalosiphum maidis</i>	1		1	1			2	6	1
<i>Rhopalosiphum padi</i>	2327	1286	1150	60	33	1271	2988	420	227
<i>Sitobion avenae</i>	107	47	44	23	8	34	172	96	21
<i>Sitobion fragariae</i>	1					4	24	8	1

ROTHAMSTED INSECT SURVEY

1(f)

of aphids of economic, or other, interest reported in the Weekly Bulletin 1973
13 August to 9 September 1973

Hereford	Rothamsted Tower	Rainham	Long Ashton	Silwood Park	Zeeland	Wye, Kent	Starcross	Rosewarne	Sites
18	8	7	17	11		9	15	6	<i>Species</i>
256	9	39	70	47	33	12	17	22	<i>Acyrtosiphon pisum</i>
144	17	56	57	79	13	62	19	9	<i>Aphis fabae</i> grp.
									<i>Aphis</i> spp.
									<i>Amphorophora rubi</i>
37	21	8	2		3				<i>Aulacorthum solani</i>
102	22	32	5	24	5	126	5	6	<i>Brachycaudus helichrysi</i>
		1	3	37	25	258	6	2	<i>Brevicoryne brassicae</i>
					15	1			<i>Cavariella aegopodii</i>
									<i>Cinara</i> spp.
1	1	1	5			1			<i>Drepanosiphum platanoidis</i>
4	4	1	3	10		1	2		<i>Dysaphis plantaginea</i>
									<i>Elatobium abietinum</i>
									<i>Eriosoma ulmi</i>
41	27	123	43	37	1986	164	51	27	<i>Hyalopterus pruni</i>
16	3	8	3	4	6	9	2	1	<i>Hyperomyzus lactucae</i>
15	6	6	3	2	187	35			<i>Macrosiphum euphorbiae</i>
	2	1	2	4	1				<i>Megoura viciae</i>
1	1	1	1	1	24	2			<i>Metopolophium dirhodum</i>
17	1		4	2	4	1	2	1	<i>Metopolophium festucae</i>
									<i>Myzus ascalonicus</i>
									<i>Myzus ornatus</i>
68	30	49	33	25	1729	147	19	14	<i>Myzus persicae</i> grp.
2	1		1	2		1			<i>Nasonovia ribis nigri</i>
19	22	178	46	43	348	30	29	23	<i>Pemphigus</i> spp.
									<i>Pentatrichopus fragaefolii</i>
460		15		5	1	102			<i>Phorodon humuli</i>
143	131	92	63	177	224	138	229	97	<i>Phyllaphis fagi</i>
3	3	8	2			4	7	5	<i>Rhopalosiphum insertum</i>
1567	236	307	912	521	660	340	423	153	<i>Rhopalosiphum maidis</i>
82	42	31	95	38	19	41	48	195	<i>Rhopalosiphum padi</i>
6	1	3	15	6	20	13		3	<i>Sitobion avenae</i>
									<i>Sitobion fragariae</i>

ROTHAMSTED REPORT FOR 1973, PART 2

TABLE

*The Rothamsted Insect Survey—Suction Traps: four-weekly total catches
Week Nos 37 to 40—*

Species	Site							
	Elgin	Dundee	Edinburgh	Copenhagen	High Mowthorpe	Shardlow	Aberystwyth	Broom's Barn
<i>Acyrtosiphon pisum</i>						6	5	5
<i>Aphis fabae</i> grp.	53	20	8		19	219	444	59
<i>Aphis</i> spp.	7	21	21	1	13	237	62	6
<i>Amphorophora rubi</i>						3	1	
<i>Aulacorthum solani</i>						54	67	13
<i>Brachycaudus helichrysi</i>	37	38	101	7	69	30	10	49
<i>Brevicoryne brassicae</i>				17	1			
<i>Cavariella aegopodii</i>	13		2	8		4	2	4
<i>Cinara</i> spp.	1					4	1	1
<i>Drepanosiphum platanoidis</i>	4	15	17	1	16	247	4	9
<i>Dysaphis plantaginea</i>	1			4		31		28
<i>Elatobium abietinum</i>								
<i>Eriosoma ulmi</i>		16		2	2	2		2
<i>Hyalopterus pruni</i>	4	78	5	3	15	24	3	17
<i>Hyperomyzus lactucae</i>	1			2	9	21	11	2
<i>Macrosiphum euphorbiae</i>	1	1	2		7	58	5	1
<i>Megoura viciae</i>								
<i>Metopolophium dirhodum</i>	4	6	2		4	21	14	
<i>Metopolophium festucae</i>	2					2	7	
<i>Myzus ascalonicus</i>							2	
<i>Myzus ornatus</i>	2					2		
<i>Myzus persicae</i> grp.	8	51	33	12	58	130	89	37
<i>Nasonovia ribis nigri</i>	10	1	1	2		12	15	1
<i>Pemphigus</i> spp.	675	155	268	193	80	480	2574	47
<i>Pentatrichopus fragaefolii</i>								
<i>Phorodon humuli</i>						29	25	1
<i>Phyllaphis fagi</i>					3			
<i>Rhopalosiphum insertum</i>	1666	1809	952	110	930	599	1267	41
<i>Rhopalosiphum maidis</i>	2				1	1		
<i>Rhopalosiphum padi</i>	7393	8528	11 735	508	1917	8829	10 106	966
<i>Sitobion avenae</i>		5	1	1	2	19	21	3
<i>Sitobion fragariae</i>						71	12	
	7							

ROTHAMSTED INSECT SURVEY

1(g)

of aphids of economic, or other, interest reported in the Weekly Bulletin 1973
10 September to 7 October 1973

Hereford	Rothamsted Tower	Rainham	Long Ashton	Silwood Park	Zeeland	Wye, Kent	Starcross	Rosewarne	Sites
26	26	3	28	24	28	7	17	2	<i>Species</i>
51	19	57	79	160	33	47	22	6	<i>Acyrtosiphon pisum</i>
32	22	32	92	134	3	39	52	9	<i>Aphis fabae</i> grp.
									<i>Aphis</i> spp.
1									<i>Amphorophora rubi</i>
30	36	9	29	44	14	19	37	6	<i>Aulacorthum solani</i>
194	99	41	21	174	6	165	9	1	<i>Brachycaudus helichrysi</i>
	1	2	4	2	3	2	3		<i>Brevicoryne brassicae</i>
					4				<i>Cavariella aegopodii</i>
									<i>Cinara</i> spp.
2	2	10	17	1	6	4		5	<i>Drepanosiphum platanoidis</i>
10	18	7	56	108	2	18	9	1	<i>Dysaphis plantaginea</i>
									<i>Elatobium abietinum</i>
1		2			5				<i>Eriosoma ulmi</i>
3	4	8	16	15	176	16	12		<i>Hyalopterus pruni</i>
7	7	4	19	9	5	6	1	1	<i>Hyperomyzus lactucae</i>
16	3	2	2	9	1	15	1	1	<i>Macrosiphum euphorbiae</i>
				1					<i>Megoura viciae</i>
5				1	12	6	3	1	<i>Metopolophium dirhodum</i>
18			4	1	1		1		<i>Metopolophium festucae</i>
									<i>Myzus ascalonicus</i>
			2						<i>Myzus ornatus</i>
172	82	73	151	100	109	153	62	5	<i>Myzus persicae</i> grp.
3	2	2	4	7		1	1		<i>Nasonovia ribis nigri</i>
132	49	124	257	170	88	46	235	5	<i>Pemphigus</i> spp.
									<i>Pentatrichopus fragaefolii</i>
6233	15	77	36	37	17	3125	1	1	<i>Phorodon humuli</i>
									<i>Phyllaphis fagi</i>
360	35	4	117	115	176	8	535	92	<i>Rhopalosiphum insertum</i>
			4	1	2	1	2	1	<i>Rhopalosiphum maidis</i>
2769	775	633	9845	1274	2321	1825	1819	141	<i>Rhopalosiphum padi</i>
18	8	6	32	32	3	11	10		<i>Sitobion avenae</i>
12	2	2	19	10	110	3	4		<i>Sitobion fragariae</i>

ROTHAMSTED REPORT FOR 1973, PART 2

TABLE

*The Rothamsted Insect Survey—Suction Traps: four-weekly total catches
Week Nos 41 to 44—*

Species	Sites							
	Elgin	Dundee	Edinburgh	Copenhagen	High Mowthorpe	Shardlow	Aberystwyth	Broom's Barn
<i>Acyrtosiphon pisum</i>								
<i>Aphis fabae</i> grp.	1	1			1	14	3	95
<i>Aphis</i> spp.						20	3	
<i>Amphorophora rubi</i>		2			1	4		1
<i>Aulacorthrum solani</i>						3		8
<i>Brachycaudus helichrysi</i>					1	1		4
<i>Brevicoryne brassicae</i>						1		
<i>Cavariella aegopodii</i>	3					1	2	38
<i>Cinara</i> spp.						1		1
<i>Drepanosiphum platanoidis</i>	15	19	19	1	20	152	6	11
<i>Dysaphis plantaginea</i>						8		11
<i>Elatobium abietinum</i>								
<i>Eriosoma ulmi</i>	2	60	1			6	2	2
<i>Hyalopterus pruni</i>		1						9
<i>Hyperomyzus lactucae</i>			1			1	2	1
<i>Macrosiphum euphorbiae</i>						2		
<i>Megoura viciae</i>								
<i>Metopolophium dirhodum</i>	1	8	1	1		56	15	1
<i>Metopolophium festucae</i>					1	4	8	1
<i>Myzus ascalonicus</i>		2	1		1			
<i>Myzus ornatus</i>							1	
<i>Myzus persicae</i> grp.	9	6	9		1	16	4	24
<i>Nasonovia ribis nigri</i>		1			1	1	1	3
<i>Pemphigus</i> spp.	101	56	45	26		110	405	28
<i>Pentatrichopus fragaefolii</i>								
<i>Phorodon humuli</i>			1			3		
<i>Phyllaphis fagi</i>	1	2				3	2	1
<i>Rhopalosiphum insertum</i>	254	1021	158	13	116	448	1026	78
<i>Rhopalosiphum maidis</i>								2
<i>Rhopalosiphum padi</i>	511	1263	426	162	123	1312	613	546
<i>Sitobion avenae</i>	1			1		2	2	2
<i>Sitobion fragariae</i>	1	3	2		3	126	78	5

ROTHAMSTED INSECT SURVEY

1(h)

of aphids of economic, or other, interest reported in the weekly Bulletin 1973
8 October to 4 November 1973

Hereford	Rothamsted Tower	Rainham	Long Ashton	Silwood Park	Zeeland	Wye, Kent	Starcross	Rosewarne	Sites
5	6	1 38 31	5 11	1 12 36	1 6	14 14	4 11	1 5 1	Species
	20								<i>Acyrtosiphon pisum</i>
2	11	2 8	3 5	11 14	1 2	10 17	2 12	2	<i>Aphis fabae</i> grp.
4	8	3	3	14	2	6	4	5	<i>Aphis</i> spp.
	2		4	3		1	4	1	<i>Amphorophora rubi</i>
			1						<i>Aulacorthum solani</i>
8	6	2 9	34 5	6 41	1 2	3 3	2 2	16	<i>Brachycaudus helichrysi</i>
1	17								<i>Brevicoryne brassicae</i>
									<i>Cavariella aegopodii</i>
									<i>Cinara</i> spp.
24		1 2	5 2	1 7	1 4	2 2	5		<i>Drepanosiphum platanoidis</i>
1	4	1 2	2	2	4	6	3		<i>Dysaphis plantaginea</i>
1					1				<i>Elatobium abietinum</i>
10	4	7 1	13 5	5 2	4 2	4 2	6	4	<i>Eriosoma ulmi</i>
	2								<i>Hyalopterus pruni</i>
12	46	46 1	23 1	20 3	15	56 55	16 1	2	<i>Hyperomyzus lactucae</i>
1	2								<i>Macrosiphum euphorbiae</i>
68	30	72	301	84	14	39	54	13	<i>Megoura viciae</i>
									<i>Metopolophium dirhodum</i>
260	4	6 3	4 1	21 1		811 1	1		<i>Metopolophium festucae</i>
									<i>Myzus ascalonicus</i>
									<i>Myzus ornatus</i>
118	77	30	208	183	42	55 1	1455 3	536 4	<i>Myzus persicae</i> grp.
524	482	559	1732	857	446	1342 2	586 4	149 3	<i>Nasonovia ribis nigri</i>
	1	1	1	1					<i>Pemphigus</i> spp.
45	54	30	130	137	15	18	43	15	<i>Pentatrichopus fragaefolii</i>
									<i>Phorodon humuli</i>
									<i>Phylloxaphis fagi</i>
									<i>Rhopalosiphum insertum</i>
									<i>Rhopalosiphum maidis</i>
									<i>Rhopalosiphum padi</i>
									<i>Sitobion avenae</i>
									<i>Sitobion fragariae</i>

ROTHAMSTED REPORT FOR 1973, PART 2

TABLE

The Rothamsted Insect Survey—Light Traps: annual records

Species	Year	210 Bettyhill	57 Ardross	58 Newton, Elgin	49 Fort Augustus	29 Rannoch	47 Dundee	17 Dunblane	147 Vane Farm	97 Rowdennan	98 Auchincruive	37 Kielder	39 Chester le Street	31 Leighton Moss	72 Castletown, I.O.M.
<i>Gortyna micacea</i> Rosy Rustic	1971	238	66	75	90	16	49	9	17	3	17	37	3	93	43
	1972	—	151	151	82	30	28	7	17	3	11	31	7	29	14
<i>Bupalus piniaria</i> Bordered White	1971	0	0	0	0	2	0	0	—	0	0	0	3	0	0
	1972	0	0	1	0	3	0	0	1	0	0	0	6	0	0
<i>Panolis flammea</i> Pine Beauty	1971	—	0	1	0	2	2	0	—	0	0	0	0	0	0
	1972	0	2	6	0	6	4	0	0	0	0	0	0	0	0
<i>Cerapteryx graminis</i> Antler Moth	1971	—	1	29	86	8	103	4	—	75	53	24	69	1	0
	1972	61	4	25	19	35	36	0	6	34	1	4	9	0	4
<i>Erannis aurantiaria</i> Scarce Umber	1971	—	12	1	0	6	17	1	—	1	19	0	12	0	5
	1972	0	42	3	0	22	61	0	0	6	7	0	56	0	2
<i>Operophtera fagata</i> Northern Winter Moth	1971	—	1	1	1	0	55	0	—	29	43	0	28	0	34
	1972	0	72	2	1	1	20	0	0	17	48	0	21	0	8
<i>Apamea sordens</i> Rustic Shoulder-knot	1971	—	0	3	0	0	0	9	—	1	0	0	0	0	1
	1972	0	1	7	0	1	0	3	5	2	0	0	0	0	0
<i>Gortyna flavago</i> Frosted Orange	1971	—	0	10	0	0	0	1	—	3	0	0	1	0	0
	1972	0	0	16	0	0	0	0	0	0	0	0	0	0	1
<i>Mamestra brassicae</i> Cabbage Moth	1971	—	0	0	0	0	0	0	15	—	0	0	1	3	0
	1972	0	0	0	1	0	0	24	8	1	0	1	1	2	0
<i>Noctua pronuba</i> Large Yellow Underwing	1971	—	3	22	7	1	1	34	—	40	1	5	9	3	7
	1972	10	11	38	14	16	3	8	15	74	2	7	1	5	29
<i>Diataraxia oleracea</i> Bright-line Brown-eye	1971	—	2	3	0	1	0	5	—	12	0	6	0	3	0
	1972	35	1	8	20	0	0	13	1	15	0	4	0	2	4
<i>Euxoa nigricans</i> Garden Dart	1971	—	1	0	0	0	0	3	—	0	0	0	0	1	0
	1972	0	5	0	0	0	0	0	0	2	0	0	0	4	0
<i>Apamea secalis</i> Common Rustic	1971	—	11	81	56	1	0	33	—	33	0	23	24	2	5
	1972	39	16	134	85	0	1	26	46	18	0	10	3	5	1
<i>Melanchra persicariae</i> Dot Moth	1971	—	0	0	0	0	0	0	—	0	0	0	1	0	0
	1972	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Operophtera brumata</i> Winter Moth	1971	—	66	5	0	12	13	0	—	14	63	0	22	0	27
	1972	0	11	6	0	8	26	4	13	16	26	0	64	0	5

ROTHAMSTED INSECT SURVEY

2(a)

of moths of economic, or other, interest for 1971 and 1972

		1972													Year	Species		
		Malham Tarn	68 Harrogate	101 Keighley	Spurn Head	131 Barnsley	85 Prestwich	95 Gibraltar Point	34 Leek	129	189	21	188	160 Thorpe in the Glebe	168 Sutton Bonington	201 Sutton Bonington		
3	0	10	5	25	7	15	39	120	37	9	0	72	34	3	1971	<i>Gortyna micacea</i>		
													4	29	1972	Rosy Rustic		
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1971	<i>Bupalus piniaria</i>	
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1972	Bordered White	
0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1971	<i>Panolis flammea</i>	
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1972	Pine Beauty	
15	23	0	2	0	1	71	87	5	2	3	0	23	158	50	5	1971	<i>Cerapteryx graminis</i>	
													78	4	1	1972	Antler Moth	
1	0	0	0	0	0	0	0	0	0	0	0	21	—	12	0	1971	<i>Erannis aurantiaria</i>	
0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1972	Scarce Umber	
7	0	0	0	0	0	0	0	0	0	0	1	—	31	0	0	1971	<i>Operophtera fagata</i>	
0	0	0	0	0	0	0	0	0	0	0	6	0	22	0	0	1972	Northern Winter Moth	
3	1	0	0	0	1	11	2	4	2	0	10	0	0	0	0	1971	<i>Apamea sordens</i>	
1	0	0	0	0	1	2	1	0	0	11	0	0	1	2	3	1972	Rustic Shoulder-knot	
0	0	1	0	0	1	1	4	1	0	0	5	0	2	0	1	1971	<i>Gortyna flavago</i>	
0	0	0	0	4	1	23	9	9	3	0	0	1	1	3	0	1972	Frosted Orange	
1	1	0	4	1	1	23	9	15	4	0	0	1	5	0	1	1971	<i>Mamestra brassicae</i>	
1	0	17	10	10	1	23	18	15	4	3	11	9	71	—	9	1971	Common Cabbage Moth	
21	5	10	1	1	18	4	3	15	12	48	—	8	5	10	10	1972	Noctua pronuba	
0	0	0	1	28	27	36	23	2	5	24	6	—	3	8	31	22	Large Yellow Underwing	
0	0	0	1	27	23	23	1	5	8	15	3	8	14	5	27	1971	<i>Diataraxia oleracea</i>	
0	0	0	0	0	0	0	0	1	0	0	0	0	0	5	32	1972	Bright-line Brown-eye	
0	0	0	0	0	1	0	0	0	0	0	0	0	0	2	0	1971	<i>Euxoa nigricans</i>	
0	0	0	0	1	0	0	1	0	0	0	0	0	0	0	0	1972	Garden Dart	
3	0	10	7	21	1	7	8	51	5	2	28	21	—	1	22	0	1971	<i>Apamea secalis</i>
0	0	7	1	21	8	36	36	4	6	14	21	8	3	33	8	1972	Common Rustic	
0	0	0	0	0	11	0	0	0	0	0	0	—	0	4	1	1971	<i>Melanchnra persicariae</i>	
0	0	0	0	0	3	0	0	0	0	0	0	0	19	4	3	1972	Dot Moth	
2	1	10	0	13	1	8	1	0	0	0	8	2	15	7	41	18	1971	<i>Operophtera brumata</i>
1	1	0	0	0	0	0	0	0	0	0	0	0	30	12	15	1972	Winter Moth	

ROTHAMSTED REPORT FOR 1973, PART 2

TABLE

The Rothamsted Insect Survey—Light Traps: annual record

Species	Year	216	Terrington	207	Pallaskeary, Eire	53	Preston Montford	126	Aberystwyth	94	Monks Wood	112	Shirley	129	Wellingborough	88	Broom's Barn	125	Sandy	158	Ipswich	139	The Gwenffrwd	62	195	Pershore	147	Simpson	145	Shenley Brook End
<i>Gortyna micacea</i> Rosy Rustic	1971	23	—	25	—	41	19	97	3	5	2	0	0	5	1	0	0	1	0	31	6	36	4	3	7	0	0	0	0	
<i>Bupalus piniaria</i> Bordered White	1971	0	—	0	—	0	0	0	0	0	0	10	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Panolis flammea</i> Pine Beauty	1971	0	—	0	—	0	0	0	0	0	0	7	0	0	14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Cerapteryx graminis</i> Antler Moth	1971	0	—	0	—	14	0	0	0	0	2	18	0	0	12	0	40	0	0	—	0	1	8	1	1	0	0	0	0	0
<i>Erannis aurantiaaria</i> Scarce Umber	1971	0	—	0	—	2	0	0	0	0	2	1	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Operophtera fagata</i> Northern Winter Moth	1971	0	—	0	—	0	0	0	0	0	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
<i>Apamea sordens</i> Rustic Shoulder-knot	1971	3	—	0	—	0	0	4	0	4	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	3	4	5	0	
<i>Gortyna flavago</i> Frosted Orange	1971	—	—	0	—	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Mamestra brassicae</i> Cabbage Moth	1971	—	—	0	—	0	1	1	2	0	4	2	0	0	0	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Noctua pronuba</i> Large Yellow Underwing	1971	—	—	5	—	8	18	8	3	2	4	3	1	2	1	2	1	2	1	2	1	32	6	10	7	116	0	11	32	6
<i>Diataraxia oleracea</i> Bright-line Brown-eye	1971	9	—	1	—	4	7	6	2	27	2	2	16	2	17	11	1	0	9	4	1	9	9	4	21	0	0	0	0	0
<i>Euxoa nigricans</i> Garden Dart	1971	—	—	0	—	0	0	0	0	0	4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Apamea secalis</i> Common Rustic	1971	5	—	29	—	13	7	14	3	8	6	7	10	5	0	29	25	170	30	20	170	30	18	67	0	0	0	0	0	0
<i>Melanchnra persicariae</i> Dot Moth	1971	—	—	2	—	2	1	1	0	8	0	2	0	41	0	0	0	0	0	9	3	3	8	16	0	0	0	0	0	0
<i>Operophtera brumata</i> Winter Moth	1971	2	—	15	—	0	0	7	12	29	0	41	—	4	61	3	8	4	26	2	4	61	3	8	4	4	0	0	0	0

ROTHAMSTED INSECT SURVEY

2(b)

of moths of economic, or other, interest for 1971 and 1972

ROTHAMSTED REPORT FOR 1973, PART 2

TABLE
The Rothamsted Insect Survey—Light Traps: annual records

Species	Year	90 Isleworth	16 Mortimer	130 Bath	171 Windlesham	69 Wisley	178 East Malling	—	215 Basingstoke	179 Pirbright	—	181 Wye	46 Alice Holt	92 Nettlecombe Court	174 Tenterden	89 185 West Buckland	58 184 Dulverton	60 186 Great Torrington	
<i>Gortyna micacea</i> Rosy Rustic	1971	1	0	1	0	2	15	—	—	4	—	8	19	16	36	16	58	60	51
	1972	1	6	1	1	13	30	—	1	10	—	9	16	157	89	2	19	19	51
<i>Bupalus piniaria</i> Bordered White	1971	0	0	0	0	0	0	—	0	0	0	0	0	0	0	0	0	0	0
	1972	0	0	0	4	0	0	—	0	0	0	0	0	0	0	0	0	0	0
<i>Panolis flammea</i> Pine Beauty	1971	0	0	0	2	0	0	—	0	0	1	2	0	11	0	0	0	0	1
	1972	0	0	0	3	1	0	—	1	0	0	2	0	1	0	0	0	0	0
<i>Cerapteryx graminis</i> Antler Moth	1971	0	0	0	0	3	0	—	0	9	0	9	0	0	0	10	17	9	0
	1972	0	0	0	0	0	0	—	0	6	0	9	2	0	0	0	0	9	0
<i>Erannis aurantiaria</i> Scarce Umber	1971	0	11	0	17	10	0	—	0	1	10	2	1	0	1	0	0	4	0
	1972	0	1	0	8	2	0	—	4	2	0	4	0	0	0	0	0	1	0
<i>Operophtera fagata</i> Northern Winter Moth	1971	0	0	0	2	20	0	—	2	4	5	1	0	0	0	0	0	0	0
	1972	0	0	0	0	2	0	—	2	1	0	1	0	0	0	0	0	0	0
<i>Apamea sordens</i> Rustic Shoulder-knot	1971	0	1	0	2	0	1	—	1	0	0	1	1	0	0	0	0	0	0
	1972	1	0	0	0	3	1	0	3	0	0	0	0	0	0	0	0	0	2
<i>Gortyna flavago</i> Frosted Orange	1971	0	0	1	0	1	0	—	1	0	0	1	4	3	2	46	8	21	24
	1972	1	0	1	0	0	0	—	1	0	0	0	0	0	0	0	2	15	6
<i>Mamestra brassicae</i> Cabbage Moth	1971	2	0	11	1	0	5	—	1	0	0	0	0	0	0	0	1	2	2
	1972	0	0	49	2	0	1	4	0	5	0	0	1	0	0	0	1	2	2
<i>Noctua pronuba</i> Large Yellow Underwing	1971	3	12	7	9	7	0	—	17	12	29	6	8	14	15	4	10	17	9
	1972	4	47	12	10	13	5	37	8	10	22	6	13	10	17	6	13	10	17
<i>Diataraxia oleracea</i> Bright-line Brown-eye	1971	2	0	13	0	3	0	—	4	4	0	1	3	17	1	1	3	19	17
	1972	2	3	32	1	4	5	0	5	5	1	2	2	19	1	1	2	19	17
<i>Euxoa nigricans</i> Garden Dart	1971	0	1	0	0	0	20	—	0	0	2	0	1	0	0	1	0	0	0
	1972	0	0	0	0	0	0	—	0	0	1	0	0	0	0	0	0	0	0
<i>Apamea secalis</i> Common Rustic	1971	4	5	32	6	54	14	—	8	4	20	18	11	8	6	19	4	37	59
	1972	9	8	9	0	11	20	29	22	12	8	13	9	6	4	3	5	3	14
<i>Melanchra persicariae</i> Dot Moth	1971	0	1	1	0	0	1	0	—	0	2	1	0	0	0	0	2	3	1
	1972	0	1	0	0	0	0	7	1	0	1	0	1	0	5	3	5	7	6
<i>Operophtera brumata</i> Winter Moth	1971	11	153	2	62	51	13	—	4	62	35	11	21	6	7	14	6	6	6
	1972	5	34	0	19	28	3	9	5	18	5	31	9	7	14	5	3	5	14

ROTHAMSTED INSECT SURVEY

2(c)

of moths of economic, or other, interest for 1971 and 1972

															Year	Species			
0	1	173	Lydd	0	0	104	Wellington	0	0	32	12	33	Dungeness	6	192	Ringmer	<i>Gortyna micacea</i> Rosy Rustic		
0	0	0	0	0	0	0	176	Brighton	5	0	0	0	78	Ringwood	4	7	149	Starcross	<i>Bupalus piniaria</i> Bordered White
0	0	0	0	0	0	0	0	0	3	0	0	0	163	Arne	0	0	0	0	<i>Panolis flammea</i> Pine Beauty
9	1	0	15	10	0	1	1	0	0	1	0	0	0	0	0	0	0	0	<i>Cerapteryx graminis</i> Antler Moth
0	0	0	5	0	0	3	6	0	0	1	0	0	0	0	0	0	0	0	<i>Erannis aurantiaria</i> Scarce Umber
0	0	0	0	0	0	0	82	8	0	0	0	0	0	0	0	0	0	0	<i>Operophtera fagata</i> Northern Winter Moth
0	0	4	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	<i>Apamea sordens</i> Rustic Shoulder-knot
0	0	6	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	<i>Gortyna flavago</i> Frosted Orange
2	0	0	0	0	0	0	1	0	—	3	2	2	—	1	2	—	2	0	<i>Mamestra brassicae</i> Cabbage Moth
3	22	4	18	6	9	2	3	—	3	10	1	23	12	5	—	5	6	1971	<i>Noctua pronuba</i> Large Yellow Underwing
1	0	12	1	0	6	2	2	0	18	21	10	—	0	144	7	10	1972	<i>Diataraxia oleracea</i> Bright-line Brown-eye	
0	0	20	5	0	2	3	0	—	21	13	—	0	108	10	—	0	0	1971	<i>Euxoa nigricans</i> Garden Dart
0	0	36	22	1	9	8	5	—	38	2	3	—	22	28	36	8	1972	<i>Apamea secalis</i> Common Rustic	
0	0	74	4	2	0	1	4	13	0	9	22	—	28	3	—	0	2	1971	<i>Melanchnra persicariae</i> Dot Moth
0	0	2	0	1	0	0	0	0	—	10	1	3	4	0	0	0	2	1972	<i>Operophtera brumata</i> Winter Moth

ROTHAMSTED REPORT FOR 1973, PART 2

TABLE
The Rothamsted Insect Survey—Light Traps: annual records

Species	Year	210 Bettyhill	57 Ardross	58 Newton, Elgin	49 Fort Augustus	29 Rannoch	47 Dundee	197 Dunblane	140 Vane Farm	97 Rowdenan	98 Auchincruive	127 Kielder	39 Chester le Street	113 Leighton Moss	72 Castletown, I.O.M.
<i>Abraxas grossulariata</i> Magpie Moth	1971	0	0	0	21	0	0	0	0	0	0	0	0	0	0
	1972	0	0	0	15	0	0	0	0	0	0	1	1	0	11
<i>Agrotis segetum</i> Turnip Moth	1971	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	1972	0	0	2	0	0	0	3	1	0	0	0	0	0	0
<i>Erannis defoliaria</i> Mottled Umber	1971	—	13	1	2	0	7	1	—	0	106	0	3	0	9
	1972	0	4	3	0	2	1	3	2	0	20	0	7	0	6
<i>Phlogophora meticulosa</i> Angle Shades	1971	—	0	0	4	0	0	0	—	0	0	0	3	0	3
	1972	0	0	0	1	0	0	0	0	0	0	0	0	0	2
<i>Alsophila aescularia</i> March Moth	1971	—	14	3	0	2	0	2	—	0	68	0	0	0	51
	1972	0	15	10	0	12	0	2	0	0	46	0	0	0	22
<i>Hepialus humuli</i> Ghost Swift	1971	—	2	0	4	2	1	1	—	0	0	3	1	1	10
	1972	5	0	0	12	0	0	1	0	0	7	0	0	1	0
<i>Hepialus lupulina</i> Common Swift	1971	—	0	0	0	0	1	0	—	0	1	0	0	2	2
	1972	1	0	0	1	0	9	1	0	0	1	0	0	0	0
<i>Agrotis ipsilon</i> Dark Sword Grass	1971	—	0	1	1	0	0	0	—	0	0	0	1	0	1
	1972	0	0	0	0	0	0	0	0	0	0	0	0	0	1
<i>Euproctis chrysorrhoea</i> Brown-tail	1971	—	0	0	0	0	0	0	—	0	0	0	0	0	0
	1972	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Agrotis exclamationis</i> Heart and Dart	1971	—	2	1	0	12	0	3	—	6	0	0	1	28	25
	1972	0	0	6	0	2	0	14	1	6	0	2	0	2	69
<i>Plusia gamma</i> Silver Y	1971	—	3	6	16	24	7	12	—	40	3	4	18	54	15
	1972	2	0	1	1	2	7	2	3	0	0	0	3	6	1
<i>Laphygma exigua</i> Small Mottled Willow	1971	—	0	0	0	0	0	0	—	0	0	0	0	0	0
	1972	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Nycterosea obstipata</i> The Gem	1971	—	0	0	0	0	0	0	—	0	0	0	0	0	0
	1972	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Nomophila noctuella</i> Rush Veneer Pearl	1971	—	0	0	—	0	—	0	—	1	0	0	1	0	3
	1972	—	0	0	—	0	0	0	—	0	0	0	0	0	—
<i>Plutella maculipennis</i> Diamond-back Moth	1971	—	0	0	—	0	—	1	—	0	1	2	0	0	0
	1972	—	0	0	—	0	6	593	—	0	0	0	0	0	—
<i>Udea ferrugalis</i> Rusty Dot Pearl	1971	—	0	0	—	0	—	0	—	0	0	0	0	0	0
	1972	—	0	0	—	0	0	0	—	0	0	0	0	0	—

ROTHAMSTED INSECT SURVEY

(d)

of moths of economic, or other, interest for 1971 and 1972

															Year	Species						
45	Malham Tarn	68	Harrogate	101	Keighley	131	Spurn Head	157	Barnsley	85	Prestwich	95	Gibraltar Point	77	Maentwrog	160	Thorpe in the Glebe	168	Sutton Bonington	201	Sutton Bonington	
0	4	3	3	0	1	0	0	0	4	0	0	0	0	0	0	1	7	0	3	1971	<i>Abraxas grossulariata</i> Magpie Moth	
0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	7	57	0	3	1972		
0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	4	0	13	1	1	1971	<i>Agrotis segetum</i> Turnip Moth
1	1	0	0	0	0	0	0	0	0	0	12	1	535	4	4	0	0	0	1	1	1972	
3	1	0	4	0	0	0	0	0	0	0	23	—	154	5	17	0	1	—	1	1	1971	<i>Erannis defoliaria</i> Mottled Umber
2	0	1	3	0	0	0	0	2	3	17	5	—	3	10	3	6	5	—	4	1972	<i>Phlogophora meticulosa</i> Angle Shades	
1	0	1	0	4	1	0	0	0	1	16	8	—	16	5	67	1	—	1	—	1971	<i>Alsophila aescularia</i> March Moth	
0	0	1	6	0	0	0	0	0	0	29	5	—	0	1	3	2	—	0	0	1972	<i>Hepialus humuli</i> Ghost Swift	
1	31	1	4	21	1	0	0	99	37	10	11	0	0	68	569	23	23	20	1	1971	<i>Hepialus lupulina</i> Common Swift	
1	4	2	17	2	0	0	0	0	0	0	0	0	0	22	23	20	1	—	1	1972		
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1971	<i>Agrotis epsilon</i> Dark Sword Grass	
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1972		
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	—	1971	<i>Euproctis chrysorrhoea</i> Brown-tail	
0	38	11	218	83	31	28	71	146	—	2	268	634	501	—	110	—	1971	<i>Agrotis exclamationis</i> Heart and Dart				
2	6	5	12	29	14	9	63	40	24	4	144	272	307	110	—	1972						
16	31	15	12	66	4	8	51	44	—	13	31	82	31	—	16	—	1971	<i>Plusia gamma</i> Silver Y				
0	1	0	8	1	0	1	11	0	0	1	6	5	3	—	16	1972						
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1971	<i>Laphygma exigua</i> Small Mottled Willow				
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1972					
0	0	0	0	0	0	0	0	0	0	—	0	0	0	0	0	0	1971	<i>Nycterosea obstipata</i> The Gem				
0	—	—	—	0	0	0	0	0	0	0	0	0	0	0	0	0	1972					
0	—	—	—	0	0	0	0	0	0	0	0	0	0	0	0	0	1971	<i>Nomophila noctuella</i> Rush Veneer Pearl				
0	—	—	—	54	4	0	0	1	—	—	—	—	—	0	0	0	1972					
0	—	—	—	62	98	31	1	0	0	10	—	—	—	0	0	0	1971	<i>Plutella maculipennis</i> Diamond-back Moth				
0	—	—	—	0	0	0	0	0	0	—	—	—	—	0	0	0	1972					
0	—	—	—	0	0	0	0	0	0	0	—	—	—	0	0	0	1971	<i>Udea ferrugalis</i> Rusty Dot Pearl				
0	—	—	—	0	0	0	0	0	0	0	—	—	—	0	0	0	1972					

ROTHAMSTED REPORT FOR 1973, PART 2

TABLE I

The Rothamsted Insect Survey—Light Traps: annual record.

Species	Year	216 Terrington	207 Pallaskenry, Eire	53 Preston Montford	94 Monks Wood	2 129 Wellingborough	88 Broom's Barn	0 125 Sandy	0 158 Ipswich	0 0 139 The Gwenniford	11 11 195 Pershore	12 1 212 Hereford	11 4 2 147 Simpson	16 31 145 Shemley Brook End
<i>Abraxas grossulariata</i> Magpie Moth	1971	2	—	—	3	4	0	0	0	0 0	11	4	2	16 31
	1972	21	—	1	6	6	28	0	1	0	11	—	0	5 0
<i>Agrotis segetum</i> Turnip Moth	1971	1	0	—	0	2	0	1	4	0 0	0	0	0	3 1
	1972	0	1	0	0	2	0	0	9	2	0	0	0	0 0
<i>Erannis defoliaria</i> Mottled Umber	1971	—	—	—	3	0	0	0	23	0 20	—	15	4 0	
	1972	0	1	0	2	0	2	0	10	0 18	3	7	1	0 0
<i>Phlogophora meticulosa</i> Angle Shades	1971	—	—	—	7	4	0	9	2	0 1	1	15	10	2 1
	1972	5	4	2	15	8	2	6	2	1	1	15	10	2 1
<i>Alsophilina aescularia</i> March Moth	1971	—	—	—	4	5	1	1	3	2 11	—	3	5 0	14 25
	1972	6	3	10	4	17	1	2	8	22	0	15	18	37 0
<i>Hepialus humuli</i> Ghost Swift	1971	—	—	—	1	5	0	0	0	0 0	—	0	3 0	
	1972	0	1	2	5	2	0	0	0	0 0	0	0	1	0 0
<i>Hepialus lupulina</i> Common Swift	1971	—	—	—	0	12	0	8	9	0 54	0	—	0 0	256 41
	1972	10	0	1	0	6	1	3	0	0 13	0	0	0	0 0
<i>Agrotis ipsilon</i> Dark Sword Grass	1971	—	—	—	0	0	0	0	0	0 0	—	0	0	0 0
	1972	0	0	0	0	0	0	0	0	0 0	0	0	0	0 0
<i>Euproctis chrysorrhoea</i> Brown-tail	1971	—	—	—	0	0	0	0	0	0 1	—	15	0 0	
	1972	0	0	0	0	0	0	0	0	0 0	0	0	0	0 0
<i>Agrotis exclamationis</i> Heart and Dart	1971	—	—	—	25	313	19	63	87	72 114	19	—	133	292 328
	1972	39	0	97	27	316	7	31	126	56 41	14	191	30	76 372
<i>Plutella gamma</i> Silver Y	1971	—	—	—	22	14	27	29	10	21 23	10	—	32	45 30
	1972	0	0	3	1	3	4	6	5	2 2	0	1	3	5 3
<i>Laphygma exigua</i> Small Mottled Willow	1971	—	—	—	0	0	0	0	0	0 0	—	0	0	0 0
	1972	0	0	0	0	0	0	0	0	0 0	0	0	0	0 0
<i>Nycterosea obstipata</i> The Gem	1971	—	—	—	0	0	0	0	0	0 1	—	1	0	0 0
	1972	0	0	0	0	0	0	0	0	0 0	0	0	0	0 0
<i>Nomophila noctuella</i> Rush Veneer Pearl	1971	—	—	—	1	0	—	0	0	2 0	0	—	0	0 0
	1972	0	—	0	0	0	—	0	0	0 0	0	0	0	0 0
<i>Plutella maculipennis</i> Diamond-back Moth	1971	—	—	—	1	0	—	0	5	9 0	0	—	0	1 1
	1972	378	—	8	5	0	—	0	38	34 94	0	44	0	0 0
<i>Udea ferrugalis</i> Rusty Dot Pearl	1971	—	—	—	0	0	—	0	0	0 0	—	0	0	0 0
	1972	0	—	0	0	0	—	0	0	0 0	0	0	0	0 0

ROTHAMSTED INSECT SURVEY

2(e)

of moths of economic, or other, interest for 1971 and 1972

												Year	Species																						
170 Howe Park			144 Bletchley Park			150 Woodstock I			217 Woodstock II			208 Whipsnade			1 Rothamsted (Barnfield)			34 Rothamsted (Allotments)			214 Rye Meads			87 Writtle			200 Thame			213 Gower			180 Hurley		
109	5	2	—	0	—	15	—	13	—	17	—	5	3	0	62	69	0	0	0	23	5	13	—	4	11	1971	1972	<i>Abraxas grossulariata</i> Magpie Moth							
231	—	—	—	—	—	—	—	—	—	—	—	4	2	1	6	4	4	0	18	6	0	0	—	1	4	1971	1972	<i>Agrotis segetum</i> Turnip Moth							
65	0	0	—	—	—	—	—	—	—	—	—	50	0	0	0	72	0	0	3	0	0	—	—	6	1971	1972	<i>Erannis defoliaria</i> Mottled Umber								
26	3	0	—	—	—	—	—	—	—	—	—	17	0	1	1	4	4	1	27	5	0	—	5	3	1971	1972	<i>Phlogophora meticulosa</i> Angle Shades								
72	2	0	—	—	—	—	—	—	—	—	—	89	0	1	1	33	0	0	5	9	3	8	16	15	1971	1972	<i>Alsophila aescularia</i> March Moth								
0	0	0	—	—	—	—	—	—	—	—	—	0	0	1	3	0	0	0	0	0	—	1	4	1971	1972	<i>Hepialus humuli</i> Ghost Swift									
16	9	0	—	—	—	—	—	—	—	—	—	5	0	1	16	141	33	4	15	6	6	2	3	12	20	1971	1972	<i>Hepialus lupulina</i> Common Swift							
0	0	0	—	—	—	—	—	—	—	—	—	0	0	0	0	0	0	0	0	0	—	0	0	1971	1972	<i>Agrotis epsilon</i> Dark Sword Grass									
0	0	0	—	—	—	—	—	—	—	—	—	0	0	0	0	0	0	0	0	0	—	0	0	1971	1972	<i>Euproctis chrysorrhoea</i> Brown-tail									
292	48	122	—	32	70	—	70	—	217	118	64	45	28	107	61	173	205	—	35	40	41	—	1971	1972	<i>Agrotis exclamationis</i> Heart and Dart										
107	—	—	—	—	—	—	—	—	—	—	—	25	10	4	0	0	1	21	6	3	8	15	149	22	6	—	3	1971	1972	<i>Plusia gamma</i> Silver Y					
0	0	0	—	—	—	—	—	—	—	—	—	0	0	0	0	0	0	0	0	0	0	0	0	0	1971	1972	<i>Laphygma exigua</i> Small Mottled Willow								
0	0	0	—	—	—	—	—	—	—	—	—	0	0	0	0	0	0	0	0	0	0	0	0	0	1971	1972	<i>Nycterosea obstipata</i> The Gem								
3	0	0	—	—	—	—	—	—	—	—	—	0	0	0	0	1	0	0	0	0	0	0	0	0	1971	1972	<i>Nomophila noctuella</i> Rush Veneer Pearl								
1	3	0	—	8	0	—	0	—	1	35	32	13	0	0	0	0	0	0	0	—	—	2	0	0	1971	1972	<i>Plutella maculipennis</i> Diamond-back Moth								
0	0	0	—	—	—	—	—	—	—	0	0	0	0	0	0	0	0	0	0	—	—	0	0	1971	1972	<i>Udea ferrugalis</i> Rusty Dot Pearl									

ROTHAMSTED REPORT FOR 1973, PART 2

TABLE
The Rothamsted Insect Survey—Light Traps: annual records

Species	Year	90 Isleworth	16 Mortimer	130 Bath	171 Windlesham	69 Wisley	178 East Malling	215 Basingstoke	179 Pirbright	181 Wye	46 Alice Holt	92 Nettlecombe Court	174 Tenterden	185 West Buckland	184 Dulverton	186 Great Torrington
<i>Abraxas grossulariata</i> Magpie Moth	1971	0	25	0	0	0	0	0	1	5	2	3	19	21	3	101
	1972	0	35	0	0	0	0	0	1	4	0	6	44	30	17	160
<i>Agrotis segetum</i> Turnip Moth	1971	0	1	0	0	0	0	0	1	4	1	0	0	0	0	0
	1972	0	0	2	0	0	0	0	1	2	0	0	0	0	0	0
<i>Eranis defoliaria</i> Mottled Umber	1971	0	30	5	104	69	0	—	3	23	29	12	5	1	13	0
	1972	0	15	0	44	32	0	12	0	7	14	12	7	5	14	0
<i>Phlogophora meticulosa</i> Angle Shades	1971	1	3	5	3	0	2	—	0	10	1	3	5	3	5	11
	1972	0	0	0	1	1	10	1	2	10	2	5	4	5	5	9
<i>Alsophila aescularia</i> March Moth	1971	0	9	6	30	26	0	—	2	24	13	15	28	18	17	15
	1972	0	13	3	5	24	5	3	0	21	55	6	20	9	22	15
<i>Hepialus humuli</i> Ghost Swift	1971	0	0	0	1	1	9	—	1	0	3	0	3	0	0	0
	1972	0	0	0	0	2	5	2	0	0	0	0	0	2	0	1
<i>Hepialus lupulina</i> Common Swift	1971	49	10	0	6	0	2	—	2	39	4	0	3	0	0	2
	1972	75	16	0	1	0	4	2	1	84	0	0	5	0	0	1
<i>Agrotis ipsilon</i> Dark Sword Grass	1971	0	0	0	0	0	0	—	0	0	0	0	0	0	1	0
	1972	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
<i>Euproctis chrysorrhoea</i> Brown-tail	1971	0	0	0	0	0	0	—	0	0	0	0	0	0	0	0
	1972	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
<i>Agrotis exclamationis</i> Heart and Dart	1971	1	38	20	18	39	13	—	23	438	86	16	223	278	159	207
	1972	1	66	19	10	20	77	37	48	169	30	12	113	146	106	219
<i>Plutella gamma</i> Silver Y	1971	3	22	13	28	76	0	—	4	45	42	78	16	27	16	90
	1972	0	7	0	2	15	0	26	0	20	0	20	3	2	1	9
<i>Laphygma exigua</i> Small Mottled Willow	1971	0	0	0	0	0	0	—	0	0	0	0	0	0	0	0
	1972	0	0	0	0	0	2	0	0	0	0	0	0	0	0	0
<i>Nycterosea obstipata</i> The Gem	1971	0	0	0	0	0	0	—	0	0	0	0	0	0	0	0
	1972	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<i>Nomophila noctuella</i> Rush Veneer Pearl	1971	0	—	—	0	0	0	—	—	0	4	2	—	2	0	7
	1972	0	—	—	0	0	0	—	—	0	0	0	—	0	0	0
<i>Plutella maculipennis</i> Diamond-back Moth	1971	2	—	—	1	0	2	—	—	4	6	1	—	0	0	1
	1972	93	—	—	0	0	1351	—	—	58	25	0	—	16	0	3
<i>Udea ferrugalis</i> Rusty Dot Pearl	1971	0	—	—	0	0	0	—	—	0	0	0	—	0	0	0
	1972	0	—	—	0	0	0	—	—	0	0	0	—	0	0	0

ROTHAMSTED INSECT SURVEY

(f)

f moths of economic, or other, interest for 1971 and 1972

	173 Lydd	104 Wellington	33 Dungeness	192 Ringmer	176 Brighton	78 Ringwood	163 Arne	149 Starcross	211 Torpoint	67 Slapton Ley	114 Rosewarne	102 Helston	191 Guernsey	146 Jersey	Year	Species	
0	4	4	31	21	1	3	3	0	2	—	1	4	1	1	30	1971	<i>Abraxas grossulariata</i>
1	13	4	4	21	3	0	0	0	4	25	—	—	47	—	5	1972	Magpie Moth
0	0	3	1	4	0	0	0	0	0	0	0	1	13	0	2	1971	<i>Agrotis segetum</i>
0	0	1	4	0	0	0	0	0	0	—	—	—	0	4	0	1972	Turnip Moth
0	0	0	5	0	20	8	0	0	—	1	0	0	0	0	0	1971	<i>Erannis defoliaria</i>
0	4	0	2	0	4	5	0	0	1	0	0	0	1	0	0	1972	Mottled Umber
6	8	27	3	10	2	1	0	2	1	—	3	7	0	—	5	1971	<i>Phlogophora meticulosa</i>
8	27	1	8	1	0	0	0	0	7	2	0	3	0	5	2	1972	Angle Shades
0	0	0	17	1	1	0	4	2	—	1	2	—	0	0	6	1971	<i>Alsophila aescularia</i>
0	1	0	13	1	1	3	2	2	2	3	0	0	0	0	4	1972	March Moth
0	0	0	3	0	0	0	0	2	—	0	2	—	0	0	0	1971	<i>Hepialus humuli</i>
0	0	0	0	0	0	0	0	0	0	1	4	0	0	0	0	1972	Ghost Swift
62	0	206	20	17	0	0	0	2	—	0	1	—	2	13	0	1971	<i>Hepialus lupulina</i>
5	0	151	28	16	0	0	0	0	5	0	1	2	13	0	0	1972	Common Swift
0	0	0	0	0	0	0	0	0	—	0	0	—	0	0	1	1971	<i>Agrotis epsilon</i>
0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1972	Dark Sword Grass
40	0	152	0	0	0	0	0	0	—	0	0	0	0	0	0	1971	<i>Euproctis chrysorrhoea</i>
29	0	135	2	0	0	0	0	0	0	0	0	0	0	0	0	1972	Brown-tail
94	30	418	215	79	75	4	73	—	505	64	—	65	59	—	1971	<i>Agrotis exclamationis</i>	
56	2	135	198	40	5	7	40	27	79	102	192	47	27	—	1972	Heart and Dart	
0	21	56	21	29	1	17	104	—	13	92	—	60	61	—	1971	<i>Plusia gamma</i>	
17	3	20	1	12	2	1	14	33	3	5	4	13	10	—	1972	Silver Y	
0	0	1	0	0	0	0	0	0	—	0	0	—	0	0	0	1971	<i>Laphygma exigua</i>
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1972	Small Mottled Willow
0	0	2	0	0	0	0	0	1	—	0	0	—	0	0	0	1971	<i>Nycterosea obstipata</i>
0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1972	The Gem
—	—	—	—	—	—	11	20	—	15	16	—	17	32	—	1971	<i>Nomophila noctuella</i>	
—	—	—	—	—	—	0	0	0	0	0	—	0	0	0	1972	Rush Veneer Pearl	
—	—	—	—	—	—	17	124	—	0	191	—	139	109	—	1971	<i>Plutella maculipennis</i>	
—	—	—	—	—	—	36	189	2	9	374	—	542	92	—	1972	Diamond-back Moth	
—	—	—	—	—	—	1	0	—	1	0	—	9	0	—	1971	<i>Udea ferrugalis</i>	
—	—	—	—	—	—	0	0	0	0	0	—	1	0	0	1972	Rusty Dot Pearl	

ANSWER TO THE QUESTION

What is the relationship between the number of species and the area of a habitat? The relationship is called the species-area curve. It shows that the number of species increases with the area of the habitat, but at a decreasing rate. This means that as the area of the habitat increases, the number of species increases, but the rate of increase slows down. This is because there are more opportunities for different species to live in larger areas, but the probability of finding new species decreases as the area becomes larger. The species-area curve can be used to predict the number of species in a given area, and it can also be used to compare the biodiversity of different habitats.