Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



# Yields of the Field Experiments 1961



Full Table of Content

## 61/R/B/7 Concentrated Fertiliser Rotation

#### **Rothamsted Research**

Rothamsted Research (1962) *61/R/B/7 Concentrated Fertiliser Rotation*; Yields Of The Field Experiments 1961, pp 74 - 75 - **DOI:** https://doi.org/10.23637/ERADOC-1-182

61/B/7.1

#### CONCENTRATED FERTILISER ROTATION

Concentrated compound fertiliser and forms of N - West Barnfield I 1961, the second year.

Rotation: Kale, ryegrass, barley.

Design (each crop): 2 randomised blocks of 14 plots each.

Area of each plot (acres): 0.0174. Area harvested: Kale - 0.0084, ryegrass - 0.0061, barley - 0.0116.

Treatments (per acre): No fertiliser (0) P205 and K20 each at 0.3 cwt to barley and each at 1.0 cwt to kale and ryegrass, as triple superphosphate and potassium (B) bicarbonate. Compound fertiliser, 20% N, 10% P205, 10% K20 at 0.3(1), 0.6(2) cwt N to barley and 1.0(1), 2.0(2) to kale and (F) Sulphate of ammonia, granular superphosphate and muriate of (P) potash at rates equivalent to treatments F(1) and (2). PK as treatment B plus Sulphate of ammonia Calcium nitrate Urea Ammonium nitrate each at rates 1 and 2 of N.

Basal dressing: None.

Cultivations, etc.: Ploughed: Jan 11, 1961. Fertilisers broadcast for barley, barley drilled at 2½ bushels per acre: Mar 13. Fertilisers broadcast for ryegrass, ryegrass sown at 30 lb per acre: Mar 17. Fertilisers applied for kale: Apr 11. Kale drilled at 3 lb per acre: Apr 24. Barley and ryegrass sprayed with CMPP at 6 pints in 40 gallons per acre: May 13. Grass cut: July 20. Barley combine harvested: Aug 16. Grass cut second time: Sept 26. Kale harvested: Nov 6 and 16. Varieties: Kale - Thousand head (Canson); ryegrass - S22; barley - Proctor.

Erratum to "Results of the Field Experiments" 1960 page 60/B/8.1.(q.v.):
Treatment B should read "P205 and K20 each at 0.3 cwt to barley and each at 1.0 cwt to kale and ryegrass ......" and not as shown.

Standard errors per plot.

Kale, fresh weight: 1.343 tons per acre or 6.6% (13 d.f.)

Ryegrass dry matter:

1st cut: 3.10 cwt per acre or 4.5% (13 d.f.)

2nd cut: 1.21 cwt per acre or 13.2% (13 d.f.)

Total of 2 cuts: 3.43 cwt per acre or 11.2% (13 d.f.)

Barley, grain (at 85% dry matter): 1.66 cwt per acre or 5.9% (13 d.f.)

61/B/7.2

### Summary of Results

Fertiliser	Kale fresh weight: tons per acre	1st	grass dry cwt per ac 2nd cut		dry n	rley 85% matter): er acre Straw
	(±0.949)	(±2.19)	(±0.85)	(±2.43)	(±1.18)	
0	10.91	8.2	5.5	13.7	9.3	4.5
В	13.05	7.4	5.0	12.3	12.6	5.2
F <sub>1</sub>	19.48	21.5	9.5	31.0	27.1	16.0
F <sub>2</sub>	23.72	26.4	11.4	37.7	37.0	27.9
P <sub>1</sub>	20.14	19.9	8.8	28.6	25.5	15.1
P <sub>2</sub>	23.91	24.2	10.4	34.6	37.3	28.4
S	20.96	20.6	7.3	27.9	24.1	14.0
S <sub>2</sub>	21.97	26.4	13.2	39.5	34.3	24.7
C1	21.39	24.3	8.6	32.9	27.0	16.3
C <sub>2</sub>	23.64	26.2	10.4	36.5	36.4	22.8
U <sub>1</sub>	19.46	20.2	7.9	28.1	26.4	16.3
U <sub>2</sub>	22.60	23.5	10.8	34.3	35.0	26.4
A <sub>1</sub>	19.42	25.2	9.5	34.6	27.1	18.4
A2	22.84	24.8	10.5	35.3	34.2	21.8
Mean	20.25	21.3	9.2	30.5	28.1	18.4.
Mean dry matter % as harvested:		25.0	22.2	23.6	80.8	78.1.

#### Treatments

S = Sulphate of ammonia Plus PK as treatment B C = Calcium nitrate U = Urea 11 11 A = Ammonium nitrate

<sup>0 =</sup> No fertiliser

B = P<sub>2</sub>O<sub>5</sub> and K<sub>2</sub>O each at 0.3 cwt to barley and each at 1.0 to kale and ryegrass, as triple superphosphate and potassium bicarbonate.

F = Compound fertiliser, 20% N, 10% P<sub>2</sub>O<sub>5</sub>, 10% K<sub>2</sub>O at 0.3(1), 0.6(2) cwt N to barley and 1.0(1), 2.0(2) to kale and ryegrass.

P = Sulphate of ammonia, granular superphosphate and muriate of potash at rates equivalent to treatments F (1) and (2).