


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1967

[Full Table of Content](#)



---

### 67/S/SAX/LU/1/C/46 Phosphate and Potash - Lucerne

#### Rothamsted Research

Rothamsted Research (1968) *67/S/SAX/LU/1/C/46 Phosphate and Potash - Lucerne* ; Yields Of The Field Experiments 1967, pp 271 - 272 - DOI: <https://doi.org/10.23637/ERADOC-1-157>

67/C/46.1

LUCERNE

(SAX/Lu/1)

Phosphate and potash, Saxmundham, Victor's Plot, 1967, the first year.

Design: 4 randomised blocks of 4 plots.

Area of each plot: 0.0018. Area harvested: 1st cut - 0.0014,  
2nd cut - 0.0012.

Treatments: All combinations of:-

1. Phosphate: 0.5 cwt (P1), 2.0 cwt (P4) P<sub>2</sub>O<sub>5</sub> as triple superphosphate.
2. Potash: None (K0), 2.0 cwt (K1) K<sub>2</sub>O as muriate of potash.

Basal applications: None.

Cultivations, etc.: Ploughed: Sept 22, 1966. Fertilisers applied: Mar 8, 1967. Seed sown at 24 lb: Mar 22. Cut twice: July 13 and Sept 7. Variety: Europe (inoculated). Previous crops: Barley 1965, winter wheat 1966.

NOTE: One plot (P1 K2) was damaged by animals. An estimated value was used in the analysis.

Standard errors per plot. Dry matter:

1st cut:	1.76 or 6.3% (8 d.f.)*
2nd cut:	1.35 or 5.9% (8 d.f.)*
Total of 2 cuts:	2.52 or 5.0% (8 d.f.)*

\* 1 estimated value

67/C/46.2

SUMMARY OF RESULTS

DRY MATTER

	KO	KI	Mean
	1ST CUT		
	(±0.88)		(±0.62)
P1	25.2	27.3	26.3
P4	28.2	30.5	29.3
Mean (±0.62)	26.7	28.9	27.8
	2ND CUT		
	(±0.67)		(±0.48)
P1	21.6	23.3	22.5
P4	22.2	24.3	23.2
Mean (±0.48)	21.9	23.8	22.9
	TOTAL OF 2 CUTS		
	(±1.26)		(±0.89)
P1	46.8	50.7	48.7
P4	50.4	54.8	52.6
Mean (±0.89)	48.6	52.7	50.7

Mean D.M. %: 1st cut: 33.2  
 2nd cut: 28.6  
 Total of 2 cuts: 30.9