

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1975

[Full Table of Content](#)



75/ R/C S/169 - Organic Matter & Responses to N - Grass

Rothamsted Research

Rothamsted Research (1976) 75/ R/C S/169 - *Organic Matter & Responses to N - Grass* ; Yields Of The Field Experiments 1975, pp 274 - 278 - DOI: <https://doi.org/10.23637/ERADOC-1-141>

75/R/CS/169

ORGANIC MATTER AND RESPONSES TO N

Object: To study the effects of different amounts of organic matter in the soil on the uptake of nitrogen fertiliser by grass - Highfield and Fosters Ley Arable (see also 75/R/RN/1&2).

Sponsors: A.E. Johnston, A. Penny.

The first year, grass.

Design: On each field: 2 blocks of 6 plots for each date of sowing grass.

Whole plot dimensions: 3.50 x 8.23.

Treatments: All combinations of:-

1. Fields:

Highfield (old grass until 1949)
Fosters (old arable until 1949)

2. Date of sowing grass:

SCW DATE

1949	1949
1973 (grass 1949-1963, arable 1964-1972)	1973

3. Nitrogen fertiliser (kg N) per cut:

N

None (2 plots per block)	0
25	25
50	50
75	75
100	100

Basal applications: Manures: (0:14:28) at 540 kg.

Cultivations, etc.: - PK applied: 15 Jan, 1975. N applied: 25 Apr, 9 June, 11 Aug. Cut: 3 June, 6 Aug, 27 Oct.

75/R/CS/169

GRASS

1ST CUT (3/6/75) DRY MATTER TONNES/HECTARE

*** TABLES OF MEANS ***

SOW DATE	1949		1973		MEAN	
	HIGHFIELD	FOSTERS	HIGHFIELD	FOSTERS	HIGHFIELD	FOSTERS
N						
0	4.31	3.23	4.89	4.41	4.60	3.82
25	4.82	3.86	5.88	5.49	5.35	4.68
50	4.95	3.89	6.30	5.47	5.63	4.68
75	5.15	4.48	6.42	5.93	5.79	5.21
100	4.88	4.72	7.09	6.22	5.98	5.47
MEAN	4.74	3.90	5.91	5.32	5.33	4.61

HIGHFIELD ONLY

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	N	SOW DATE*
		N
SED	0.213(1)	0.246(3)
	0.246(2)	0.301(1)
		0.348(2)

NOTE (FOR ALL CUTS)

(1) NO V REMAINDER

(2) REMAINDER

(3) NO ONLY

* WITHIN SAME LEVEL OF SOW DATE ONLY

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP.SP	12	0.348	6.5

FOSTERS ONLY

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	N	SOW DATE*
		N
SED	0.271(1)	0.313(3)
	0.313(2)	0.383(1)
		0.442(2)

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP.SP	12	0.442	9.6

HIGHFIELD 1ST CUT MEAN DM% 21.4

FOSTERS 1ST CUT MEAN DM% 23.8

75/R/CS/169

GRASS

2ND CUT (6/8/75) DRY MATTER TONNES/HECTARE

*** TABLES OF MEANS ***

SOW DATE	1949		1973		MEAN	
	HIGHFIELD	FOSTERS	HIGHFIELD	FOSTERS	HIGHFIELD	FOSTERS
N						
0	0.70	0.52	0.62	0.22	0.66	0.37
25	1.09	0.81	1.09	0.42	1.09	0.62
50	1.57	1.06	1.31	0.80	1.44	0.93
75	1.46	1.33	1.85	0.77	1.66	1.05
100	1.25	1.89	1.47	1.37	1.36	1.63
MEAN	1.13	1.02	1.16	0.63	1.14	0.83

HIGHFIELD ONLY

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	N	SOW DATE*
		N
SED	0.138(1)	0.160(3)
	0.160(2)	0.195(1)
		0.226(2)

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP.SP	12	0.226	19.7

FOSTERS ONLY

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	N	SOW DATE*
		N
SED	0.195(1)	0.225(3)
	0.225(2)	0.276(1)
		0.318(2)

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP.SP	12	0.318	38.5

HIGHFIELD 2ND CUT MEAN DM% 36.3

FOSTERS 2ND CUT MEAN DM% 38.6

75/R/CS/169

GRASS

3RD CUT (27/10/75) DRY MATTER TONNES/HECTARE

*** TABLES OF MEANS ***

SOW DATE	1949		1973		MEAN	
	HIGHFIELD	FOSTERS	HIGHFIELD	FOSTERS	HIGHFIELD	FOSTERS
N						
0	0.19	0.05	0.09	0.03	0.14	0.04
25	0.57	0.23	0.34	0.08	0.45	0.16
50	0.77	0.37	0.45	0.21	0.61	0.29
75	0.92	0.44	0.79	0.25	0.86	0.35
100	0.74	0.32	0.38	0.22	0.56	0.27
MEAN	0.56	0.24	0.36	0.14	0.46	0.19

HIGHFIELD ONLY

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	N	SOW DATE*
		N
SED	0.061(1)	0.071(3)
	0.071(2)	0.087(1)
		0.100(2)

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP.SP	12	0.100	21.8

FOSTERS ONLY

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	N	SOW DATE*
		N
SED	0.070(1)	0.080(3)
	0.080(2)	0.099(1)
		0.114(2)

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP.SP	12	0.114	59.6

HIGHFIELD 3RD CUT MEAN DM% 28.1

FOSTERS 3RD CUT MEAN DM% 30.3

75/R/CS/169

GRASS

TOTAL OF 3 CUTS DRY MATTER TONNES/HECTARE

*** TABLES OF MEANS ***

SOW DATE N	1949		1973		MEAN	
	HIGHFIELD	FOSTERS	HIGHFIELD	FOSTERS	HIGHFIELD	FOSTERS
0	5.20	3.80	5.61	4.66	5.40	4.23
25	6.48	4.90	7.31	6.00	6.89	5.45
50	7.29	5.32	8.05	6.48	7.67	5.90
75	7.53	6.25	9.06	6.96	8.30	6.60
100	6.87	6.93	8.94	7.81	7.91	7.37
MEAN	6.43	5.17	7.43	6.09	6.93	5.63

HIGHFIELD ONLY

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	N	SOW DATE*
		N
SED	0.256(1)	0.296(3)
	0.296(2)	0.362(1)
		0.418(2)

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP.SP	12	0.418	6.0

FOSTERS ONLY

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	N	SOW DATE*
		N
SED	0.428(1)	0.494(3)
	0.494(2)	0.605(1)
		0.699(2)

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP.SP	12	0.699	12.4

HIGHFIELD TOTAL OF 3 CUTS MEAN DM% 28.6

FOSTERS TOTAL OF 3 CUTS MEAN DM% 30.9

SUB PLOT AREA HARVESTED 0.00075