

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1986

[Full Table of Content](#)



86/R/B/2 Sowing Dates, Aphids and Bydv - W. Barley

Rothamsted Research

Rothamsted Research (1987) *86/R/B/2 Sowing Dates, Aphids and Bydv - W. Barley* ; Yields Of The Field Experiments 1986, pp 225 - 226 - DOI: <https://doi.org/10.23637/ERADOC-1-36>

86/R/B/2

WINTER BARLEY

SOWING DATES, APHIDS AND BYDV

Object: To study the relationship of aphid numbers in suction trap samples to crop populations and the incidence of BYDV on winter barley sown on a range of dates - Great Field II.

Sponsors: N. Carter, R.T. Plumb.

Design: 4 randomised blocks of 10 plots.

Whole plot dimensions: 3.0 x 10.0.

Treatments: All combinations of:-

1. SOWDATE Dates of sowing:

13 SEPT	13 September, 1985
23 SEPT	23 September
2 OCT	2 October
11 OCT	11 October
23 OCT	23 October

2. APHICIDE Aphicide:

NONE	None
CYPERMET	Cypermethrin at 0.025 kg in 280 l on 14 Nov, 1985

NOTE: The crop was netted against birds from mid-June until maturity.

Basal applications: Manures: 'Nitram' at 130 kg, and again at 340 kg.
Weedkillers: Isoproturon at 2.0 kg with clopyralid at 0.07 kg, bromoxynil octanoate at 0.34 kg and mecoprop at 2.5 kg in 200 l.
Fungicides: Prochloraz at 0.4 kg and carbendazim at 0.15 kg in 200 l. Triadimenol at 0.062 kg in 500 l.

Seed: Igri, sown at 150 kg.

86/R/B/2

Cultivations, etc.:- Cultivated by rotary grubber: 9 Sept, 1985.
 SOWDATE 13 SEPT plots heavy spring-tine cultivated, seed sown:
 13 Sept. SOWDATE 23 SEPT plots rotary harrowed, seed sown: 23 Sept.
 Remaining plots heavy spring-tine cultivated, SOWDATE 2 OCT plots
 rotary harrowed and seed sown: 2 Oct. SOWDATE 11 OCT plots rotary
 harrowed, seed sown: 11 Oct. SOWDATE 23 OCT plots rotary harrowed,
 seed sown: 23 Oct. First N applied: 13 Mar, 1986. Second N applied:
 25 Apr. Weedkillers applied: 29 Apr. Prochloraz and carbendazim
 applied: 16 May. Triadimenol applied: 9 June. Combine harvested:
 1 Aug. Previous crops: S. barley 1984 and 1985.

NOTE: Aphids were counted from October to January and in April. Visual estimates of BYDV were made in May. Components of yield were measured.

GRAIN TONNES/HECTARE

***** TABLES OF MEANS *****

SOWDATE APHICIDE	13 SEPT	23 SEPT	2 OCT	11 OCT	23 OCT	MEAN
NONE	4.28	4.80	5.40	6.00	5.31	5.16
CYPERMET	4.69	4.94	5.88	6.16	5.50	5.43
MEAN	4.48	4.87	5.64	6.08	5.41	5.30

***** STANDARD ERRORS OF DIFFERENCES OF MEANS *****

TABLE	SOWDATE	APHICIDE	SOWDATE APHICIDE
SED	0.142	0.090	0.201

***** STRATUM STANDARD ERRORS AND COEFFICIENTS OF VARIATION *****

STRATUM	DF	SE	CV%
BLOCK.WP	27	0.284	5.4
GRAIN MEAN DM%	82.1		
PLOT AREA HARVESTED	0.00231		