

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED  
RESEARCH

## Yields of the Field Experiments 1994

[Full Table of Content](#)



### 94/R/BES/4 Weed Competition and Spring Beans - S. Beans

#### Rothamsted Research

Rothamsted Research (1995) *94/R/BES/4 Weed Competition and Spring Beans - S. Beans* ; Yields Of The Field Experiments 1994, pp 141 - 142 - DOI: <https://doi.org/10.23637/ERADOC-1-49>

94/R/BES/4

SPRING BEANS

WEED COMPETITION AND SPRING BEANS

**Object:** To study the effect of time of emergence on the competition between beans and oats and to correlate assessments of competition and bean yields - Little Hoos.

**Sponsor:** P.J.W. Lutman.

**Design:** 3 randomised blocks of 2 x 5 plots.

**Whole plot dimensions:** 3.0 x 10.0.

**Treatments:**

1. **SOW DATE** Time of sowing oats:

S2 Same day as beans  
S3 Ten days after sowing beans

2. **OAT DEN** Number of established oat plants per m<sup>2</sup>:

	S2	S3
D0	0	0
D1	23	17
D2	60	53
D3	127	84
D4	192	165

**NOTE:** Target oat densities, plants per m<sup>2</sup>: D0 0, D1 40, D2 120, D3 240, D4 480.

**Experimental diary:**

04-Nov-93 : B : Deep tine cultivated twice.  
21-Mar-94 : B : Scythe at 2.0 l in 200 l.  
26-Mar-94 : B : Oxytril CM at 1.5 l with Starane 2 at 1.0 l in 200 l.  
31-Mar-94 : B : Heavy spring-tine cultivated.  
19-Apr-94 : B : Spring-tine cultivated.  
20-Apr-94 : B : Rotary harrowed.  
          : T : **SOW DATE** S2: Oats broadcast by machine.  
          : B : Rotary harrowed, Alfred drilled at 60 seeds per m<sup>2</sup>.  
28-Apr-94 : T : **SOW DATE** S3: Oats broadcast by machine.  
          : B : Harrowed.  
12-May-94 : B : Ripcord at 250 ml in 200 l.  
02-Jun-94 : B : Basagran at 3.0 l in 200 l.  
08-Jul-94 : B : Bombardier at 1.0 l with Rovral Flo at 1.5 l and  
          Pirimicarb 50 DG at 0.28 kg in 200 l.  
15-Aug-94 : B : Hand harvested.

Previous crops: S. barley 1992, potatoes 1993.

94/R/BES/4

NOTE: Dry weight, ground cover and leaf area of crop and weed were assessed throughout the summer with the main samples taken in June, July and August.

GRAIN TONNES/HECTARE

\*\*\*\*\* Tables of means \*\*\*\*\*

OAT DEN SOW DATE	D0	D1	D2	D3	D4	Mean
S2	2.42	1.83	1.41	1.03	0.42	1.42
S3	2.19	2.30	1.70	1.48	1.12	1.76
Mean	2.30	2.07	1.55	1.26	0.77	1.59

\*\*\* Standard errors of differences of means \*\*\*

SOW DATE	OAT DEN	SOW DATE OAT DEN
0.150	0.238	0.336

\*\*\*\*\* Stratum standard errors and coefficients of variation \*\*\*\*\*

Stratum	d.f.	s.e.	cv%
BLOCK.WP	18	0.411	25.9
MEAN DM% *			
PLOT AREA HARVESTED	0.00010		