


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1998

[Full Table of Content](#)



Spring Beans

Rothamsted Research

Rothamsted Research (1999) *Spring Beans* ; Yields Of The Field Experiments 1998, pp 160 - 165 -
DOI: <https://doi.org/10.23637/ERADOC-1-52>

98/R/BES/2

SPRING BEANS

WEEDS AND WATER IN SPRING BEANS

Object: To investigate the effects of soil moisture on the competitive effects of weeds in beans - Fosters.

Sponsor: P.J.W. Lutman.

Design: 3 replicates of 2 plots split into 5 sub-plots.

Whole plot dimensions: 3.0 x 10.0.

Treatments:

Whole plots

1. **IRRIGATN** Irrigation:

O	None
I	Irrigated

Sub-plots

2. **WEEDS**

-	None
M1	Mustard, low density
M2	Mustard, high density
O1	Oats, low density
O2	Oats, high density

Experimental diary:

27-Aug-97 : B : Ploughed and furrow pressed.
28-Jan-98 : B : Barclay Gallup at 1.5 l with Frigate at 0.5 l in 200 l.
13-Feb-98 : B : Parable at 1.5 l with Scythe LC at 0.5 l and Luxon
 Non-Ionic Wetter at 0.1 l in 200 l.
23-Mar-98 : B : Heavy spring-tine cultivated, rotary harrowed.
24-Mar-98 : B : Rotary harrowed, Alfred, undressed, drilled at 40 seeds
 per m².
24-Mar-98 : T : **WEEDS** M2: Emergo broadcast at 160 seeds per m².
 : T : **WEEDS** M1: Emergo broadcast at 40 seeds per m².
 : T : **WEEDS** O2: Dula broadcast at 160 seeds per m².
 : T : **WEEDS** O1: Dula broadcast at 40 seeds per m².
08-Apr-98 : B : Draza at 5.5 kg.
14-Apr-98 : B : Doff Metaldehyde Slug Killer Mini Pellets at 15.0 kg.
22-Apr-98 : B : Cyperkill 10 at 250 ml in 200 l.
08-May-98 : B : Folio 575 SC at 2.0 l in 200 l.
 : B : Fastac at 200 ml in 260 l.
14-May-98 : B : Cyperkill 10 at 250 ml in 200 l.
28-May-98 : B : Fastac at 200 ml in 200 l.
12-Jun-98 : B : Folio 575 SC at 2.0 l in 200 l.

98/R/BES/2

Experimental diary:

19-Jun-98 : B : Aphox at 280 g in 200 l.
14-Sep-98 : B : Combine harvested.

Previous crops: W. rape 1996, w. wheat 1997

- NOTES:** (1) Plant populations were assessed in April. Plant samples of crop and weeds were taken in April to measure leaf area and dry weight. In June and July samples were taken to measure height and dry weight. At harvest weight of crop and weed seeds were recorded.
- (2) Only irrigated plots were harvested.

GRAIN TONNES/HECTARE

***** Tables of means *****

WEEDS	
-	6.76
M1	5.26
M2	5.07
O1	5.21
O2	4.50
Mean	5.36

*** Standard errors of differences of means ***

WEEDS
0.587

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	8	0.719	13.4
GRAIN MEAN DM% *			
PLOT AREA HARVESTED	0.00020		

98/R/BES/3

SPRING BEANS

MUSTARD COMPETITION IN BEANS

Object: To study the effects of time of weed (mustard) emergence on the growth and yield of spring beans - Long Hoos I/II.

Sponsor: P.J.W. Lutman.

Design: 3 randomised blocks of 4 x 2 + 2 plots.

Whole plot dimensions: 3.0 x 10.0.

Treatments:

1. **DENSITY** Target population density, plants per m²:

M1	40
M2	80
M3	160
M4	320

2. **SOW TIME** Date of sowing mustard:

S1	24-Mar-98 (with crop)
S2	07-Apr-98 (80 degree days after crop)

Extra plot

EXTRA	None (duplicated)
--------------	-------------------

Experimental diary:

28-Aug-97 : B : Ploughed and furrow pressed.
28-Jan-98 : B : Barclay Gallup at 1.5 l with Frigate at 0.5 l in 200 l.
13-Feb-98 : B : Parable at 1.5 l with Scythe LC at 0.5 l and Luxon Non-Ionic Wetter at 0.1 l in 200 l.
23-Mar-98 : B : Heavy spring-tine cultivated. Rotary harrowed.
24-Mar-98 : T : **DENSITY** M1, M2, M3, M4 **SOW TIME** S1: Mustard seed broadcast.
 : B : Rotary harrowed, Alfred, undressed, drilled at 40 seeds per m².
07-Apr-98 : T : **DENSITY** M1, M2, M3, M4 **SOW TIME** S2: Mustard seed broadcast.
08-Apr-98 : B : Draza at 5.5 kg.
14-Apr-98 : B : Doff Metaldehyde Slug Killer Mini Pellets at 15.0 kg.
22-Apr-98 : B : Cyperkill 10 at 250 ml in 200 l.
08-May-98 : B : Folio 575 SC at 2.0 l in 200 l. Fastac at 200 ml in 260 l.
14-May-98 : B : Cyperkill 10 at 250 ml in 200 l.
28-May-98 : B : Fastac at 200 ml in 200 l.
12-Jun-98 : B : Folio 575 SC at 2.0 l in 200 l.
19-Jun-98 : B : Aphox at 280 g in 200 l.

98/R/BES/3

Experimental diary:

24-Jul-98 : B : Alto 240 EC at 330 ml with Bravo 500 at 1.5 l in 200 l.
 14-Sep-98 : B : Combine harvested.

Previous crops: W. rape 1996, w. wheat 1997

NOTE: Emergence counts and cover assessments were made in April and May.
 Plants were sampled monthly May to September for dry weight and leaf area.

GRAIN TONNES/HECTARE

***** Tables of means *****

SOW TIME	S1	S2	Mean
DENSITY			
M1	5.70	6.13	5.92
M2	5.55	5.64	5.59
M3	4.88	5.74	5.31
M4	4.34	5.47	4.91
Mean	5.12	5.75	5.43
EXTRA	6.71		

Grand mean 5.69

*** Standard errors of differences of means ***

DENSITY	SOW TIME	DENSITY SOW TIME
0.327	0.231	0.463

SED for comparing **EXTRA** with any item in **DENSITY.SOW TIME** table is 0.401

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
BLOCK.WP	19	0.567	10.0

GRAIN MEAN DM% *

PLOT AREA HARVESTED 0.00020

98/R/BES/5

SPRING BEANS

INDUCTION AGENT AND SPRING BEANS

Object: To test in the field an 'induction agent' on the control of aphids in spring beans - Highfield VI.

Sponsor: B.J. Pye, J. Martin, L.E. Smart.

Design: 6 x 6 quasi-complete Latin square.

Whole plot dimensions: 6.0 x 6.0.

Treatments:

TREATMNT	Induction agent
C	None (triplicated)
R1	AJH/8/158 on 22-May-98
R2	AJH/8/158 on 22-May-98 and 01-Jun-98
R3	AJH/8/158 on 22-May-98 and 19-Jun-98

NOTE: Agent AJH/8/158 is under commercial development, composition undisclosed.

Experimental diary:

05-Nov-97 : B : Farmyard manure at 25 t.
07-Nov-97 : B : Ploughed.
06-Feb-98 : B : Rotary harrowed, Alfred, undressed, drilled at 40 seeds per m².
13-Feb-98 : B : Opogard 500 SC at 3.4 l in 200 l.
08-May-98 : B : Standon Bentazone at 1.5 l in 200 l. Folio 575 SC at 2.0 l in 200 l.
22-May-98 : **T** : **TREATMNT** R1, R2, R3: AJH/8/158 at 50 g in 200 l.
01-Jun-98 : **T** : **TREATMNT** R2: AJH/8/158 at 50 g in 200 l.
08-Jun-98 : B : Folio 575 SC at 2.0 l in 200 l.
19-Jun-98 : **T** : **TREATMNT** R3: AJH/8/158 at 50 g in 200 l.
16-Jul-98 : B : Bavistin DF at 0.5 l with Bravo 500 at 2.0 l in 200 l.
28-Aug-98 : B : Combine harvested.

Previous crops: W. barley 1996 and 1997.

NOTE: Aphid infestation was assessed weekly mid-May to end of June.

98/R/BES/5

GRAIN TONNES/HECTARE

***** Tables of means *****

TREATMNT

C	2.04
R1	2.10
R2	2.05
R3	1.99

Mean	2.04
------	------

*** Standard errors of differences of means ***

TREATMNT

0.358	min.rep
0.292	max-min

TREATMNT

min.rep	Any of the remainder
max-min	C v any of the remainder

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
ROW.COL	22	0.620	30.4

GRAIN MEAN DM% 80.2

PLOT AREA HARVESTED 0.00138