

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 2000

[Full Table of Content](#)



00/R/WW/12 Seed Treatments Against Take-all - W. Wheat

Rothamsted Research

Rothamsted Research (2001) *00/R/WW/12 Seed Treatments Against Take-all - W. Wheat* ; Yields Of The Field Experiments 2000, pp 131 - 132 - DOI: <https://doi.org/10.23637/ERADOC-1-55>

00/R/WW/12

WINTER WHEAT

SEED TREATMENTS AGAINST TAKE-ALL

Object: To test experimental compounds for their activity against take-all (*Gaeumannomyces graminis*) in the field - Bones Close..

Sponsors: G.L. Bateman, J.F. Jenkyn, R.J. Gutteridge.

Design: 4 randomised blocks of 9 plots.

Whole plot dimensions: 1.5 x 10.0.

Treatments:

FUNGICIDE

-	Undressed
S	Undressed, foliar sprays at growth stages 30 and 39
A	Seed dressing A
B	Seed dressing B
C	Seed dressing C
D	Seed dressing D
E	Seed dressing E
F	Seed dressing F
G	Seed dressing G

Experimental diary:

28-Sep-99	: B :	: Ploughed.
08-Oct-99	: B :	: Rotary harrowed.
	: T :	: Drilled, Hereward, tr. as treatment, at 180 seeds/m ² with Novartis's Hege drill.
	: B :	: Genesis at 5.0 kg.
13-Dec-99	: B :	: tm)Lexus 50 DF at 20 g in 200 l.
	: B :	: tm)Stomp 400 SC at 2.5 l in 200 l.
	: B :	: tm)Toppel 10 at 250 ml in 200 l.
09-Mar-00	: B :	: 34.5% N at 145 kg.
24-Apr-00	: B :	: tm)Starane 2 at 1.0 l in 100 l.
	: B :	: tm)BASF 3C Chlormequat 720 at 2.0 l in 100 l.
27-Apr-00	: B :	: tm)Opus at 0.5 l in 200 l.
	: B :	: tm)Unix at 0.5 kg in 200 l.
	: T : S	: Amistar at 0.6 l in 220 l.
03-May-00	: B :	: 34.5% N at 435 kg.
20-May-00	: B :	: tm)Bravo 500 at 1.0 l in 200 l.
	: B :	: tm)Opus at 0.75 l in 200 l.
	: T : S	: Amistar at 0.8 l in 220 l.
	: B :	: Upgrade at 1.0 l in 200 l.
24-May-00	: B :	: tm)Topik at 125 ml in 100 l.
	: B :	: tm)Toil at 0.5 l in 100 l.
14-Aug-00	: B :	: Combine harvested.

Previous crops: W. wheat 1998 and 1999.

NOTE: All plots were sampled in March and July to assess diseases on the roots and stem bases.

00/R/WW/12

GRAIN TONNES/HECTARE

***** Tables of means *****

FUNGICIDE

-	9.59
S	10.76
A	10.95
B	10.91
C	10.55
D	10.31
E	11.40
F	10.48
G	10.09

Mean 10.56

*** Standard errors of differences of means ***

FUNGICIDE

0.426

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
---------	------	------	-----

BLOCK.WP	24	0.602	5.7
----------	----	-------	-----

GRAIN MEAN DM% 80.6

AVERAGE PLOT AREA HARVESTED 0.00134