Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 2000



Full Table of Content

00/R/LP/6 Seed Rates and Sowing Dates - Lupins

Rothamsted Research

Rothamsted Research (2001) 00/R/LP/6 Seed Rates and Sowing Dates - Lupins; Yields Of The Field Experiments 2000, pp 175 - 176 - DOI: https://doi.org/10.23637/ERADOC-1-55

00/R/LP/6

LUPINS

SEED RATES AND SOWING DATES

Object: To define the optimum crop structure for DETN 20, a model genotype of the dwarf determinate plant type - Highfield IV/Road Piece East.

Sponsors: I.F. Shield, H.J. Stevenson, J.E. Leach, T. Scott.

Design: 4 randomised blocks of 2 x 4 + 4.

Plot dimensions: 9.0 x 9.0.

Treatments: All combinations of:-

1.	SOW DATE	Sowing date:		
	E	01-Sep-99		
	L	22-Sep-99		
2.	SEED RATE	Seeds per m²		
	R1	20		
	R2	40 60		
	R3			
	R4	80		

EXTRA All sown at 40 seeds/m2:

EIR Early sown, irrigated
ESH Early sown, shaded
LIR Late sown, irrigated
LSH Late sown, shaded

Experimental diary:

13-Aug-99 : B :

```
14-Aug-99 : B : : Ploughing completed.
31-Aug-99 : B : : Rolled.
: T : E,EIR,ESH : Spannit at 1.5 l in 200 l. Rotary harrowed.

01-Sep-99 : T : E,EIR,ESH : Combination drilled, DTN 20, tr. Germipro, with the Accord drill. Rolled.

06-Sep-99 : T : E,EIR,ESH : Stomp 400 SC at 5.0 l in 200 l.

15-Sep-99 : B : : Draza at 5.0 kg.
```

22-Sep-99: T: L,LIR,LSH: Dursban 4 at 1.5 l in 200 l. : T: L,LIR,LSH: Combination drilled, DTN 20.

: Ploughing started.

: T : L,LIR,LSH : Combination drilled, DTN 20, tr. Germipro, with the Accord drill.

14-Oct-99 : B : : Cyperkill 10 at 250 ml in 200 1.

12-Nov-99: B: : tm)Alpha Simazine 50 SC at 2.3 1 in 200 1.

28-Apr-00 : B : : tm)Bravo 500 at 1.5 1 in 200 1. : B : : tm)Folicur at 0.5 1 in 200 1.

09-May-00 : **T** : ESH : Shading applied. 10-May-00 : **T** : LSH : Shading applied. 19-Jun-00 : **T** : EIR,LIR : Irrigated 12 mm. 29-Jun-00 : **T** : EIR,LIR : Irrigated 12 mm.

04-Jul-00 : B : : tm) Folicur at 0.5 1 in 200 1.

00/R/LP/6

Experimental diary:

04-Jul-00 : B : : tm)Aphox at 280 g in 200 l. : B : : tm)Enhance Low Foam at 50 ml in 200 l.

22-Aug-00 : T : ESH, LSH : Shading removed. 27-Sep-00 : B : : Combine harvested.

Previous crops: W. barley and w. wheat 1998, 1999.

NOTES: (1) Five plots were lost, one with treatment combination SOW DATE L and SEED RATE R1 because soil had been imported to fill a dell and one of each of the 4 EXTRA treatments were not applied. Estimated values

were used in the analysis.

(2) Radiation interception was measured weekly through the growing season. Supplementary red light was applied to parts of three plots during flowering and pod filling. Leaf and pod photosynthesis was measured. Radiation spectral measurements also measured occasionally. Dry matter and partitioning was measured every three weeks. Pods were counted weekly from flowering to harvest. Pod and seeds were weighed weekly during maturation. Components of yield were assessed at harvest.

GRAIN TONNES/HECTARE

***** Tables of means *****

SEED	RATE	R1	R2	R3	R4	Mean
SOW	DATE					
	E	3.75	3.31	3.14	3.30	3.37
	L	3.70	3.77	4.00	3.95	3.85
	Mean	3.72	3.54	3.57	3.62	3.61
F	EXTRA	EIR	ESH	LIR	LSH	Mean
		3.17	2.05	4.18	1.99	2.85

Grand mean 3.36

*** Standard errors of differences of means ***

SOW	DATE	SEED	RATE	SOW	DATE
				SEED	RATE
				&	EXTRA
0	.140	(0.199		0.281

***** Stratum standard errors and coefficients of variation *****

Stratum d.f. s.e. BLOCK.WP 28 0.397 11.8

GRAIN MEAN DM% 47.1

PLOT AREA HARVESTED 0.00207 (mean)