


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



Yields of the Field Experiments 1960

[Full Table of Content](#)



60/R/A/5 Park Grass - Hay

Rothamsted Research

Rothamsted Research (1961) *60/R/A/5 Park Grass - Hay ; Yields Of The Field Experiments 1960*, pp 14 - 14 - DOI: <https://doi.org/10.23637/ERADOC-1-180>

60/A/5

HAY - THE PARK GRASS PLOTS 1960

For history, treatments etc., see "Details of the Classical and Long Term Experiments" 1956.

Use of the flail-type forage harvester

Yields are based on sample cuts as for the second cut in 1959.

Cultivations, etc.: Ground chalk applied: Jan 27, 1960. Mineral fertilisers applied: Feb 5. Nitrogenous fertilisers applied: 1st dressing - Mar 31; 2nd dressing - Apr 28. Cut twice: June 15 and Oct 11.

Note: Commencing in 1960 yields from both 1st and 2nd crops will be presented as dry matter.

Summary of Results

Plot	Dry matter: cwt per acre					
	Not limed		Total	Limed		Total
	1st crop	2nd crop		1st crop	2nd crop	
1	5.9	4.2	10.1	15.2	10.7	25.9
2	13.4	11.2	24.6	13.8	11.8	25.6
3	12.4	9.8	22.2	13.5	9.9	23.4
4-1	17.9	13.1	31.0	13.3	10.5	23.8
4-2	17.8	16.1	33.9	27.3	14.0	41.3
5-1	10.1	9.2	19.3			
5-2	16.7	15.6	32.3			
6	20.1	18.4	38.5			
7	23.6	17.3	40.9	30.9	21.1	52.0
8	18.6	15.8	34.4	12.1	13.7	25.8
9	42.3	16.5	58.8	41.3	14.4	55.7
10	26.5	17.1	43.6	29.3	11.1	40.4
11-1	50.7	32.6	83.3	42.9	27.6	70.5
11-2	54.1	28.7	82.8	49.8	29.6	79.4
12	14.5	15.7	30.2			
13	24.0	16.9	40.9	24.8	22.4	47.2
14	41.8	21.4	63.2	45.9	18.4	64.3
15	18.2	13.0	31.2	30.4	23.8	54.2
16	34.7	18.4	53.1	40.4	21.5	61.9
17	21.4	13.9	35.3	20.6*	10.7*	31.3*
18	5.7	13.9	19.6	21.6*	8.3+	29.9+
				23.0*	11.0*	34.0*
				28.9+	17.3+	46.2+
19	24.6	18.3	42.9	29.5*	20.7*	50.2*
20	28.4	18.9	47.3	33.9*	19.9+	53.8*
				35.5+	19.1	54.6+

*Heavy liming. +Light liming.

Mean dry matter % as cut: 1st crop 24.9; 2nd crop 25.6.